

A 610 II
—
AA



opł. 2.00 zł
P.M.

NATURE

A WEEKLY

ILLUSTRATED JOURNAL OF SCIENCE

VOLUME XXII.

MAY 1880 to OCTOBER 1880



"To the solid ground

Of Nature trusts the mind which builds for aye."—WORDSWORTH

1912. 1942.

London and New York:

MACMILLAN AND CO.

1880

NATURE

1897

ILLUSTRATED JOURNAL OF SCIENCE

VOLUME XVII

LONDON :
R. CLAY, SONS, AND TAYLOR, PRINTERS,
BREAD STREET HILL, E.C.



INDEX

- ABERDEEN**, Museum of Science and Art in, 66
Abercomby (Hon. Ralph), Tay Bridge Storm, 533
Absorption Bands in Certain Colourless Liquids, Dr. W. J. Russell, F.R.S., and William Lapraik, 368
Abyssinia, Count Louis Pennazzi's proposed Journey in, 232
Accademia dei Lincei, 257
Acidulated Water, Immersion of Steel and Iron in, W. H. Johnson, 11
Actinism of the Sun's Rays and of Daylight, Measurement of, Dr. R. Angus Smith, 70
Adams (Prof. W. G., F.R.S.), Opening Address in Section A at the British Association, 411; on the Comparison of Declination Magnetographs at various Places, 447
Adelaide Botanic Garden, 253
Aéronautics: and Advertising, 17; Aéronautical Society of Great Britain, 155; New Scheme for directing Balloons, W. de Fonvielle, 303; *see also* Balloons
Africa: Association for the Exploration and Civilisation of Central, 19; Missionary Societies' Exploration of, 19; German African Society, 114; Marnö's Expedition, 114; New Map of Equatorial, by E. G. Ravenstein, 134; African Exploration Fund's Expedition, 303; Baptist Society's Map of Equatorial, 351; International Expedition to, 376; Royal Geographical Society's East African Expedition, 479; London Missionary Society's Expedition to Tanganyika, 544; German African Society's Mittheilungen, 544; Italian Expedition to Shoa, 570; French Expedition to the Upper Senegal, 570; Plants from Lakes Nyassa and Tanganyika, 586; Dr. Lenz' Expedition, 618
"After Images of Motion," Herr Zehfuss on, 90
Agassiz (Prof. Alexander): Obituary Notice of Count L. F. de Pourtales, 371; Palæontological and Embryological Development, 424
Agriculture: the Royal Agricultural College, Cirencester, 64, 154; Establishment of Two Scholarships at the, 185; Meeting of National Society for the Encouragement of, 66; Education of the People in, in France, 155; Earl Spencer on Agriculture and Science, 182; Establishment of a New School of Agriculture at Canterbury, New Zealand, 182; Agricultural Show at Carlisle, 253, 275; Prof. Church on Agricultural Chemistry, 275, 300; Dr. J. H. Gilbert, F.R.S., on Agricultural Chemistry, 472, 497, 523
Air-Bladder of Herring, Alf. C. Haddon, 534
Air-Engine, Col. Beaumont's, 567
Alabama, Geological Survey of, 348
Albania and the Albanians, A. H. Keane, 243
Aldis (W. Steadman), "Elementary Treatise on Solid Geometry," 531
Aleurone-Grains, the Chemical Composition of, Dr. Vines, 91
Alexander (T.), Elementary Applied Mechanics, 265
Alexandra Palace, Arctic Exhibition at, 254
Algæ of the Siberian Polar Sea, 376
Algæ, G. F. Chantrell, 382
Algeria: Decrease of Lions in, 204; Population of, 230
Algiers Observatory, M. Coggia appointed Director, 154
Algol, Minima of, 156
Allen (J. Romilly) Cup and Ring Stones, 97
Allen (Frank J.), Songs of Birds, 122
Allen (Grant), a Doubtful British Mollusk, 435
Alligators, Chinese, 112
Alliman (Prof. Geo. J., F.R.S.), the Freshwater Mollusca, 177, 218, 290
Allwood (T.), Double-Egg, 78
Alpine Flowers, Dr. Hermann Müller's work on, 204
Alrese? What is, Dr. A. Ernst, 585
Altai Mountains, Jurassic Rocks of, 349
American Naturalist, 20, 137, 282, 551, 623
American Journal of Science, 45, 186, 257, 480
American Journal of Mathematics, 73, 276
American (East Coast) Siphonophora, 113
American Blue Pike, Parasite on, 114
American Journal of Philology, 167
American Journal of Microscopy, 329
American Academy of Arts and Sciences, 332
American Association for the Advancement of Science, 345, 397, 498; the Entomological Club of the, 397; Prof. Agassiz's Address on Palæontological and Embryological Development, 424
American Antiquarian Society, 442
Amphipods, Nest-Building, 594
Anatomy of Man, Comparative, Prof. Flower, F.R.S., 59, 78, 97
Anchor-Ice, 31, 54, 171
Ancient Monuments, Preservation of, Auberon Herbert on, 228
Ancient Geography, Bunbury's History of, 333
Anderson (R.), New Zinc-Carbon Battery, 133
Anderson (Richard), on the Necessity for a Regular Inspection of Lightning-Conductors, 446
Anderson (Dr. Tempest), on Astigmatism, 476; Improved Heliograph or Sun Signal, 499
Andersson (Dr. Nils Johann), Obituary Notice of, 39
Anemometer, Cup, Constants of, Rev. Dr. Robinson, F.R.S., 404
Angel's "Plane Geometry," 557
Animals, Depraved Tastes in, 329, 339; Arthur Nichols, 339; F. R. Greenwood, 364
Annalen der Physik und Chemie, 46, 70, 185, 307, 551
Annelidan Entozoon, G. E. Dobson, 583
Ansted (Prof. David Thomas, F.R.S.), Death of, 86
Anthropology: Anthropological Institute, 22, 47, 72, 163, 211, 235; Annual Congress of the German Anthropological Society, 345, 453; International Congress of, 440; General Pitt Rivers's (Lane-Fox) Anthropological Collection, 489, 511
Antipatharia of the Blake Expedition, 113
Antisana, E. Whymper's Ascent of, 19
Ants, Sir John Lubbock on the Habits of, 184; Sounds made by, S. E. Peal, 583
Antwerp Geographical Society's Bulletin, 206
Apiary, A. J. Cook's Manual of the, 433
Apiculture, Exhibition of Apparatus relating to, 17
Aquarius, Variable Star in, 205
Aqueous Vapour in relation to Perpetual Snow, Dr. J. Croll, F.R.S., 191
Archæopteryx, the, at Berlin, 86
Archibald (E. Douglas), a Fourth State of Matter, 218; the Naini Tal Landslip, 533
Archives des Sciences Physiques et Naturelles, 20, 160, 257, 380
Arctic Exploration: Proposed Expedition under Lieut. Bove, 42; the proposed Observing Stations, 90; Breaking-up of the Ice, 115; another Balloon Scheme, 134; the *Howgate Expedition*, 134; Scientific Results of the *Howgate Polar Expedition*, 1877-78, 171; Bessel's proposed Expedition, 157; Departure of the *Eira* from Peterhead, 184; Arctic Exhibition at the Alexandra Palace, 254; the Franklin Search Expedition, 544; Arctic Fossil Floras and Temperature, J. S. Gardner, 341; Arctic News, 506; Leigh Smith's Cruise, 598

- Argentine Entomology, W. L. Distant, 238
 Argyll (Duke of, F.R.S.), the Lesser Spotted Woodpecker, 95 ;
 a Fourth State of Matter, 168 ; a Fragment of Primæval
 Europe, 407
 Aristotelian Society, 519
 Armstrong (Prof. H. E., F.R.S.), Miller's Elements of Chem-
 istry, 559
 Arrow Heads, Stone, W. L. Distant, 11
 Arrow-heads, Chipped, Dr. R. W. Copping, 97
 Arthropods, Transverse Commissure in, 520
 Artificial Diamonds, R. Mallet, F.R.S., 192 ; J. B. Hannay,
 241, 255
 Asia, Central, Geology of, 348
 Asterabad, the Province of, 281
 Astigmatism, Dr. Tempest Anderson on, 476
 Astronomical Column, 18, 67, 88, 112, 131, 156, 184, 205, 231,
 276, 301, 347, 374, 399, 454, 466, 495, 541, 569, 593, 616
 Astronomy, Prof. Asaph Hall on the progress of, 570
 Atmospheric Phenomenon, 362, 607
 Atoms, Vortex, S. Tolver Preston, 121
 Atti della R. Accademia dei Lincei, 234
 Audiphone, a New, Thos. Fletcher, 145
 Audition, Binaural, Prof. Graham Bell's Experiments in, 586
 August Perseids of 1880, W. F. Denning, 470
 Aurora : the Inevitable Test for, Prof. Piazzi Smyth, 76 ; Warren
 De La Rue, F.R.S., and Hugo W. Müller, F.R.S., 96 ; J. R.
 Capron, 291 ; Height of the, John I. Plummer, 362 ; Auroræ
 in Scotland, 373 ; Observations of Auroræ on August 12 and
 13, Ralph Copeland, 510 ; Auroras in America, 594 ; Aurora
 Borealis, the, Warren De La Rue, F.R.S., and Hugo W. Müller,
 F.R.S., 33 ; Robert H. Scott, F.R.S., 33 ; Aurora Borealis
 and its Colours, T. W. Backhouse, 145 ; Warren De La Rue,
 F.R.S., and Hugo W. Müller, F.R.S., 169 ; Aurora Borealis
 and Magnetic Storms, Rev. S. J. Perry, F.R.S., 361 ; J. A.
 B. Oliver, 361 ; F. J. Mott, 361 ; Auroral Observations,
 Prof. Sophus Tromholt, 192
 "Australian Orchids," R. O. Fitzgerald, 53
 Australia, Meteorology of South, C. Mann, 120 ; C. Todd, 120
 Australia, a supposed Survivor of Leichhardt's Expedition, 184
 "Automatic Multiplier and Calculator," J. Sawyer, 316
 Ayrton (Prof. W. E.), Seeing by Telegraphy, 31 ; Wire Torsion,
 604 ; on Technical Education, 616
 Axon (William E.), Stone in the Nest of the Swallow, 242
 Azores, supposed New Island in the, Prof. T. E. Thorpe, F.R.S.,
 509
- Bach (Albertus B.), Lecture at Royal Academy of Music on the
 Cultivation of the Voice, and his Resonator, 204
 Backhouse (T. W.), Aurora Borealis and its Colours, 145
 "Bacterium foetidum : an Organism Associated with Profuse
 Sweating from the Soles of the Feet," Geo. Thin, M.D., 209
 Baer, Karl Ernst von, proposed Monument to, 64
 Bailey (Prof. W. Whitman), Intellect in Brutes, 607
 Baillon and Decaisne, 12
 Baillon (Prof.), on a Case of Apparent Insectivorum, 277
 Balfour (F. M., F.R.S.), Address in Section D at the British
 Association, 417 ; "Comparative Embryology," Prof. E. Ray
 Lankester, F.R.S., 601
 Balfour (Dr. J. B.), on Socotra, 477
 Ball Lightning, W. F. Smith, 267
 Balloons : as Advertising Mediums, 17 ; Balloon Expedition
 from France to England, 111 ; another project for reaching
 the North Pole by, 134 ; Photographs from a, 183, 204 ; Balloon
 Accident at Le Mans, 253 ; new Scheme for Directing, W.
 de Fonville, 304 ; Manufacture of War Balloons in France,
 346 ; Accident to an Aeronautist, 374 ; Ascent at Cherbourg,
 398 ; Balloon Contest in London, 441 ; Balloon Society of
 Great Britain, 441, 495 ; Military Ballooning, 441 ; Balloon
 Contest at the Crystal Palace, 519, 592, 615 ; Proposed
 Captive at Milan, 615
 Barfoed (Dr. Chr. Th.), "Lehrbuch der organischen Qualita-
 tiven Analyse," 581
 Barrow-in-Furness, Summer Meeting of the Institution of
 Mechanical Engineers, 300
 Barrows, Round and Long, Prof. Rolleston on, 478
 Bathurst, near Tuena, Discovery of Gold in, 275
 Batrachia, on the Structure and Development of the Skull in
 the, W. K. Parker, F.R.S., 161
 Battery, Secondary, a New, 521
- Bautzen, Discovery of Ancient Burial-Ground near, 66
 Bavaria, Prof. H. Ohlenschläger's Prehistoric Map of, 68
 Bay of Biscay, French Deep-Sea Exploration of, Dr. J. Gwyn
 Jeffreys, F.R.S., 468
 Beaumont (Col.), Air-Engine, 567
 Becquerel (M. Henri), on the Magneto-Optic Properties of
 Gases, 280
 Bedfordshire Pomona, 615
 Bees, Exhibition of Apparatus relating to, 17
 Bee-Keeping, English and American Works on, 433
 Beetles, Monstrous, 520
 Beetles, Branch-Cutting, Fritz Müller, 533
 Behnke (Emil), "The Mechanism of the Human Voice," 239
 "Belfast Lough, Birds, Fishes, and Cetacea commonly fre-
 quenting," Robert Lloyd Patterson, 289
 Belgium, the National Exhibition at Brussels, 345 ; the Geology
 of, 348
 Bell (Prof. Graham), Photophone, Prof. S. P. Thompson, 481 ;
 Selenium and the Photophone, 500 ; Experiments in Binaural
 Audition, 586
 Bennett (A. W.), the Classification of Cryptogams, 451
 Bergsma (Dr. P. A.), Rainfall of the East Indian Archipelago,
 434
 Berlin, Formation of Society of Zoology at, 65 ; the Geogra-
 phical Society of, 254, 618, 624 ; Anthropological Congress
 at, 345
 Bermuda, Remarkable Discovery of a Murder in, H. N. Moseley,
 170
 Berthelot's Essay on Chemical Dynamics, 285
 Beryllium, 350
 Bessemer (Sir Henry, F.R.S.), Presentation of the Freedom of
 the City of London to, 64
 Betti (Prof. E.), "Teoria delle Forze Newtoniane e sui appli-
 cazioni all' Elettrostatica e al Magnetismo," 557
 Bibliography, the "Ronalds" Catalogue of Works on Elec-
 tricity, Magnetism, &c., 87
 Bichromate Battery, an Improved, 375
 Bidie (Dr. G.), Calcareous Concretions in Timber, 169
 Biedermann (Dr. Richard), Death of, 87
 Binary Stars α Centauri, 399, 541 ; 85 Pegasi, 467 ; δ Equulei,
 593
 Binaural Audition, Prof. Graham Bell's Experiments in, 586
 Binocular Glasses, the Inventor of, 567
 Binomio di Newton, Ignazio Cameletti, 582
 Biological Notes, 112, 277, 520, 594
 Biology, a New Term Wanted, D. Sharp, 364
 Bird (Isabella), "Unbeaten Tracks in Japan," 610
 Birds, the Songs of, 97 ; James Macfadzean, 12 ; Prof. Alfred
 Newton, F.R.S., 122 ; Frank J. Allen, 122 ; Migratory, at
 Lighthouses, 25 ; Notes of—Wild Swans, J. Birmingham,
 171 ; "Birds, Fishes, and Cetacea commonly frequenting
 Belfast Lough," Robert Lloyd Patterson, 289 ; the Toothed
 Birds of Kansas, 457 ; Migration of, Prof. Newton, F.R.S.,
 477 ; Classification of, Dr. P. L. Sclater, F.R.S., 549
 Birmingham Philosophical Society's Fund for the Endowment of
 Original Research, 203, 299
 Birmingham, Mason Science College, 514 ; Prof. Huxley at, 16
 Birmingham Natural History Society, 539
 Birmingham (John), Notes of the Cuckoo, 76 ; Variability of
 60 Caneri, 76 ; Wild Swans—Notes of Birds, 171 ; Chipped
 Flints, 319 ; a New Red Star, 408
 Bismuth, the Density of Fluid, 448
 Black Beetles and Yeast, 11
 Blight, Mosquitos, Flies, &c., Protection against, Wm. Chappell,
 F.S.A., 11
 Blowpipe Analysis, Alphabetical Manual of, Col. W. A. Ross,
 336
 Blue Pike, American, Parasite on, 114
 Blyth (James), on Currents produced by Friction between Con-
 ducting Substances, and on a New Form of Telephone Re-
 ceiver, 330
 Boguslawski on Ocean Temperature, 114
 Bohemian Physicians and Naturalists, Congress of, 379
 Books, &c., Recall of Appearance of, Cornelius Walford, 220
 Borchardt (Prof. C. W.), Death of, 251
 Borneo, Geological Formation of Soil of, 41
 Boston, U.S., Meeting of the American Association at, 345, 397,
 424, 493 ; American Academy of Arts and Sciences, 332
 Botany : Curious Botanical Phenomenon, 30 ; Prof. Thiselton
 Dyer on Botanic Gardens, 39 ; Safe Arrival of Botanical Col-

- lections from Socotra at Kew, 64; New Botanical Work by Dr. Dodel-Port, 87; Text-Book of Botany, Prof. K. Prantl, 216; "Botanische Jahrbücher," A. Engler, 434; Botanical Text-Book, Prof. Asa Gray, 482; the Jamaica Hurricane and the Botanical Gardens, D. Morris, 538; "Botanical Gazette," Indiana, 568
- Bottomley (J. J.), the Elasticity of Wires, 447
- Bottomley (J. T.), Experiment with Glass Tubes, 291
- Bove (Lieut.), proposed Arctic Expedition, 42
- Bower (F. Orpen), Germination of *Welwitschia mirabilis*, 590; Sieve-Tubes of Dicotyledonous Plants, 602
- Brain, 456
- Brain Dynamics, on a Point Relating to, S. Tolver Preston, 29; G. J. Romanes, F.R.S., 75; Rev. W. Clement Ley, 121; S. Tolver Preston, 121
- "Brain as an Organ of Mind," Dr. H. Charlton Bastian, F.R.S., 381
- Braithwaite (Dr. R.), "Sphagnaceæ, or Peat-Mosses of Europe and North America," 556
- Branch-cutting Beetles, Fritz Müller, 533
- Breath, Temperature of, 607; Dr. R. E. Dudgeon, 241, 584; C. J. McNally, 534
- Breguet (M. Antoine), Recent Advances in Telegraphy, 18
- Bremon (C. McPherson de), Lightning Conductors, 382
- Brieg, Switzerland, Shock of Earthquake at, 230
- Bristol, University College, 494
- BRITISH ASSOCIATION: Meeting at Swansea, Officers and Preliminary arrangements, 181, 383; and Provincial Scientific Societies, John Hopkinson, 319, 440; the Geology of Swansea, 323; Excursions, &c., 324; Inaugural Address of the President, Dr. Andrew Crombie Ramsay, F.R.S., 383; the Natural History Collections and the, 410; Excursions, *Soirées*, Evening Lectures, &c., 410, 411; the Annual Grants, 411, 442; Report on the Best Means for the Development of Light from Coal Gas, 442; Report on Underground Temperatures, 442; Report on the Specific Inductive Capacity of a Good Sprengel Vacuum, 443; Report on the Ultra-Violet Spectra by Prof. A. K. Huntington, 444; and on the Spectra of Metalloids, Dr. A. Schuster, F.R.S., 444; Report of the Committee on Erratic Blocks, 444; Report on the Exploration of Caves in the South of Ireland, 445; Report on the Carboniferous Polyzoa, 445; Report on the "Geological Record," 445; Sixteenth Report of the Committee for Exploring Kent's Cavern, 445; Report on H.M. Inspectors of Schools and the Science Subjects of the Code, 445; Report on the Influence of Bodily Exercise on the Elimination of Nitrogen, 445; Report on the Tertiary Flora of the Basalts of the North of Ireland, W. H. Baily, 476; Report on the Viviparous Nature of the Ichthyosauri, Prof. H. C. Seeley, 476; the Sixth Report of the Underground Water Committee, 476; Report on the present State of our Knowledge of the Crustacea, C. Spence Bate, F.R.S., 476
- Section A (*Mathematics and Physics*).—Opening Address by the President, Prof. W. Grylls Adams, F.R.S., 411; on some Laws which regulate the Succession of Temperature and Rainfall in the Climate of London, H. Courtenay Fox, 455; W. H. Preece on the Best Form to give to Lightning Conductors, 446; Richard Anderson on the Necessity for a Regular Inspection of Lightning Conductors, 446; Sir William Thomson on a Method of Measuring Contact Electricity, 446; Sir William Thomson on a Method of Determining without Mechanism the Limiting Steam-Liquid Temperature of a Fluid, 446; G. F. Fitzgerald on the Possibility of Originating Wave-Disturbances in the Ether, 446; W. Ladd on the Best Form of Magnet for Magneto-Machines, 446; J. J. Bottomley on the Elasticity of Wires, 447; Prof. W. G. Adams on the Comparison of Declination Magnetographs at various places, 447; Prof. G. H. Minchin on Photo-Electricity, 447; Prof. S. P. Thompson on Electric Convection Currents, 447; Hon. F. A. R. Russell on "Experiments on Thin Films of Water, with Regard to the Absorption of Radiant Heat," 447; Dr. Tempest Anderson on an Improved Apparatus for the Objective Estimation of Astigmatism, 476
- Section B (*Chemical Science*).—Opening Address of the President, Dr. J. H. Gilbert, F.R.S., 472; on the Influence of Water on the Union of Carbonic Oxide with Oxygen at a High Temperature, Harold B. Dixon, 447; Metallic Compounds containing Organic Radicals, J. Sakurai, 448; on some Relations between the Atomic Volumes of Certain Elements and the Heat of Formation of some of their Compounds, Walter Weldon, 448; on the Specific Rotary Power of Cane and Invert-Sugar, Alfred H. Allen, 448; on the Identification of the Coal-Tar Colours, John Spiller, 448; on the Density of Fluid Bismuth, W. C. Roberts, F.R.S., and Thomas Wrightson, 448; on Petroleum Spirit and Analogous Liquids, A. H. Allen, 448; on the so-called Normal Solution for Volumetric Analysis, A. H. Allen, 448; on the Determination of the Loss of Heat in Steam Boilers from Incrustation, Wm. Thomson, 448; on the Identification of the Ink used in Writing as evidence in Cases of Libel, Forgery, &c., W. Thomson, 448; the Effects of Magnesia on Vegetation, Major-Gen. Scott, F.R.S., 448; on Bleaching-powder Residues, J. F. W. Hodges, 448; on the Refraction Equivalent of Diamond and the Carbon Compounds, Dr. J. H. Gladstone, F.R.S., 449; on a New Process for the Production from Aluminous Minerals of Sulphate of Alumina from Iron, J. W. Kynaston, 449; on a New Process for separating Silver from Copper Ores and Reguluses, by W. Henderson, 449
- Section C (*Geology*).—Opening Address by the President, H. C. Sorby, LL.D., F.R.S., 390; Notes on the Sub-Marine Geology of the English Channel off the Coast of South Devon, A. R. Hunt, F.G.S., 449; on the Site of a Palæolithic Implement Manufactory at Crayford, Kent, F. C. Spurrell, 449; on the Island of Torghatten, Norway, and on the Influence of Joints on Denudation, Prof. W. J. Sollas, 449; on the Contortion of a Quartz Vein in the Mica Schist from Bodö, Norway, Prof. W. J. Sollas, 449; on the Geological Age and Relations of the Sewalik, and Pikermi Vertebrate and Invertebrate Faunas, W. T. Blanford, 449; on the Relations to be Established between Coast-line Direction represented by Great Circles on the Globe and the Localities marked by Earthquakes in Europe, Prof. J. P. O'Reilly, 449; on the Sandstones and Grits of the Lower and Middle Series of the Bristol Coal-Fields, E. Wethered, 449; on the Hiatus said to have been found in the Rocks of West Cork, G. H. Kinahan, 449; Note on the Range of the Lower Tertiaries of East Suffolk, W. H. Dalton, 450; Proof of the Organic Nature of Eozoon Canadense, Charles Moore, 450; on the Post-Tertiary and Glacial Deposits of Kashmir, Lieut.-Col. Godwin-Austen, 450; on the Fault-Systems of Central and West Cornwall, J. H. Collins, 450; on the Geology of the Balearic Islands, Dr. Phéné, 450; on some Pre-Cambrian Rocks in the Harlech Mountains, Dr. Hicks, 450; on the Action of Carbonic Acid on the Limestone, Prof. Boyd Dawkins, F.R.S., 450; on a Raised Beach with Diluvial Drift in Rhos Sili Bay, Gower; on the Geological Evidence of the Submergence of the South-West of Europe during the Early Human Period, Prof. Prestwich, 450; on a Striated Stone from the Trias of Portishead; on the Action of a Lichen on Limestone; on Sponge Spicules from the Chalk of Trimmingham, Norfolk, Prof. W. J. Sollas, 451; on the Geological Literature of Wales, W. Whitaker, 451; Sketch of the Geology of British Columbia, Dr. G. M. Dawson, jun., 451; Notes on the Occurrence of Stone Implements in the Coast Laterite, South of Madras, and in High-Level Gravel and other Formations in the South Mahratta Country, R. Bruce Foote, 451; on the Pre-Glacial Contour and Post-Glacial Denudation of the North-West of England, C. E. De Rance, 451
- Section D (*Biology*).—Opening Address by the President, Dr. A. C. L. G. Günther, F.R.S., 393; on the Classification of Cryptogams, A. W. Bennett, 451; Further Remarks on the Mollusca of the Mediterranean, Dr. Gwyn Jeffreys, F.R.S., 452, 477; on the Migration of Birds, and Messrs. Brown and Cordeaux's Method of obtaining Systematic Observations of the same at Lighthouses and Lightships, Prof. Newton, F.R.S., 477
- Department of Anatomy and Physiology.—Address by F. M. Balfour, F.R.S., 417; Dr. J. B. Balfour on Socotra, 477
- Department of Anthropology.—Address by F. W. Rudler, F.G.S., 421; on Anthropological Colour-Phenomena in Belgium and Elsewhere, J. Beddoe, M.D., F.R.S., 477; Pocket Registrar for Anthropological Purposes, Francis Galton, F.R.S., 478; on the Retention of Ancient and Prehistoric Customs in the Pyrenees, Dr. Phéné, F.S.A., 478; Mr. Thomas Pluquet, on an Ancient Settle-

- ment in the Coal Bog near Bohoe, 478; Prof. Rolleston on the Structure of Round and Long Barrows, 478; Miss Buckland on Surgery and Superstition in Neolithic Times, 478
- Section E (Geography).*—The Royal Geographical Society's East African Expedition, 479; Col. Tanner on the Dara Nur and its Inhabitants, 479; the Galapagos Islands, by Capt. Markham, 480
- "British Islands, A Short Geography of," by J. R. and Alice S. Green, 119
- British Medical Association at Cambridge, 64, 372; Gold Medal of, 299
- British Museum, Fresh Maps at the, 184; Report of the, 246; the Electric Light at, 299; the Removal of the Natural History Collections to South Kensington, 328; the Attendants, Wm. Flinders Petrie, 338; Discussion in the House of Commons on, 345
- British Wild Flowers, a New and Easy Method of Studying, by Natural Analysis, F. A. Messer, 532
- British Columbia, the Trees of, 592
- Broca (Paul), Obituary Notice of, 249; II. F. C. ten Kate on, 292; Proposed Erection of a Statue to, 299
- Brock (Dr. J.), Evolution of Dibranchiate Cephalopods, 277
- Brocken, Spectre of the, at Home, J. Innes Rogers, 559
- Bromine, Chlorine, and Iodine, Densities of at High Temperatures, 278
- Bronze Statuary and the Process of Electrodeposition, 18
- Bronze Implements, Discovery of in Sardinia, 540
- "Brook's Popular Botany," 347
- Broun (J. Allan), Pension to the Widow of, 228
- Browne (Walter R.), Iron and Hydrogen, 242
- Brussels, International Exhibition at, 131, 345; Proposed International Congress of Commerce and Industry at, 275
- Brutes, Intellect in, F. Lewis, 40; W. W. Nicholls, 266; Rev. George Henslow, 319; Surgeon-Major Curran, 339; Henry MacCormack, 362; L. P. Gratacap, 408; Consul E. L. Layard, 607; Prof. W. Whitman Bailey, 607
- Buchanan (J. Y.), Compressibility of Glass, 377
- Buchanan (J.), "Manual of the Indigenous Grasses of New Zealand," 532
- Buckland (Miss A. W.), on Surgery and Superstitions in Neolithic Times, 478
- Buitenzorg, Java, Dr. M. Neuf, appointed Director of Botanical Gardens of, 64
- Bulletin of the Torquay Botanical Club, 136
- Bulletin of the United States Geological and Geographical Survey of the Territories, 161
- Bulletin de la Société d'Anthropologie de Paris, 209, 331, 575
- Bulletin de l'Académie Royale des Sciences de Belgique, 236, 257, 331, 455, 528, 552
- Bunbury (E. H.), "History of Ancient Geography," 333
- Burns Burner, New Form of, 302
- Burnham (S. W.), his Report on the Proposed Lick Observatory, 515
- Buschmann (Dr.), Death of, 66
- Byerly (W. E.), Differential Calculus, 509
- Caddis-Flies, Monograph on, R. McLachlan, F.R.S., 314
- Calantarients (Dr.), on Crystal Ice, 130
- Calcareous Concretions in Timber, Dr. G. Bidie, 169
- Cambier (M.) on Recent Earthquakes on Lake Tanganyika, 67
- Cambridge: Proposed Admission of Women to Academic Degrees, 70; the University Commission, 623
- Camelette (Ignazio), Il Binomio di Newton, 582
- Camps on the Malvern Hills, 211
- "Camps in the Caribbees; the Adventures of a Naturalist in the Lesser Antilles," F. A. Ober, 214
- Cancrî 60, Variability of, John Birmingham, 76
- Cape Town Botanic Gardens, 517
- Capello (J.), Comparative Curves in Terrestrial Magnetism, 220
- Capron (J. Rand), Storm Effects, 290; Inevitable Test for Aurora, 291
- Carbon and Carbon Compounds, Prof. A. S. Herschel, 320
- Carbon, Electrical Conductivity of, 544
- Carbon, on the Spectra of the Compounds of, with Hydrogen and Nitrogen, Professors Liveing and Dewar, 620
- Carbon Compounds and the Refraction Equivalents, 279
- Carbon Compounds, Chemistry of the, M. M. Pattison Muir, 539
- Carbon Compounds and Phosphorescence, 543
- Carbonic Acid? does Chlorophyll Decompose, Dr. J. W. Draper, 29
- Carboniferous Forest at Oldham, Jas. Nield, 30
- Caribbean Sea, 242
- Caribbees, Camps in the, the Adventures of a Naturalist in the Lesser Antilles, F. A. Ober, 214
- Carlisle, Royal Agricultural Society at, 253, 275
- Carmichael (Prof.) on the Vibrations of a Flame, 18
- Carnelley (Dr. Thos.), Conditions Necessary for the Existence of Matter in the Liquid State, 434; Existence of Ice at High Temperatures, 434, 510; Ice under Pressure, 583
- Carnivorous Wasps, 31
- Carpenter (Dr. W. B., F.R.S.), Ocean Circulation, 217
- Carr (G. S.), Synopsis of Elementary Results in Pure and Applied Mathematics, 582
- "Carriage, the Waiting," W. M. F. Petrie, 534
- Cassel, General Meeting of the German Geometrical Society at, 16
- Caves in South of Ireland, 445
- Caverns, Discovery of Natural, in the Neighbourhood of West Harptree, 204
- Celestial Object, a Novel, Prof. E. C. Pickering, 483
- Celluloid, 370
- Centrifugal Machine for Schools, 375
- Cephalopods, Dibranchiate, Evolution of, Dr. J. Brock on, 277
- Ceraski's New Variable Star, 616; Prof. E. C. Pickering, 603; Geo. Knott, 603
- Cerium, the Specific Weight of, 542
- "Ceylon Coffee Soils and Manures; Report to the Ceylon Coffee Planters' Association," John Hughes, 144
- Châlets, Swiss, Rev. Geo. Henslow, 534; H. N. Moseley, 559
- Chamblandes, Canton Vaud, Discovery of Walled Tombs at, 40
- Champagne, the manufacture of, 397
- Champlain Iron Region, New Mineral from the, 278
- Chantrell (J. F.), Algæ, 382
- Chappell (Wm., F.S.A.), Protection against Mosquitos, Flies, and Blight, 11
- Charnay (M. Desiré), Exploration of the Ancient Remains of Mexico, 42
- Chatel, Fascination, 484
- Chemistry: Wurtz's Elements of Modern Chemistry, 8; Chemical Society, 21, 47, 139, 162, 211; Grants from Research Fund of, 228; Chemical Notes, 278, 349, 542, 617; Chemical Dynamics, M. M. Pattison Muir, 285; Tilden's Qualitative Analysis, 360; Agricultural Chemistry, Dr. J. H. Gilbert, 472, 497, 523; "Miller's Chemistry of the Carbon Compounds," M. M. Pattison Muir, 530; Prof. H. E. Armstrong, F.R.S., on the same, 559; Recent Chemical Research, M. M. Pattison Muir, 608
- Cherbourg, Balloon Ascent at, 398
- Chicago Observatory, 301
- Chimborazo, E. Whympser's Ascent of, 19
- China, Easton's Journey in the North-West of, 41; Chinese Alligators, 112; Rainfall of Southern China, 431; Chinese Geographical Names, 618
- Chlorine, Bromine, and Iodine, Densities of, at High Temperatures, 278
- Chlorophyll, does it decompose Carbonic Acid? Dr. J. W. Draper, 29
- Chlorophyllan, Hoppe-Seyler on, 279
- Christie (W. H. M.), Spectrum of Hartwig's Comet, 557
- Chrystal (Prof. G.), Experiments with the Wire Telephone on strongly magnetic Metals, 168, 303
- Church (Prof. A. H.), Lectures on Agricultural Chemistry, 275; Agricultural Chemistry, 300
- Church (John A.), Subterranean Kaolinisation, 317
- Giamician (G.), Spectroscopic Investigations, 575
- Ciliated Plant, a New Green, 521
- Cinchona Cultivation, 568, 592
- Cirencester, Royal Agricultural College, Establishment of Two Scholarships, 185
- Citric Acid from Glycerin, Grimaux and Adam, 349, 567, 585
- City and Guilds of London Institute, 17, 44, 183
- Clarens, Remarkable Electrical Phenomenon at, 204
- Clark (Lieut. J. W.), Utricularia, 318
- Clay, London, Diatoms in the, W. H. Shrubsole, 221
- Claypole (Prof. E. W.), Stags' Horns, 146; Minerva Ornaments, 193
- Clifford (Prof. W. K., F.R.S.), Energy and Force, 122

- Climates, Geological, Rev. Prof. Samuel Haughton, F.R.S., 532; Dr. P. Martin Duncan, F.R.S., 559
- Clocks, Synchronised, in France, 182
- Clocks, Pneumatic, 226
- Clôe's Thermoelectric Pile, Improvement of, 19
- Cloud Classification, 96; Rev. W. Clement Ley, 144
- Clouds, a New Form of Nefoscope, 132
- Coal Measures, Plants of the, Prof. W. C. Williamson, F.R.S., 281
- Coal Mines, Explosions in, 300
- Coal Mines in Japan, 616
- Coal-Tar Colours, John Spiller, 448
- Coasts, Present System of Lighting our, 229
- Cobæa Penduliflora (Hook. Fil.), on the Fertilisation of, Dr. A. Ernst, 148
- Coffee, Ceylon, Soils and Manures, John Hughes, 144
- Coffee Disease in New Granada, Dr. A. Ernst, 292
- Coffee Trees and Locusts, Dr. A. Ernst, 408
- Coleoptera, Parthenogenesis in the, Rev. J. A. Osborne, 509
- Colladon (Prof.), on Thunderstorm in Geneva, 65
- Collier (Mr.), Crystallisable Sugar, 278
- Colour Combinations, C. J. Woodward, 171
- Colour Phenomena in Belgium, 477
- Colour Sense of the Maoris, 494
- Colour-Blindness in the United States, 65, 373; proposed Commission on, 567
- Colours, Handbook of, for Painters, W. J. Muckley, 357
- Columbus (Christopher), proposed Memorial of, 65
- Colvée (Don Pablo), "Ensayo sobre una nueva enfermedad del Olivo," 29
- Coma, Rudimentary, in, Godetia, 595
- Comets: Comet of 1106, 18; Second of 1880, 67, 89; Great Southern of 1880, 156, 231, 399; Cape Observations of Comet 1880 (1), 374; Comets 1880 *d* and *e*, 594; Winnecke's, 131; Faye's, 156, 301, 466, 593; Schäberle's, 467; Swift's New Comet, 467; Westphal's Comet, 184; Third Comet of 1822, 205; the Comet of 1668, 276; Comets of Short Period, 347; a New, 455, 542; Spectrum, &c., of Hartwig's Comet, W. H. M. Christie, 557, 569, 593
- Coming of Age of the Origin of Species, Prof. T. H. Huxley, F.R.S., 1
- Comparative Anatomy of Man, 1; Prof. Flower, F.R.S., 59
- "Comparative Embryology," Francis M. Balfour's, F.R.S., Prof. E. Ray Lankester, F.R.S., 601
- "Compendium der Naturwissenschaften an der Schule zu Fulda in IX. Jahrhundert," 229
- Compressibility of Glass, J. Y. Buchanan, 377
- Comstock Lode, the Heat of the, J. A. Phillips, 337
- Conics, Elementary Geometry of, C. Taylor, 603
- Coniferae, a Chapter in the History of the, J. Starkie Gardner, 199
- Constance (Lake of), Solar Halo on, 111
- Continuous Manifolds, on the Simplest, of Two Dimensions and of Finite Extent, F. W. Frankland, 170
- Continuous Manifold, the Simplest, of Two Dimensions and of Finite Extent, C. J. Monro, 218
- Cook (A. J.), "Manual of the Apiary," 433
- Copeland (Ralph), Observations of Aurora, August 12 and 13, 510
- Coppinger (Dr. R. W.), "Chipped Arrow heads," 97
- Coral Reefs and Islands, John Murray on, 23, 351; Prof. Joseph LeConte, 558
- Corals, Fossil, 112
- "Coronella lævis," H. King, 220
- Corazon, E. Whympers Ascent of, 19
- Corea, the Japanese Trading Station in, 596
- Cornea, Optical Property of the, 595
- Cornwall, Birds of, Edward Hearle Rodd, 507
- Cotopaxi, E. Whympers Ascent of, 19
- Coues (Dr. Elliott), "Ornithological Bibliography," 373
- Cows, Phosphoric Acid in the Urine of, 595
- Crabs, Fiddler, 278
- Crannog, a Scottish, 13, 34
- Crayfish, Ural, W. H. Twelvetrees, 10
- Crayfish in France, 494
- Crickets as Housepets in Lisbon, 540
- Croll (Dr. J., F.R.S.), Aqueous Vapour in Relation to Perpetual Snow, 191
- Crookes (W., F.R.S.), Contributions to Molecular Physics in High Vacuo, 101, 125; a Fourth State of Matter, 153
- Cross (Chas. R.), Permanent Record of Foucault's Pendulum Experiment, 240
- Cryptogamic Society of Scotland, Annual Conference of, 398
- Cryptogams, the Classification of, A. W. Barrett, 451
- Crystal Ice, 54, 130, 145
- Crystallisable Sugar, Mr. Collier on, 278
- Cuckoo, Notes of the, John Birmingham, 76
- Culture and Science, Prof. T. H. Huxley, F.R.S., 545
- Cumming (L.), Effects of Lightning on Trees, 220
- Cup-Stones, Cup-Marked Stones, or Cups and Rings, 221; Morton Middleton, jun., 77; Romilly Allen, 97; James Linn, 122
- Curran (Surgeon-Major W.), Fascination in Man, 318; Strange Method of Crossing a Torrent, 339; Intellect in Brutes, 339
- Currents produced by Friction between Conducting Substances, James Blyth, 330
- Curves, Comparative, in Terrestrial Magnetism, Rev. S. J. Perry, F.R.S., 120; J. Capello, 220
- Cuttlefish, Large, 113
- Dancer (J. B.), Quassia and Mosquitos, 338
- Danzig, Meeting of German Association at, 298, 493, 527, 530
- Dara Nur and its Inhabitants, 479
- Darwin (G. H., F.R.S.), Preston on Vortex Atoms, 95
- Darwin's Theory of the Origin of Coral Reefs and Islands, 351
- Darwinian Essays, Two, Alfred R. Wallace, 141
- Darwinism, Degeneration, a Chapter in, Prof. E. Ray Lankester, F.R.S., 141
- Daubrée (M.), on Descartes, 183
- "Davis Lectures for 1880," 130
- Dawkins (Prof. Boyd, F.R.S.), "Early Man in Britain," 82
- Dawson (Principal J. W., F.R.S.), Fossil Men, 82; Eozoic or Palæozoic, 382
- Death by Hanging, 595
- Decaisne and Baillon, 12
- Dechevrens (Père Marc), on Typhoons, 183
- Deep-Sea Animals, Organs of, M. O. Grimm on, 278
- Deep-Sea Exploration, a French Expedition, 134, 345, 372; of the Bay of Biscay, Dr. J. Gwyn Jeffreys, F.R.S., 468
- Deep-Sea Sounding and Dredging, 508
- Deer, Domestication of, 278
- "Degeneration, a Chapter in Darwinism," Prof. E. Ray Lankester, F.R.S., 141
- De La Rue (Warren, F.R.S.), the Aurora Borealis, 33; the Inevitable Test for Aurora, 96; Aurora Borealis and its Colours, 169; Experimental Researches in Electricity, 149, 174, 196; on some Points connected with Terrestrial Magnetism, 169
- Deltocyathus italicus* Ed. and H., P. Martin Duncan, 534
- Denning (W. F.), the Shower of August Perseids, 1880, 470
- Densities of Chlorine, Bromine, and Iodine at High Temperatures, 278
- Depraved Tastes in Animals, 329, 339; Arthur Nichols, 339; F. R. Greenwood, 364
- Deprez's (M. Marcel), Apparatus for Transmitting a Movement of Rotation by Electricity, 19; Galvanometer for Strong Currents, 246; New Electric Motor, 301
- Descartes, M. Daubré on, 183
- "Descent, Studies on the Theory of," Dr. Aug. Weismann, 141
- Desmarests (M. Paul), Success of his Balloon Photographs, 204
- Determinants, the Theory of, R. F. Scott, 458
- Diamonds, Artificial, R. Mallet, F.R.S., 192; J. B. Hannay, 241, 255
- Diamonds and the Carbon Compounds, the Refraction Equivalent of, Dr. J. H. Gladstone, F.R.S., 449
- Diatoms in the London Clay, W. H. Shrubsole, 221
- Dibranchiate Cephalopods, Evolution of, Dr. J. Brock on, 277
- Dickins (Fredk. V.), Luminous Painting, 121; "Chiushingura"; a Japanese Romance, 288
- Dicotyledonous Plants, Sieve-Tubes of, F. Orpen Bower, 602
- Differential Calculus, Rice and Jonsson's Treatise on, 509; Elements of, W. E. Byerly, 509
- Digestion in Plants, 521
- Dilation of the Iris, 220
- Diluvial Bones, Discovery of, at Weltend, 66
- Dimorphism in NATURE on June 17, Prof. E. Ray Lankester, F.R.S., 361
- Dinosaurs, Sternum in, 113
- Distant (W. L.), Stone Arrow Heads, 11; Argentine Entomology, 238

- Diving and Living in Irrespirable Atmospheres, Fleuss's Method, 32
- Dixon (W. A.), Meteorology of a Guano Island, 254
- Dobson (G. E.), an Annelidan Entozoon, 583
- Dog, Prolonged Fast of a, 347
- Domestication of Deer, 278
- Dominica, Recent Volcanic Eruption in, Edmund Watt, 77 ; Volcanic Dust from, M. E. Wadsworth, 266
- Dorn (Herr), the Propagation of Electricity, 280
- Double-Stars : 85 Pegasi, 205 ; the Colours of, C. S. Peirce, 291
- Draper (Dr. J. W.), Does Chlorophyll Decompose Carbonic Acid? 29
- Draper (Prof. Henry), Photograph of the Nebula of Orion, 583
- Dredging, Deep-Sea Sounding and, 508
- Drift of Oldham, Peat Bed in, G. H. Morton, 511 ; P. O. Hutchinson, 583 ; James Nield, 583
- Dudgeon (Dr. R. E.), Temperature of the Breath, 241, 584
- Dumas (M.), Occluding Gases, Experiments on, 89 ; Presentation of Civic Crown to, 109
- Duncan (W. S.), Specialised and United Palæontological Research, 120
- Duncan (Prof. P. Martin), the Late Count L. F. de Pourtales, 337 : *Deltocyathus italicus*, Ed. and H., 534 ; Geological Climates, 559
- Duparquet (Père) on Ovampo-Land, 41
- Düsseldorf, Meeting of Iron and Steel Institute, 87, 452
- Dust, Fall of, 76
- Dutton (Capt. C. E.), the High Plateau of Utah, Prof. A. Geikie, F.R.S., 324
- Dyaks, a Forest People of Borneo, Portraits of, 157
- Dyer (Prof. Thiselton), on the Botanical Enterprise of the Empire, 39
- Dynamics, Brain, on a Point relating to, S. Tolver Preston, 29 ; G. J. Romanes, F.R.S., 75 ; Rev. W. Clement Ley, 121 ; S. Tolver Preston, 121
- Dynamics, a Treatise on Elementary, for the Use of Colleges and Schools, W. Garnett, 265
- Dynamics, Chemical, M. M. Pattison Muir, 285
- Dynastes hercules*, Dr. A. Ernst, 585
- Early Man in Britain, Prof. Boyd Dawkins, F.R.S., 82
- Earth-Current and Magnetic Disturbance, Wm. Ellis, 361
- Earthquakes : Observations, Prof. Milne, 64 ; at Ilanz, 66 ; Prof. Palmieri on, 155 ; in Surrey, 230 ; at Brieg, Switzerland, 230 ; Further Accounts of the Earthquake in Switzerland, 252 ; in Manila, 276, 300 ; in Naples, 300 ; in Smyrna, 329 ; Hyde Clark, 363 ; in the Tyrol, 399 ; at Fribourg, 519 ; in Transylvania, 592 ; in Rangoon, 615
- East, the Sacred Books of the, Edited by F. Max Müller, Prof. A. H. Sayce on, 189
- East Indian Archipelago, Rainfall of the, 434
- Easton's Journey in the North-West of China, 41
- Echinoderms, Hæmoglobin in, 595
- Echis carinata*, Sir J. Fayer, F.R.S., 124
- Eclipse, the Next Total Solar, 112
- Edelweiss, the, in England, 87
- Edinburgh, Royal Society, 23, 187, 284, 331
- Education Code, the New, 165
- Education, Elementary, 237
- Education Report, 298
- Education in New Zealand, 298
- Education Debate, the, 312
- Education, the Place of Science in, 529
- Edwards (M. Betham), "Six Life Studies of Famous Women," 75
- Egg, Double, T. Allwood, 78
- Eisenach, Formation of a "Thüringer Wald" Club at, 20
- Ekin (Charles), Water Supply, 221
- Elder-Pith, Magnetic Behaviour of, 18
- Electricity : Electric Currents, Effects of, on the Surfaces of Mutual Contact of Aqueous Solutions, G. Gore, F.R.S., 21 ; Electric Currents, some Thermal Effects of, W. H. Preece, 138 ; Electric Light : M. Jamin's New Electric Lamp, 17, 131, 355 ; Electric Light, Jablochhoff, 17 ; Jablochhoff's Electric Light in Paris, 17, 131 ; Dr. John Hopkinson, F.R.S., on, 42 ; Proposal to Light the Sheldonian Theatre, Oxford, by, 87 ; Wild Candles, Illumination of the Industrial Exhibition of Melun with, 131, 155 ; in Paris, 252 ; at the Palais Royale, Paris, 441 ; Electric Light as an Insect-Catcher, 567 ; Experiments in Electric Lighting at Boston, 593 ; Electrical Observations at Montsouris, 16 ; Dr. Siemens' Newest Electrical Results, 135 ; Curious Electric Phenomenon, F. T. Mott, 193 ; Electrical Phenomenon at Clarens, 204 ; Electrical Ring-Figures, Prof. Reitlinger and Dr. Wächter on, 302 ; Electrical Stone-Breaker, 302 ; M. Marcel Deprez's Apparatus for Transmitting a Movement of Rotation by Electricity, 19 ; Instrument for Recording the Notes played on a Piano, 19 ; Ridout's Improved Thermo-Electric Apparatus 22 ; the way Trees are Struck by Lightning, 65 ; Experiment, in Electricity, Prof. Lemström, 89 ; Electric Machine, "Holtz's," Prof. Richi on, 89 ; Electric Brakes on the French Eastern Railway, Achard, 110 ; Electricity and Horticulture, 135 ; Experimental Researches in Electricity, Warren De La Rue, F.R.S., Hugo W. Müller, F.R.S., 149, 174, 196 ; Electric Machine, an Immense, 206 ; Suggested System for the Transmission of Light by Electricity, 206 ; a New Relation between Light and Electricity, 207 ; the Inventor of the Electric Telegraph, 219 ; "Electricity and Magnetism," Keith Johnston's, 240 ; "Electricity and Magnetism, a Physical Treatise on," J. E. H. Gordon, 263 ; on the Propagation of Electricity, Herr Dorn, 280 ; M. Marcel Deprez's New Electric Motor, 301 ; a New Kind of Electric Repulsion, Dr. Arthur Schuster, F.R.S., 535 ; Electricity and Radiant Heat, 596
- Electrode, the Luminosity of a Negative, 133
- Electrode-matter, Radiant, Dr. J. Puluj, 280
- Electrodeposition, Application of, in the Production of Bronze Statuary, 18
- Electrometer, a New Capillary, 157
- Electrometer Engine, a New, 543
- Electrophone (M. Marche), 131
- Elementary Education, 237
- Elephant Calf, the Mode of Suckling of the, 11
- "Elephant Sugar Cane," 518
- Ellis (Herbert), Stag's Horns, 221
- Ellis (A. J., F.R.S.), "Notes of Observations on Musical Beats," 234
- Ellis (Wm.), Magnetic and Earth-Current Disturbance, 361
- "Embryology, Comparative," Francis M. Balfour's, F.R.S., Prof. E. Ray Lankester, F.R.S., on, 601
- "Energy and Force," the late Prof. Clifford, F.R.S., J. F. Moulton on, 122
- England and Wales, on the Increase of Population in, R. Price Williams, 205
- Engler (Dr. A.), "Entwicklungsgeschichte der Pflanzenwelt," 190 ; "Botanische Jahrbücher," 434
- English Philology, Recent Progress of, Rev. A. H. Sayce, 167
- "Ensayo sobre una nueva Enfermedad del Olivo," Por Don Pablo Colvée, 29
- Entomostrakon Living in Tree-Tops, 55
- Entomology : Entomological Society, 23, 92, 163, 308, 504, 623 ; Carnivorous Wasps, 31 ; Solving a Problem in Entomology, M. Vayssière, 130 ; Argentine Entomology, W. L. Distant, 238 ; Entomological Club of the American Association, 397 ; Modern Entomology, Prof. S. H. Scudder, 550
- Entozoon, an Annelidan, G. E. Dobson, 583
- Eozoic and Palæozoic, Principal J. W. Dawson, F.R.S., 382
- Eozoön Canadense*, Charles Moore, 450
- Epping Forest and County of Essex, Naturalists' Field Club, meeting of, 110, 300, 540
- Ernst (Dr. A.) On the Fertilisation of *Cobæa penduliflora* (Hook., Fil.), 148 ; Coffee Disease in New Granada, 292 ; Locusts and Coffee Trees, 408 ; *Dynastes Hercules*, 585 ; What is Alrese? 585
- Erratic Blocks, British Association, Report on, 444
- "Estudios Físicos," Don Eduardo Lozano, 302
- "Estudio Micrográfico ne algunos Basaltos de Ciudad-Real," Don Francisco Quiroga, 582
- Etna, apprehended Eruption of, 17 ; Prof. Silvestri on renewed activity of, 39 ; Ascent of, 171 ; Eruption of, 346, 465 ; Prof. O. Silvestri, G. F. Rodwell, 359 ; the Observatory, 373
- "Eucalyptographia," Baron F. von Mueller, F.R.S., 118
- Europe, a fragment of Primeval, Prof. A. Geikie, F.R.S., 400 ; Duke of Argyll, F.R.S., 407
- Evolution of the Vegetable Kingdom, W. B. Hemsley, 190
- Evolution of Dibranchiate Cephalopods, 277
- Evolution and Female Education, S. Tolver Preston, 485
- Excretion of Water by Leaves, Dr. J. W. Moll, 403

- Explosions, the Recent, 228, 265, 267; Prof. Herbert McLeod, 290, 337
Explosion at Seaham Colliery, 464
- Falb (Herr Rudolf), Discoveries regarding "the Original Language of the Human Race," 66
Famine, Indian, Commission, 553
"Famous Women, Six Life Studies of," M. Betham Edwards, 75
Faraday exhibiting Ghosts, 583
Fascination, Surgeon-Major W. Curran, 318; Rev. T. R. R. Stebbing, 338, 534; Richard Hodgson, 383; Chatel, 484
Fatigue, on the Law of, in the Work done by Men or Animals, Rev. Dr. Haughton, F.R.S., 128
Faulds (Dr. Henry), on the Skin-Furrows of the Hand, 605
Faye (M.), on the Physical Forces which have produced the Present Figure of the Earth, 206
Faye's Comet, 156, 301, 466, 593
Fayrer (Sir J., F.R.S.), *Echis carinata*, 124; the Recent Gas Explosion, 265
Female Education, Evolution and, S. Tolver Preston, 485
Fermat's Asserted Prime-Form, 495
"Fern Etchings: Illustrating all the Species of Ferns indigenous to the North-Eastern United States and Canada," J. Williamson, 168
Fiddler Crabs, 278
Fijian Burial Customs, Rev. Lorimer Fison, 22
Films of Water and the Absorption of Radiant Heat, Hon. F. A. Rollo Russell, 447
Fire-Ball, Rev. S. J. Perry, F.R.S., 362
Fire-Damp, the Report of the French Commission on, 328
Fish: First Decade of the United States Fish Commission, its Plan of Work and accomplished Results, Scientific and Economical, G. Brown Goode, 597
Fison (Rev. Lorimer), Fijian Burial Customs, 22
Fitzgerald (R. O.), Australian Orchids, 53
Flames, Vibrations of, Prof. Carmichael, 18
Fletcher (Thos.), a New Audiphone, 145; New Gas Furnace, 615
Fletcher (L.) appointed Keeper of the Mineral Department of the British Museum, 203
Fleuss's System of Diving and Living in Irrespirable Atmosphere, Dr. B. W. Richardson, F.R.S., 32
Flies, Mosquitos, and Blight, Protection against, Wm. Chappell, F.S.A., 11
Flies, Clouds of, in America, 518
Flints, Chipped, J. Birmingham, 319
Floating Grass in Queensland, 110
Flora of Turkestan, Dr. Regel on, 19
Florida, Singular Phenomenon seen off the Coast of, 301
Flower (Prof. W. H., F.R.S.) at the Royal Institution, 16; "Comparative Anatomy of Man," 59, 78, 97
Flowers, British Wild, F. A. Messer, 532
Flowers, Familiar Wild, F. E. Hulme, 532
Fluids, the Motion of, Horace Lamb, 145
Fonvielle (W. de), New Scheme for Directing Balloons, 303
"Force and Energy," the late Prof. Clifford, F.R.S., J. F. Moulton on, 122
Forbes (Henry O.), Obituary Notice of Dr. Rudolf Scheffer, 12
Forest Trees of North America, 111
Fossil men, Prof. J. W. Dawson, F.R.S., 82
Fossil Corals, 112
Foster (Dr. M., F.R.S.), Gamgee's "Physiological Chemistry," 555
Foucault's Pendulum Experiment, Permanent Record of, Chas. R. Cross, 240
Fourth State of Matter, S. Tolver Preston, 192; E. Douglas Archibald, 218; Geo. E. Newton, 240
Fox (H. Courtenay), the Succession of Temperature and Rainfall in the Climate of London, 445
France: Statues of Men of Science in, 39; the Telegraphic Service in, 40; French Association for the Advancement of Science, Meeting of, at Rheims, 154, 276, 372, 397; Arthur Young's Travels in, Prof. S. P. Thompson, 219; Geology of North, 348; Museum of National Antiquities at St. Germain, 441
Frankfort-on-the-Main, Exhibitions to be held at, in 1881, 155
Frankland (F. W.), on the Simplest Continuous Manifolds of Two Dimensions and of Finite Extent, 170; On a Mode of Explaining Transverse Vibrations of Light, 317
Franklin Search Expedition, 544
Freshwater Rhizopods of North America, J. Leidy, 165.
Freshwater Jelly Fish, the New, Prof. E. Ray Lankester, F.R.S., 147, 177, 190, 241, 316; Prof. J. Allman, F.R.S., 177, 218; G. J. Romanes, F.R.S., 177.
Fribourg, Earthquake at, 519
Friction, Experiments on the, of Air and Water, 207
Frogs, "Experimental Researches on the True Relations of the Excitatory Process in," J. Burdon Sanderson, M.D., and F. J. M. Page, 137
Fuego, Volcano of, 346; Eruption of, 441, 544
Fungus, Inoculation for Insects, J. P. Leslie, 31; Goethe on, 64
- Galapagos Islands, 480
Galton (Francis, F.R.S.), The Opportunities of Science Masters at Schools, 9; Pocket Registrar for Anthropological Purposes, 478
Galvanic Current, Theory of, Herr Hoorweg on, 90
Galvanic Battery, Aluminium, 375
Galvanometer for Strong Currents, Marcel Deprez's, 246
Gamble (Prof. A., F.R.S.), "Text Book of Physiological Chemistry," 398; Dr. M. Foster, F.R.S., on, 555
Gamwell (S.C.) "Handbook to Swansea and District," 431
Gardner (J. Starkie) A Chapter in the History of the Coniferæ, 199; Arctic Fossil Floras and Temperature, 341.
Garnett (W.) "A Treatise on Elementary Dynamics for the Use of Colleges and Schools," 265
"Garrod Memorial Fund," 182, 251
Gases, W. Ramsay on the Critical state of, 46
Gas, Explosion of, in London, 228; S. Tolver Preston, 265; Sir J. Fayrer, F.R.S., 265; Prof. Herbert McLeod, 290, 337
Gas-burners, Report on, 442
Gas Furnace, Fletcher's New, 615
Gases, Magneto-Optic properties of, M. Henri Becquerel, 280
Gaugain, Jean-Mothé, Death of, 181; Obituary Notice of, 198
Gauss, Unveiling of the Statue to, 181
"Gazetta Chimica Italiana," 161
Geikie (Prof. A., F.R.S.), Rock-weathering as Illustrated in Churchyards, 104; Old Norway, 117; North American Geology—Idaho and Wyoming, 268; Captain C. E. Dutton on the High Plateau of Utah, 324; A Fragment of Primeval Europe, 400
Geikie (Dr. James, F.R.S.) elected President of the Perthshire Society of Natural History, 66
Geneva, Thunderstorm in, Prof. Colladon, 65; Geology of, 348
Geography: Geographical Notes, 19, 41, 99, 114, 134, 157, 184, 205, 231, 254, 280, 303, 351, 376, 455, 467, 544, 569, 596, 618; "Geography for Little Children," by Mrs. Zimmerman, 20; Historical, Political, Physical, and Descriptive, by Keith Johnston, 95; in China, 114; "A Short Geography of the British Islands," John Richard Green and Alice S. Green, 119; Bunbury's "History of Ancient Geography," 333; International Congress of, 398; Royal Geographical Society, *see* Royal
Geology: "Geological Antiquity of Insects," Herbert Goss, 9; Geologists' Association Excursion to Oxford, 16; Proposed Excursions, 204; Geological Society, 21, 71, 91, 163, 187, 259; "Geological Record," 28, 445; Dr. Woodward appointed Keeper of Geological Department of the British Museum, 228; Stratigraphical Geology, 264; "Geology of the Henry Mountains," Robert Mallet, F.R.S., 266; North American Geology—Idaho and Wyoming, Prof. Archibald Geikie, F.R.S., 268; Geology of Central Asia, 348; Geology of Geneva, 348; Geological Notes, 348; Geological Survey of Alabama, 348; On the Recurrence of certain Phenomena in Geological Time, Prof. A. C. Ramsay, F.R.S., 383; International Geological Congress, 431; Whitaker's "Guide to the Geology of London," 481; Geological Climates, Rev. Prof. Samuel Haughton, F.R.S., 532; Dr. P. Martin Duncan, F.R.S., 558; Geology of the Lybian Desert, 587
Geometrical Society (German), General Meeting of, at Cassel, 16
Geometrical Figures, Optical Illusion in looking at, 207
Geometry, Text-book of, Professor Petersen, 360; Treatise on Solid Elementary, W. Steadman Aldis, 531; Angel's Practical Plane Geometry, 557; C. Taylor's Geometry of Conics, 603
Germany: German African Society, 114; List of Scientific Expeditions sent out by, 41; *Mittheilungen* of, 544; German Anthropological Society, General Meeting of the, 64; Con-

- grass of, 453; German Horticultural Exhibition proposed, 130; German Association of Naturalists and Physicians, Meeting at Danzig, 298, 493, 527, 539
 Ghosts, Faraday Exhibiting, 583
 Gifford (Anne), Lunar Rainbows, 319
 Gilbert (Dr. J. H., F.R.S.), Agricultural Chemistry, 472, 497, 523
 Gill (Capt. W.) "The River of Golden Sand," 26
 Giltay (T. W.), Hardening of Steel, 461
 Gladstone (Dr. J. H., F.R.S.), The Refraction Equivalent of Diamonds and the Carbon Compounds, 449
 Glaisher (J. W. L., F.R.S.), American Journal of Mathematics, Pure and Applied, 73
 Glasgow, proposed Exhibition of Naval and Marine Engineering Models at, 16; Mitchell Library of, 65
 Glass, Expansion of, by Heat, 157; Prof. John LeConte, 318
 Glass, Toughened, Noble Taylor, 241; T. B. Sprague, 292
 Glass Tubes, Experiment with, J. T. Bottomley, 291
 Glass, Compressibility of, 377
 Glycerin, Citric Acid from, Grimaux and Adam, 567, 585
 Godefroy Museum, the, 110
 Godetia, Rudimentary Coma in, 395
 Gold, Discovery of, in the Bathurst district near Tuena, 275; in Queensland and Tasmania, 329
 Golden Sand, the River of, Capt. W. Gill, 26
 Goode (G. Brown), the Menhaden, 335; First Decade of the United States Fish Commission, its Plan of Work and Accomplished Results, Scientific and Economical, 597
 Gordon (J. E. H.), "A Physical Treatise on Electricity and Magnetism," 263
 Gore (G., F.R.S.), "Effects of Electric Currents on the Surfaces of Mutual Contacts of Aqueous Solutions," 21
 Goss (Herbert), "Geological Antiquity of Insects," 9
 Göttingen, Royal Society of Sciences, 48, 332
 Grass, Floating, in Queensland, 110
 Grasses, Indigenous, of New Zealand, Manual of, J. Buchanan, 532
 Gratacap (L. P.), Intellect in Brutes, 408
 Gray (Prof. Asa), Botanical Text-Book, 482
 Great Southern Comet of 1880, 156, 231
 Green (J. R. and Alice S.), "A Short Geography of the British Islands," 119
 Greenwich Observatory, Report, 158
 Greenwood (F. R.), Depraved Taste in Animals, 364
 Gregory (J. R.), Medal Awarded to, at the Sydney Exhibition, 204
 Grimaux and Adam, Synthesis of Citric Acid, 567, 585
 Grimm (M. O.), Organs of Deep-Sea Animals, 278
 Grube (Adolf Eduard), Obituary Notice of, 435
 Guano Island, Meteorology of a, W. A. Dixon on, 254
 Guiana, British, E. F. in Thurn's Journey to, 41
 Guns, Woolwich, 293
 Günther (Dr. A. C. L. G., F.R.S.), Opening Address in Section D at the British Association Meeting, 393
 Guppy (Surgeon H. B.), the Yang-tse, the Yellow River, and the Pei-ho, 486; the Classification of Rivers, 606
 Gyroscope, Electro-magnetic, W. de Fonvielle, 40; New Method of Rotating, 131

 Haddon (A. C.), his Temporary Zoological Station at Torbay, 517, 560; Air-Bladder of Herring, 534
 Hæmatopoetic Function, the, 520
 Hæmoglobin in Echinoderms, 595
 Hagenbach (Prof.), the Phenomena of Explosion of Bombs by Freezing of Water, 302
 Hailstones, Large, George Peterson, 292
 Hail-storm at Mussoree, India, 229
 Haldeman (Prof. S. S.), Death of, 517
 Hall (Prof. Asaph), on the Progress of Astronomy, 570
 Halo, A, L. Soames, 435
 Hamburg, Thunderstorms at, G. Ambrose Pogson on, 155
 Hand, on the Skin Furrows of the, Dr. H. Faulds, 605
 Hanging, Death by, 595
 Hannay (J. B.), Artificial Diamonds, 241, 255; Experiments on the States of Matter, 483
 Hart (W. Hume), Rainfall of Sierra Leone, 585
 Hartwig's Comet, 569, 593; Spectrum of, W. H. M. Christie, 557
 Hartz Mountains, Forest Fire in, 131

 Harvie-Brown (J. A.), Ornithological Journal of the Winter of 1878-79, 315
 Hats and Memory, 252
 Haughton (Rev. Prof., F.R.S.), on the Law of Fatigue in the Work done by Man or Animals, 128; Geological Climates, 532
 Heat, Expansion of Glass by, 157; the Mechanical Equivalent of, 596
 Heat-rays, the Absorption of, by Powders, 350
 Heliograph, an Improved, Dr. Tempest Anderson, 499
 Helvetic Society of Natural Science, 131
 Hemiptera-Heteroptera, the number of Known Species of, Dr. Buchanan White, 606
 Hemsley (W. B.), Evolution of the Vegetable Kingdom, 190; Engler's "Botanische Jahrbücher," &c., 434
 Henslow (Rev. George), Reversals by Memory, 241; Intellect in Brutes, 319; Swiss Châlets, 534
 Henry Mountains, Geology of, Robert Mallet, F.R.S., 266
 Herbarium Royal Gardens, Kew, Important Accessions to, 228
 Herbert (Auberon), Preservation of Ancient Monuments, 228
 Herr Flegel on West Africa, 41
 Herring, Visceral Anatomy of, 520; Air-Bladder of, Alf. C. Haddon, 534
 Herschel (Prof. A. S.), Carbon and Carbon Compounds, 320
 Herschel (Major J., F.R.S.), Wire Torsion, 557
 Hill (Mr. Edward Smith), Death of, 65
 Hindus, Weapons and Politics of the Ancient, G. Oppert, 581
 Hobson (Captain), Death of, 570
 Hodgson (Richard), Fascination, 383
 Holmes (E. M.), Museum Conference, 10
 Holmes (Gordon), "The Science of Voice Production and Voice Preservation, for the Use of Speakers and Singers," 143
 Holub's (Dr.) Exhibition at Vienna, 68
 Hoorweg (Herr), on the Thermic Theory of the Galvanic Current, 90
 Hopkinson (Dr. John, F.R.S.), Electric Lighting, 42
 Hoppe-Seyler on Chlorophyllan, 279
 Horner (Père), Death of, 114
 Horns, Stags', E. W. Claypole, 146; Herbert Ellis, 221; C. Overton, 221
 Horse, Intestinal Worms in the, H. Krabbe on, 277
 Horticulture and Electricity, 135
 "Howard Medal," Essays for, 276
 Howgate Polar Expedition, 1877-78, Scientific Results of, 171
 Huggins (Dr. Wm., F.R.S.), Spectrum of the Flame of Hydrogen, 283; Obituary Notice of Dr. William Lassell, F.R.S., 565
 Hughes (John), "Ceylon Coffee Soils and Manures: Report to the Ceylon Coffee Planters' Association," 144
 Hulme (F. E.), "Familiar Wild Flowers," 532
 Human Voice, the Mechanism of the, Emil Behnke, 239
 Human Hybernation, 366
 Humphry (Prof., F.R.S.), Rede Lecture, 115
 Humpidge (Prof. T. S.), New Metals, 232
 Huntington (Prof. A. K.), Report on the Ultra-Violet Spectra, 444
 Hurricane, the Jamaica, and the Botanical Gardens, D. Morris, 538
 Hutchinson (P. O.), Peat Bed in the Drift at Oldham, 583
 Huxley (Prof. T. H., F.R.S.), The Coming of Age of the Origin of Species, 1; at the Science College, Birmingham, 16; Science and Culture, 545
 Hwang-nao, Mr. Tremlett on, 183
 Hyacinths, Curious Growth of, 30
 Hybernation, Human, 366
 Hydræ, Variable R., 542
 Hydrates, Formation of Water of, 542
 Hydrogen, Iron and, H. J. Johnston-Lavis, 220; Walter R. Browne, 242
 Hydrogen, Spectrum of the Flame of, W. Huggins, F.R.S., 283
 Hydrographic Department, 86; Lieut. Geo. T. Temple, 192
 "Hygiene, Nature's: A Series of Essays on Popular Scientific Subjects, with Special Reference to the Chemistry and Hygiene of the Eucalyptus and the Pine," C. T. Kingzett, 142
 Hygiene, Parkes Museum of, First Annual Meeting in connection with, 300
 Hygiene, Congress at Hamburg, 493
 "Hyper-Space," 383

- Ibaraki, Japan, Discovery of different Coloured Marble on, 88
 Ice, Anchor-, 31, 171; J. Rae, 64
 Ice-Crystals, 145; Prof. J. LeConte, 54
 Ice at High Temperature, Existence of, Thos. Carnelley, 434, 510; Prof. J. LeConte, 603
 Ice under Pressure, 559; Dr. Thos. Carnelley, 583
 Idaho and Wyoming, North American Geology, Prof. Archibald Geikie, F.R.S., 268
 Ilanz, Earthquake, 66
 Imray (Hon. John, M.D.), Death of, 539
 Imrie (John), Monkeys in the West Indies, 77
 Index Society, Second Annual Meeting of, 251
 India, Natural History Survey of, 567
 Indian Famine Commission, 553
 Inoculation, Fungus, for Insects, J. P. Lesley, 31
 Insect Variety, A. H. Swinton, 579
 Insectivorum, on a Case of Apparent, Prof. Baillon, 277
 Insects, Fungus Inoculation for, J. P. Lesley, 31; Goethe's Poem concerning, 64
 Inspectors of Schools and the Scientific Subjects of the Code, 445
 Institute of Civil Engineers, 72, 230
 Institution of Mechanical Engineers, Summer Meeting of, at Barrow-in-Furness, 300
 Intellect in Brutes, W. W. Nicholls, 266; Rev. George Henslow, 319; Surgeon-Major Curran, 339; Henry MacCormack, 362; L. P. Gratacap, 408; Consul E. L. Layard, 607; Prof. W. Whitman Bailey, 607
 Intestinal Worms in the Horse, H. Krabbe on, 277
 Iodine Vapour, Density of, 279; Prof. v. Meyer, 130
 Iodine, Chlorine, and Bromine, Densities of at High Temperature, 278
 Iris, Dilation of the, 220
 Iron and Steel, Immersion of, in Acidulated Water, W. H. Johnson, 11
 Iron and Steel Institute, 37, 87, 328, 452
 Iron and Hydrogen, H. J. Johnston-Lavis, 220; Walter R. Browne, 242
 Iron, Researches on the Passivity of, J. Varenne, 279
 Iron Bars, Changes of Length in, by Magnetisation, 543
 Italy, Discovery of a Prehistoric Burial-Ground, 111
 Italian Antarctic Expedition, Proposed, 157
- Jablochkoff Electric Light Company, 17
 Jablochkoff's Electric Lights in Paris, 131
 Jack (R. L.), Survey of Queensland, 155; Reports on the Geology of Queensland, 431
 Jamaica Hurricane and the Botanical Gardens, D. Morris, 538
 Jamin's New Electric Lamp, 17; Experiments with, 131, 355
 Janssen's New Sun Photographs, 302
 Japan: New Railway in, 17; Experiments on Japanese Magic Mirrors, 133; Seismology in, Prof. John Milne, 208; Mining and Mines in, C. Netto, 316; Meteorology in, 342; Tea Cultivation in, 569; Sir E. J. Reed's Work on, 610; Miss Isabella Bird's Work on, 610; Coal-Mines in, 616; a Japanese Romance, H. N. Moseley, F.R.S., 288; Japanese Porcelain Clays, 349
 Java, Notes from, 148
 Jeannette Arctic Expedition, 68, 570
 Jeffreys (Dr. J. Gwyn, F.R.S.), The Mollusca of the Mediterranean, 452, 477; French Deep Sea Exploration in the Bay of Biscay, 468
 Jelly-Fish, A New, of the Order Trachomedusæ Living in Fresh Water, Prof. E. Ray Lankester, F.R.S., 147, 177; Prof. George J. Allman, F.R.S. 177; George J. Romanes, F.R.S., 177
 Jenkin (Prof. Fleeming), Keith Medal Awarded to, 16
 Johnson (W. H.), Immersion of Iron and Steel in Acidulated Water, 11
 Johnson (Charles), Death of, 517
 Johnston (Keith), "Physical, Historical, Political, and Descriptive Geography," 95; "Illustrations of Electricity and Magnetism," 240
 Johnston-Lavis (H. J.), Iron and Hydrogen, 220; Hardening of Steel, 511; Mosquitos, 511
 Jolly (W.), on the Parallel Roads of Lochaber, 68
 Jordan's Glycerine Barometer at the *Times* Office, 614
 Joule (James Prescott, F.R.S.), the Albert Medal of the Society of Arts awarded to, 154
- Journal of Anatomy and Physiology, 20, 455
 Journal of the Royal Microscopical Society, 20, 282, 552
 Journal of the Franklin Institute, 46, 137, 234, 331, 623, 503
 Journal de Physique, 46, 160, 257, 503, 552
 Journal of Botany, 136
 Journal of Philology, 167
 Jupiter, the Rotation of, 617
 Jute Fibre, 542
- "Kalkül der abzählenden Geometrie," Dr. H. Schubert, 557
 Kate (H. F. C. ten) Paul Broca, 292
 Kattenau, remarkable Phenomenon observed at, 64
 Kaolinisation, Subterranean, John A. Church, 317
 Keane (A. H.), Sayce's "Science of Language," 49; Albania and the Albanians, 243
 Keith Medal, Awarded to Prof. Fleeming Jenkin, 16
 Kensington Gardens, A Snake in, J. Harris Stone, 193
 Kent's Cavern, British Association, Report on, 445
 Kerosene, supposed in the neighbourhood of Sydney, 88
 Kew Gardens, Important Accessions to the Herbarium at, 228
 "Key to the Universe," Orson Pratt, sen., 290
 Kinahan (G. H.), Metamorphic Rocks, Ireland, 606
 King (H.), "Coronella lævis," 220
 Kingzett (C. J.), "Nature's Hygiene: A Series of Essays on Popular Scientific Subjects with Special Reference to the Chemistry and Hygiene of the Eucalyptus and the Pine," 142
 Kjerulf (Dr. Theodor), Geology of Norway, 117
Knight Errant, The Cruise of the, Sir Wyville Thomson, F.R.S., 405
 Knott (Geo.), Ceraski's New Variable Star, 603
 Koch (Karl), Proposed Memorial Stone on the Grave of, 274
 König (Dr.), on the Vibrations of a Normal Tuning-fork, 90
 Kordofan, Notes on, 455
 Krabbe (H.), Intestinal Worms in the Horse, 277
- Lacustrine Volcano, 129
 Ladd (W.), On the best form of Magnet for Magneto-Machines, 446
 "La Exploradora," An Association for the Exploration and Civilisation of Central Africa, 19
 Lake Leman and the Dam at Geneva, 158
 Lake Tanganyika and Lake Nyassa, Plants from, 586
 Lake-village near Auvernier, discovery of, 494; discovery of, near Milan, 540
 Lamb (Horace), The Motion of Fluids, 145
 Landslips, 505
 Landslip, The Naini Tal, E. Douglas Archibald, 533
 Landslips, Thos. Ward, 560
 Language, Introduction to the Science of, Prof. A. H. Sayce, 49
 Lankester (Prof. E. Ray, F.R.S.), On a New Jelly-Fish of the Order Trachomedusæ, Living in Fresh Water, 147, 177, 190, 241, 316, 361; "Degeneration: A Chapter in Darwinism," 141; on Gresham College, 228; Dimorphism of NATURE on June 17, 361; Balfour's "Comparative Embryology," 601
 Laplace (Marquis de), New Edition of his Works, 300
 Lapraik (William), Absorption Bands in certain Colourless Liquids, 368
 Lassell (Dr. William, F.R.S.), Obituary Notice of by Dr. William Huggins, F.R.S., 565
 Layard (Consul E. L.), Yuccas under Cultivation, 606; Intellect in Brutes, 607
 Leaves, Excretion of Water by, Dr. J. W. Moll, 403
 LeConte (Prof. John), Ice-Crystals, 54; Expansion of Glass by Heat, 318; Coral Reefs and Islands, 558; Solid Ice at High Temperature, 603
 Lees (W.), Keith Johnston's "Electricity and Magnetism," 240
 "L'Exploration," 281
 Leibnitz, Erection of Monument to, 109
 Leichhardt's Expedition, a supposed Survivor of, 184
 Leidy (Dr. J.), Freshwater Rhizopods of North America, 165
 Leipzig, Branch of "Thüringer-wald Club" at, 111
 Le Mans, Balloon Accident at, 253
 Lemström (Prof.), Experiment in Electricity, 89
 Lens, A, of Variable Focus, 280
 Lepidosteus, Development of, 520
 Lesley (J. P.), Fungus Inoculation for Insects, 31
 Lewis (F.), Intellect in Brutes, 40
 Ley (Rev. W. Clement), Brain Dynamics, 121; Cloud Classification, 144

- Leyden Jars, Voltameters, &c., Reduction of Observations on, 258
- Libyan Desert, Geology of, 587
- Lick Observatory, the Proposed, 515
- Light and Electricity, a New Relation between, 207
- Light, on a Mode of Explaining Transverse Vibrations of, J. W. Frankland, 317
- Light, Transverse Vibrations of, 363
- "Light and Heat." Capt. W. Sedgwick, 483
- Light, Polarisation of, Experiment in, 595
- Lighthouses, Migratory Birds at, 25
- Lighthouses and the Migration of Birds, 477
- Lighting our Coasts, present System of, 229
- Lightning, the way Trees are struck by, 65; L. Cumming, 220; the Sorbonne struck by, 466
- Lightning Ball, W. F. Smith, 267
- Lightning Conductors, C. McPherson de Bremon, 382; W. H. Preece on the best Form of, 446; Richard Anderson on the Necessity for a Regular Inspection of Lightning Conductors, 446
- Linn (James), Cup-marked Stones, 122
- Linnean Society, 39, 71, 115, 162, 210
- Lions, Decrease of, in Algeria, 204
- Liquids, the Cooling of, 280
- Lissajous (M.), Death of, 299
- "Livadia," Russian Imperial Yacht, 270
- Living and Dewar (Professors), On the Spectra of the Compounds of Carbon with Hydrogen and Nitrogen, 620
- Liverpool, Proposed University College at, 208, 307, 519
- Lloyd (W. A.), Death of, 274; Obituary Notice of, 299
- "Loch Etive," and "The Sons of Uisnach," 289
- Lochaber, Parallel Roads of—the Problem and its Solutions, W. Jolly, 68
- Locke (John), The Stone in the Swallow's Nest, 146
- Lockyer (J. Norman, F.R.S.), On Multiple Spectra, 4, 309, 562
- Locusts and Coffee-trees, Dr. A. Ernst, 408
- Logarithms, Four-Figure and Anti-Logarithms, 496
- London Missionary Society, Exploration of East Central Africa, 19
- London Clay, Diatoms in the, W. H. Shrubsole, 221
- London University, Examinations and Women, 399
- London, the Succession of Temperature and Rainfall in the Climate of, H. Courtenay Fox, 445
- London, the Geology of, W. Whitaker, 481
- London Mathematical Society, 71, 162, 614
- Long (Herr), Diffusion of Salts in Aqueous Solution, 280
- Longitude, Telegraphic Determination of, 496
- Loomis (Prof.), on the Temperature of the United States, 594
- Lozano (Don Eduardo), "Estudios Fisicos," 302
- Lubbock (Sir John), on the Habits of Ants, 184
- Ludlam (Henry), Death of, 203
- Ludwig (Prof.), on the Decomposition of Organic Compounds by Zinc Powder, 89
- Lunar Rainbows, Anne Gifford, 319
- Lunn (Charles), "Vox Populi: Sequel to the Philosophy of Voice," 556
- MacCormack (Henry), Intellect in Brutes, 362
- Macfadzean (James), the Songs of Birds, 12
- McGill College, Montreal, the New Museum, 614
- Mackinlay Ranges, Expedition to, 570
- McLachlan (R., F.R.S.), "The Trichoptera of the European Fauna," 314; *Prospispotoma punctifrons*, 460
- McLeod (Prof. Herbert, F.R.S.), the Recent Gas Explosion, 290, 337
- McNally (C. J.), Temperature of the Breath, 534
- Magic Mirrors of Japan, Experiments on, 133
- Magnet, on the Best Form of, for Magneto-Machines, W. Ladd, 446
- Magnetic Experiment, a Pretty, 133
- Magnetic and Earth-Current Disturbance, Wm. Ellis, 361
- Magnetic Storms, Aurora Borealis and, 361
- Magnetic Storm, G. M. Whipple, 558
- Magnetisation, Influence of, on Iron, Signor Piazzoli, 89
- Magnetism, Terrestrial, Comparative Curves in, Rev. S. J. Perry, F.R.S., 120; J. Capello, 220
- Magnetism, Terrestrial, on Some Points Connected with, Warren De La Rue, F.R.S., and Hugo W. Müller, F.R.S., 169; Prof. B. Stewart, F.R.S., 146, 202
- Magnetism and Electricity, a Physical Treatise on, J. E. H. Gordon, 263
- Magnetographs, on the Comparison of Declination, at Various Places, Prof. W. G. Adams, 447
- Magnetometer, the Bifilar, Modification of, 544
- Mallet (J. W., F.R.S.), "Revision of the Atomic Weight and Valence of Aluminium," 21; Artificial Diamonds, 192; Geology of the Henry Mountains, 266
- Mallory Screw, a New Vessel Propelled by, 252
- Malvern Hills, Camps on the, 211
- Mammoth Skull, Discovery of, at Posen, 66
- Man, Comparative Anatomy of, Prof. Flower, F.R.S., 59, 78, 97
- Man, Primitive, 82
- Manchester, Victoria University, 274
- Manila, Earthquake at, 276, 300
- Mann (C.), Meteorology of South Australia, 120
- Maoris, the Colour Sense of, 494
- Map of Existing and Projected Railways in the Provinces of Rio de Janeiro, Minas, and San Paulo, 205
- Maps, Fresh, in the British Museum, 184
- Marble, Coloured, Discovery of, in Japan, 88
- Marine-Zoology Class, Alfred C. Haddon, 560
- Mariotte's Law, Variations from, 61
- Mars, Polar Compression of, 112
- Marsh (Prof. O. C.), Toothed Birds of Kansas, 457
- Maskelyne (N. Storey, F.R.S., M.P.), Obituary Notice of Prof. W. Miller, 247
- Mason College, Birmingham, 514; Prof. Huxley's Address, 545
- Mathematical Society, 71, 162, 614
- Mathematical Journals, J. W. L. Glaisher, F.R.S., 73
- Mathematics, American Journal of, 276
- Mathematics, Pure and Applied, Synopsis of Elementary Results in, G. S. Carr, 582
- Matter, a Fourth State of, W. Crookes, F.R.S., 153; Duke of Argyll, 168; S. Tolver Preston, 192; E. Douglas Archibald, 218; George E. Newton, 240
- Matter, Experiments on the States of, J. B. Hannay, 483
- Matter in the Liquid State, Conditions Necessary for the Existence of, Thomas Carnelley, 434
- Maximum and Minimum Energy in Vortex Motion, Sir William Thomson, F.R.S., 618
- Maya History, the Katunes of, 442
- Meat, Tinned, Reported Poisoning by, 567
- Medical Congress, International, 275
- Medusa, Freshwater, a New, Prof. E. Ray Lankester, F.R.S., 147, 177, 190, 241, 316, 361; Prof. G. J. Allman, F.R.S., 177, 218, 290; G. J. Romanes, F.R.S., 177
- Mechanics, Elementary Applied, T. Alexander, 265
- "Mechanism of the Human Voice," Emil Behnke, 239
- Melanesia, the Religious Beliefs of, 211
- Melun Base Line, 329
- Memory, Reversals by, Rev. Geo. Henslow, 241; Feat of, 252
- Menhaden, the, G. Browne Goode, 335
- Mensurational Spectroscopy, Three Years' Experimenting in, Prof. Piazzl Smyth, 193, 222
- Mercurial Air-Pump, a New, 543
- Mercury, Transit of, 67; Visibility of, to the Naked Eye, T. D. Simonton, 119
- Mercury, the Surface Tension of, Experiment illustrating, 157
- Meredith (Mrs. L. A.), "Tasmanian Friends and Foes, Feathered, Furred, and Finned," 300
- Messer (F. A.), "A New and Easy Method of Studying British Wild Flowers by Natural Analysis," 532
- Metalloids, on the Spectra of the, Dr. A. Schuster, F.R.S., 444
- Metals, New, Prof. T. S. Humpidge, 232
- Metamorphic Rocks, Ireland, G. H. Kinahan, 606
- Meteorology: Meeting of the International Congress of Meteorology at Vienna, 16; Meteorological Society, 23, 139, 235; Climatological Stations of, 594; U.S. Weather Maps, 36, 100, 249, 372, 516; Proposed Alteration in the Hour for Simultaneous Observations, 86; Meteorology of the Italian Mountains, Rev. Prof. F. Denza on, 87; Meteorology of South Australia, C. Mann, 120; C. Todd, 120; Intercolonial Meteorological Conference at Sydney, 160; Meteorological Observatory, Säntis Mountain, 131; Meteorological Notes, 132, 253, 594; Missouri Weather Report, 253; Meteorology of a Guano Island, W. A. Dixon, 254; Scottish Meteorological Society, 275; International Meteorology, 307, 471,

- 568; Meteorology in Japan, 342; Station in Mexico, 399; Rainfall of the East Indian Archipelago, 434; the Climate, &c., of London, 445; Prof. Loomis on the Temperature of the United States, 594
- Meteors: W. Odell, 193; Major G. L. Tupman, 242; F. C. Penrose, 267; the August Meteors, 374; in India, 431; C. Thwaites, 484
- Mexico: Exploration of Ancient Remains of, by M. Desiré Charnay, 42; Meteorological Stations in, 399
- Meyer (Prof. V.) on the Density of Iodine Vapour, 130
- Miami Natural History Society, 374
- Michaelis (Dr. A.), Presentation of Cothenius Medal to, 86
- Microscopes and Telescopes, Construction of, 607
- Middleton (Morton, jun.), Cup-marked Stones, 77
- Midland Union of Natural History Societies, Annual Meeting, 182; the "Darwin Prize" of, 299
- Milan, Discovery of Pile-Dwellings in, 65
- Miller (Prof. W. H.), Death of, 86; Obituary Notice of, N. Storey Maskelyne, F.R.S., 247
- Miller's Chemistry of the Carbon Compounds, New Edition, 530; Prof. H. E. Armstrong, F.R.S., 559
- Milne (Prof. J.), Earthquake Observation, 64; Seismology in Japan, 208
- Minchin (Prof. George), "Treatise on Statics," 52
- Mind, the Brain as an Organ of, Dr. H. Charlton Bastian, F.R.S., 381
- Minima of Algol, 156
- Mineral, New, from the Champlain Iron Region, 278
- Mineralogical Society of Great Britain, General Meeting of, 87, 140, 431; Annual Meeting, 398
- Minerva Ornaments, Prof. E. W. Claypole, 193; Prof. A. H. Sayce, 219
- "Mining and Mines in Japan," C. Netto, 316
- Mines, Royal School of, Appointment of W. C. Roberts, F.R.S., to, 39
- Minor Planets, 89
- Miocene Flora, 349
- Missouri: Weather Service Report, 253; the Tornadoes in, 253; the Archaeology of, 519
- Moebius (Prof.), on the Food of Marine Animals, 528
- Molecular Physics in High Vacuo, Contributions to, W. Crookes, F.R.S., 101, 125
- Molecular Weights of Substances, on the Relation between, and their Specific Gravities when in the Liquid State, Prof. T. E. Thorpe, F.R.S., 262
- Molecules, the Weight of, 350
- Moll (Dr. J. W.), Excretion of Water by Leaves, 403
- Mollusca of the Mediterranean, Dr. J. Gwyn Jeffreys, 452, 477
- Mollusk, a Doubtful British, Grant Allen, 435
- Monkeys in the West Indies, John Imrie, 77; Edmund Watt, 318
- Monkey, Utilisation of a Langur, 398
- Monstrous Beetles, 520
- Mont Blanc, Ascent of, by a Blind Man, 495
- Moon, the apparent distance of, 375
- Monro (C. J.), on the Simplest Continuous Manifold of Two Dimensions and of Finite Extent, 218
- Montsouris, Electrical Observations at, 16
- Morphologisches Jahrbuch, 161, 552
- Morris (D.), The Jamaica Hurricane and Botanical Gardens, 538
- Morton (G. H.), Peat Bed in the Drift of Oldham, 511
- Moseley (H. N.), Remarkable Discovery of a Murder in Bermuda, 170; A Japanese Romance, 288; Obituary Notice of Louis François de Pourtales, 322; Swiss Châlets, 559
- Mosquitos, Flies, and Blight, Protection against, Wm. Chappell, F.S.A., 11
- Mosquitos and Quassia, J. B. Dancer, 338
- Mosquitos, M. A. Veeder, 460; H. J. Johnston-Lavis, 511
- Moss (Dr. E. L.), Loss of, in the *Atalanta*, 181
- Motay (Tessie du), death of, 204
- Motion in Algæ, Herr Stahl, 114
- Mott (F. T.), Curious Electric Phenomenon, 193; Aurora Borealis and Magnetic Storms, 361
- Mouchet (M.), Researches on the Utilisation of Solar Heat, 206
- Moulton (J. F.), Energy and Force, Prof. W. K. Clifford, F.R.S., 122
- Mountaineering Exploits in South America, E. Whympers, 19
- Mourlon, Geology of Belgium, 348
- Muckley (W. J.), "Handbook for Painters: on Colours," 357
- Mueller (Baron F. von, F.R.S.) "Eucalyptographia," 118
- Muir (M. M. Pattison), Chemical Dynamics, 285
- Miller's "Chemistry of the Carbon Compounds," 530; Recent Chemical Research, 608
- Mulder (Prof. J. G.), death of, 87; Obituary Notice of, 108
- Müller (Hugo W., F.R.S.), The Aurora Borealis, 33; the Inevitable test for Aurora, 96; Aurora Borealis and its Colours, 169; Experimental Researches in Electricity, 149; on some Points connected with Terrestrial Magnetism, 169
- Müller (Prof. F. Max), The Sacred Books of the East, 189
- Müller (Dr. Hermann), Alpine Flowers, 204; *Saxifraga umbrosa* adorned with brilliant Colours by the Selection of Syrphidae, 219
- Müller (Fritz), Branch-Cutting Beetles, 533
- Multiple Spectra, J. Norman Lockyer, F.R.S., 4, 309, 562
- Mundella (Mr.), On Education, 274
- Munro (Dr. Robert), A Scottish Crannog, 34
- Murder, Remarkable Discovery of, in Bermuda, H. N. Moseley, 170
- Murray (John), Structure and Origin of Coral Reefs and Islands, 351
- Museum Conference, E. M. Holmes, 10
- Museum of Natural History, The, New, 237
- Museums, Dr. Günther, F.R.S., on, 393
- "Musical Beats, Notes of Observations on," A. J. Ellis, F.R.S., 234
- Mussooree, India, Violent Hailstorm at, 229
- Myer (General Albert J.), Obituary Notice of, 462
- Naini Tal Landslip, E. Douglas Archibald, 533
- Naples, Shock of Earthquake in, 300
- Natural History, the New Museum of, 237
- "Nature's Hygiene: a Series of Essays on Popular Scientific Subjects, with special reference to the Chemistry and Hygiene of the Eucalyptus and the Pine," C. T. Kingzett, 142
- Nebula, Variable, near ζ Tauri, 231
- Nebulae, Two New Planetary, Edward C. Pickering, 327
- Nebula in Orion, Photograph of, Prof. Henry Draper, 583
- Nefoscope, a New Form of, 132
- Nest of the Swallow, Stone in the, W. E. A. Axon, 242
- Nest-Building Amphipods, 594
- Netherlands Zoological Society, 203
- Neumann (Dr. Karl), Death of, 252
- Newcastle College of Science, 519
- Newfoundland, Island of, Railway across, 184
- New Granada, Coffee Disease in, Dr. A. Ernst, 292
- New Jersey, Geological Survey of, 348
- New South Wales, Discovery of Silver and Gold in, 183
- Newton (Prof. Alfred, F.R.S.), "Winter Swallows," 29; Songs of Birds, 122; on the Migration of Birds, 477
- Newton (Geo. E.), a Fourth State of Matter, 240
- New York, Report of Central Park Menagerie, 16
- New Zealand, New Map of, 134; Establishment of a New School of Agriculture at Canterbury, 182; Education in, 298; New Zealand Institute, 461; Manual of Indigenous Grasses of New Zealand, J. Buchanan, 532; University of, 560
- Niagara River, Soundings of, 41
- Nicholls (W. W.), Intellect in Brutes, 266
- Nicols (Arthur), Depraved Taste in Animals, 339
- Nield (James), Carboniferous Forest at Oldham, 30; Peat Bed in the Drift at Oldham, 460, 583
- Nineteenth Century Building Society, 568
- Nitrogen, the Influence of Bodily Exercise on the Elimination of, 445
- Noailles, Railway at, 40
- North America, Freshwater Rhizopods of, J. Leidy, 165
- North American Geology—Idaho and Wyoming, Prof. Archibald Geikie, F.R.S., 268
- Norton (Lord), and Elementary Education, 165, 237
- Norway, Old, Prof. Arch. Geikie, F.R.S., 117
- Norway, Science in, 574
- Nuovo Giornale Botanico Italiano, 136
- Nyanza (Lake), Mr. J. Stewart on, 67
- Nyassa, Lake, Plants from, 586
- Obach (Dr.), Action of Phosphorescent Light on Selenium, 496
- Ober (F. A.) "Camps in the Caribbees. The Adventures of a Naturalist in the Lesser Antilles," 214

- O'Brien (C. G.), An Octopus, 585
 Observatories: Annual Visitation of the Royal Observatory, 130; Report of, 158; Imperial, Strassburg, 132; Algiers Observatory, M. Coggia appointed Director, 154; Chicago Observatory, 301; Mount Etna, 373; The Proposed Lick, 515; The Paris Popular, 592; The Radcliffe, 599; The New Warner, 614.
 Occultation of a Fixed Star by Saturn, 112
 Ocean Temperatures, Herr von Boguslawski, 114
 Ocean Circulation, Dr. William B. Carpenter, F.R.S., 217.
 Octopus, C. G. O'Brien, 585
 Odontornithes: a Monograph of the Extinct Toothed Birds of North America, 457
 Ohlenschlager (Prof. H.), Prehistoric Map of Bavaria, 68
 Oldham, Carboniferous Forest at, James Nield, 30; Peat Bed in the Drift of, G. H. Morton, 511; P. O. Hutchinson, James Nield, 460, 583
 Oliver (J. A. B.), Aurora Borealis and Magnetic Storms, 361
 Olympia, Austrian Expedition to, 68
 Onagræacæ, Stipules in, 521
 Oppert (G.), "Weapons and Politics of the Ancient Hindus," 581
 Optical Illusion in looking at Geometrical Figures, 207
 Optical Property of the Cornea, 595
 Orchids, Australian, R. O. Fitzgerald, 53
 Ordnance Survey, the, and the Government, 135
 Organic Qualitative Analysis, Dr. Barfoed's "Lehrbuch" of, 581
 Organs of Deep-Sea Animals, M. O. Grimm on, 278
 Origin of Species, the Coming of Age of, Prof. T. H. Huxley, F.R.S., 1
 Orion, Photograph of the Nebula in, Prof. Henry Draper, 583
 Ornaments, Minerva, Prof. E. W. Claypole, 193; Prof. A. H. Sayce, 219
 "Ornithological Journal of the Winter of 1878-79," J. A. Harvie-Brown, 315
 Osborne (Rev. J. A.), Parthenogenesis in the Coleoptera, 509
 Ostrich, Extraordinary Contents of Stomach of, 66
 Ovampo-Land (Western Africa), Père Duparquet on, 41
 Overton (C.), Stags' Horns, 221
 Owen (Richard, C.B., F.R.S.), Notice of (*with Portrait*), 577
 Oxford Observatory, 599
 Oysters, Green Colour of, 549
 Ozone: Liquefaction of, 560; Liquid, 596; Atmospheric, 617
- Page (F. J. M.), Experimental Researches on the Time Relations of the Excitatory Process in Frogs, 137
 Printing, Luminous, Fredk. V. Dickins, 121
 Palæontological Research, Specialised and United, W. S. Duncan, 120
 Palæontological Nomenclature, the Right of Priority in, 348
 Palæontological and Embryological Development, Prof. Alex. Agassiz, 424
 Palæozoic and Eozoic, Principal J. W. Dawson, F.R.S., 382
 Palander (Lieut. A. Louis) Elected Corresponding Member of the French Geographical Society, 90
 Palmieri (Prof.) on Earthquakes, 155
 Papin (Denis), Statue of, 431
 Paraglobulin, the Rotatory Power of, 596
 Paris: Academy of Sciences, 24, 48, 72, 92, 116, 140, 164, 187, 212, 236, 260, 284, 308, 332, 356, 380, 432, 456, 480, 504, 528, 552, 576, 600, 624; Access to the Library of the, 539; Monthyon Prize Awarded to M. Camille Flammarion, 154; Admiral Mouchez on the Paris Observatory, 65; Formation of a Society in, for the Prevention of Excessive Smoking, 65; Small Pox in, 111; Jablockhoff Lights in, 131; Electric Light in, 252; the Electric Light in the Palais Royale, 441; Street Astronomers in, 182; Improvements in the National Library, 252, 276, 495; Popular Observatory, 592
 Parker (W. K., F.R.S.), "On the Structure and Development of the Skull in the Batrachia," Part III., 161
 Parkes Museum of Hygiene, First Annual Meeting in connection with, 300
 Parliament, Science in, 7
 Parthenogenesis in the Coleoptera, Rev. J. A. Osborne, 509
 Pascal, Statue to, 347, 441
 Paterson (George), Large Hailstones, 292
 Patterson (Robert Lloyd), "Birds, Fishes, and Cetacea commonly frequenting Belfast Lough," 289
- Peabody Institute of Baltimore, Thirteenth Annual "Report" of, 205
 Peal (S. E.), Sounds made by Ants, 583
 Peat Bed in the Drift of Oldham, J. Nield, 460, 583; G. H. Morton, 511; P. O. Hutchinson, 583
 Peat-Mosses of Europe and North America, R. Braithwaite, 556
 Peaty Water, Action of the Air upon, Miss Halerow and Dr. Frankland, 139
 Pegasi, 85; Double-star, 205
 Pei-ho, the Yang-tse, and the Yellow River, Surgeon H. B. Guppy, 486; T. Mellard Reade, 559
 Peirce (C. S.), the Colour of Double-stars, 291
 Peirce (Prof. Benjamin, F.R.S.), Obituary Notice of, 607
 Pendulum Experiment, Foucault's, Permanent Record of Chas. R. Cross, 240
 Penrose (F. C.), Large Meteors, 267
 Perry (Prof. John), Seeing by Telegraphy, 31; Wire Torsion, 604
 Perry (Rev. S. J., F.R.S.), Comparative Curves in Terrestrial Magnetism, 120; Aurora Borealis and Magnetic Storms, 361; Fire Ball, 362
 Perseids, The Shower of August, W. F. Denning, 470
 Perthshire Society of Natural History, Dr. James Geikie elected President of, 66
 Petermann's Mittheilungen, 158, 254, 351, 596
 Peters (Prof. C. A. F.), death of, 67; Obituary Notice of, 88
 Petersen (Carl), Death of, at Copenhagen, 206
 Petersen (Professor Julius), Text-books of Geometry, 360
 Petrie (Wm. Flinders), The British Museum Attendants, 338
 "Waiting Carriage," 534.
 Petroleum Spirit and Analogous Liquids, 448
 Phené (Dr.), On Prehistoric Customs in the Pyrenees, 478
 Phenomena of Explosion of Bombs by Freezing of Water, Prof. Hagenbach on, 302
 Philadelphia Academy of Natural Sciences, 116, 236; Proceedings, 330
 Phillips (J. A.), the Heat of the Comstock Lode, 337
 Philology, English, Recent Progress of, Rev. A. H. Sayce, 167
 Philosophy of Voice, Vox Populi, Sequel to the, Charles Lunn, 556
 Phosphorescence and Carbon Compounds, 543
 Phosphoric Acid in the Urine of Cows, 595
 Photo-Electricity, Prof. Minchin's Researches on, 91
 Photographic Society, 48; Exhibition of, 540
 Photographs from a Balloon of the Land below, 183, 204
 Photographing by Lightening, 351
 Photophone, the, Prof. Silvanus P. Thompson, 481
 Photophone and Selenium, Prof. Graham Bell, 500
 Phylloxera, Appearance of the, in the Vineyards of Vesuvius and the Gulf at Puzzioli and Pianura, 17
 Physical Society, 16, 22, 91, 139, 210, 258
 Physical Notes, 18, 89, 133, 156, 205, 280, 301, 350, 375, 521, 543, 595
 Physical Aspects of the Vortex-Atom Theory, 145; S. Tolver Preston, 56
 Physical Science in Russia, 207
 Physics without Apparatus, 320, 343, 366, 438, 462, 488, 537, 588
 "Physiological Chemistry," by Prof. A. Gamgee, F.R.S., 398; Dr. M. Foster, F.R.S., 555
 Phytogeography, Dr. Engler's Work on, 190
 Piano, Electrical Instrument for recording the Notes played on a, 19
 Piazzoli (Signor), the Influence of Magnetisation on Iron, 89
 Pickering (Prof. Edward C.): Two New Planetary Nebulæ, 327; Novel Celestial Object, 483; Ceraski's New Variable Star, 603
 Pile-Dwellings, Discovery of, in the Vicinity of Milan, 66
 Planets, Minor, 89
 Planetary Nebulæ, Two New, Edward C. Pickering, 327
 Plants of the Coal Measures, Prof. W. C. Williamson, F.R.S., 281
 Plants, Digestion in, 521
 Plants from Lake Nyassa and Lake Tanganyika, 586
 Plummer (John I.), Height of the Aurora, 362
 Pneumatic Clocks, 226
 Pogson (G. Ambrose), Thunderstorms at Hamburg, 155
 Polar Expedition, 1877-78, the Scientific Results of the Howgate, 171

- Polar-Compression of Mars, 112
Polarisation Spectroscope of Great Dispersion, a Rotary, 360
Polarisation of Light, Experiment in the, 595
Polariser, Prazmowski's, 157
Ponton (Mungo), his Inventions, &c., 431
Population, the Increase of, in England and Wales, R. Price Williams on, 205
Population of the Earth, 467
Porcelain Clays, Japanese, 349
Posen, Mammoth Skull discovered near, 66
Potagos (Dr. Panagiotés), his Travels, 134
Pottery, Prehistoric, of Missouri, 519
Pourtales (Count Louis François de), Obituary Notice of, H. N. Moseley, F.R.S., 322; Prof. P. Martin Duncan on, 337; Obituary Notice of, Prof. Alexander Agassiz, 371
Prague, Congress of Bohemian Naturalists, 109
Pratt (Orson, sen.), "Key to the Universe," 290
Preece (W. H.), New Microphone, 133; on some Thermal Effects of Electric Currents, 138; on the Best Form of Lightning-Conductor, 446
Prejevalsky (Col.), Letter from, 41
Pressure, Ice under, Dr. Thos. Carnelley, 583
Preston (S. Tolver), on a Point relating to Brain Dynamics, 29; Brain Dynamics, 121; on Vortex-Atom Theory, 56; on Vortex-Atoms, G. H. Darwin, F.R.S., 95; Vortex-Atoms, 121; a Fourth State of Matter, 192; the Recent Gas Explosion, 265; on the Mode of Explaining the Transverse Vibrations of Light—the Expression "Radiant Matter," 363; Evolution and Female Education, 485
Primeval Europe, a Fragment of, Prof. A. Geikie, F.R.S., 400; Duke of Argyll, F.R.S. 407
Primitive Man, 82
Pris Volta, Award of the, 299
Proceedings of the Boston Society of Natural History, 186
Proceedings of the Linnean Society of New South Wales, 234
Prosopistoma punctifrons, R. McLachlan, F.R.S., 460
Public Health, Society of Arts Conference on, 154
Puluj (Dr. J.), Radiant Electrode Matter, 280
Pyrenees, Prehistoric Customs in, Dr. Phené, 478
Python, a Doctor's Encounter with a Sick, 541

"Qualitativen Analyse, Lehrbuch der organischen," Dr. Chr. Th. Barfoed, 581
Quarterly Journal of Microscopical Science, 503
Quassia and Mosquitos, J. B. Dancer, 338
Queensland, Discovery of Gold-Field in, 131, 329; R. L. Jack's Reports on Geology of, 431
Queenwood College Mutual Improvement Society, 541
Quetelet, Unveiling the Statue of, 131
Quiroga (Don Francisco), "Estudio Micrográfico ne Algunos Basaltos de Ciudad-Real," 582

Rae (J.), Anchor-Ice, 54
Radiant Heat in Gases, Absorption of 543
Radiant Heat and Electricity, 596
"Radiant Matter," S. Tolver Preston, 363
Radiation—a Query, 363
Radiometers, Suggestion with regard to, 252; Experiments with, 350
Rainbows, Lunar, Anne Gifford, 319
Rainfall of the East Indian Archipelago, 434
Rainfall of Sierra Leone, W. Hume Hart, 585
Ralton (Dr.), Suez Canal Rock Salt, 11; Sodie Chloride Crystals, 11
Ramsay (Prof. A. C., F.R.S.), Presidential Address at the Meeting of the British Association at Swansea, 383
Ramsay (W.), On the Critical State of Gases, 46
Rangoon, Earthquakes in, 615
Rankine (Prof. Macquorn), Memorial Volume to, 539
Rayleigh (Lord), Colour Combinations, 133
Reade (T. Mellard), the Yang-tse, the Yellow River, and the Pei-ho, 569
Reale Istituto Lombardo di Scienze e Lettere, 46, 88, 160, 234, 257, 380, 504, 623
Rede Lecture, Prof. Humphry's, 115
Reed (Sir E. J.), "Japan," 610
Reefs, Coral-, and Islands, Prof. Joseph LeConte, 558
References to Authorities in Scientific Memoirs, 203
Regel (Dr.), on the Flora of Turkestan, 19
Reitlinger (Prof.) Electrical Ring-figures, 302
Repulsion, Electric, a New Kind of, Dr. Arthur Schaster, F.R.S., 535
Renshaw (A. G.) "Sarsens," 55
Retina, the Action of the, 89
Reversals by Memory, Rev. Geo. Henslow, 241
Revue des Sciences Naturelles, 20, 283
Revue Internationale des Sciences, 20
Revue Internationale des Sciences Biologiques, 161
Revue d'Anthropologie, 503
Rheims, Meeting of the French Association for the Advancement of Science, at, 154, 276, 397
Rhizopods, Freshwater, of North America, J. Leidy, 165
Rice (J. M.), and W. W. Johnson's Treatise on the Differential Calculus, 509
Richardson (Dr. B. W., F.R.S.), Further Observations and Researches on Fleuss's System of Diving and Living in Irrespirable Atmospheres, 32; On a Prolonged Fast by a Dog, 347
Ridout's Improved Thermo-Electric Apparatus, 22
Rifled Arms, Sir Joseph Whitworth on, 130
Righi (Prof.), Holtz's Electric Machine, 89
Rimmer (Richard), Land and Freshwater Shells of Great Britain, 483
Ring and Cup Stones, 221
Ring-figures, Electrical, Prof. Reitlinger and Dr. Wächter on, 302
Rio de Janeiro, Minas and San Paulo, Map of Existing and Projected Railways in the Provinces of, 205
Ritter (Dr. Karl), Presentation of a Gold Medal to, 17
"River of Golden Sand," Capt. W. Gill, 26
Rivers (General Pitt [Lane-Fox]) Anthropological Collection, 489, 511
Rivers, the Classification of, Surgeon H. B. Guppy, 606
"Revista Scientifico-Industriale," 20, 46, 234, 480, 503
Robinson (Rev. Dr., F.R.S.), On the Constants of the Cup Anemometer, 404
Robinson (James F.), "British Bee-Farming," 433
Rock Salt, Suez Canal, Dr. Ralton, 11
Rock-weathering, as Illustrated in Churchyards, Prof. A. Geikie, F.R.S., 104
Rodd's (Edward Hearle), "Birds of Cornwall and the Scilly Islands," 507
Rodwell (G. F.), Etna, Prof. O. Silvestri, 359
Roemer (Dr.), "Lethæa geognostica," 264
Rogers (J. Innes), Spectre of the Brocken at Home, 551
Rolleston (Prof., F.R.S.) on Round and Long Barrows, 478
Romanes (G. J., F.R.S.) on Brain Dynamics, 75; the New Freshwater Jelly-fish, 177
Ronalds (Sir F.), Catalogue of Works on Electricity, Magnetism, &c., 87
Rooks at Kirkwall, 88
Ross (Col. W. A.), Alphabetical Manual of Blowpipe Analysis, 336
Rosse (Lord, F.R.S.), his Telescope, 75
Rowland (Prof.), on Thermometry, 18
Royal Academy of Music, Signor Alberto B. Bach on the Cultivation of the Voice, and his Resonator, 204
Royal Geographical Society's Proceedings, 19, 157, 232, 351, 468, 544; Fiftieth Anniversary of, 114; Journal, 569
Royal Institution, Prof. W. H. Flower, F.R.S., at the, 16; Annual Meeting, 17; proposed Lectures at, 40
Royal School of Mines, Prizes and Associateships awarded, 253
Royal Society, 21, 46, 70, 91, 129, 137, 161, 186, 209, 234, 258, 283, 404
Royal Society of New South Wales, Sydney, Annual Meeting of, 253
Royal Microscopical Society, 235; Journal of, 282
Ruby Lake, disappearance of Water from, 41
Rudler (F. W.), Address in Section D at the British Association, 421
Rugby School Natural History Society, 17
Russell (Dr. W. J.), and Dr. West, on the Relation of the Urea to the total Nitrogen of the Urine in Disease, 186; Absorption Bands in Certain Colourless Liquids, 368
Russell (Hon. F. A. R.), Experiments on Thin Films of Water with regard to the Absorption of Radiant Heat, 447
Russia: Physical Science in, 207; Russian Geographical Society, 157; *Isvestia*, 348; the Imperial Yacht *Livadia*, 270

- Sacred Books of the East, Edited by F. Max Müller, Prof. A. H. Sayce on, 189
- St. Elmo's Fire, 375
- St. Gothard Tunnel, 40, 110, 130, 229
- St. Petersburg Society of Naturalists, 183
- Sakhalin, the Miocene Flora of, 349
- Salt: Rock, Suez Canal, Dr. Ralton, 11; Tables for the Analysis of a Simple, A. Vinter, 337
- Salts, Diffusion of, in Aqueous Solution, Herr Long, 280
- Sanderson (Dr. Burdon, F.R.S.), "Experimental Researches on the Time Relations of the Excitatory Process in Frogs," 137
- Sanitation, Society of Arts Conference on, 154
- Sanitary Congress, 540
- Sanitary Institute, 519
- Sapphire Mines in Siam, 230
- "Sarsens," A. G. Renshaw, 55
- Saturn: Occultation of a Fixed Star by, 112; the Satellites of, 399
- Saxifraga umbrosa* adorned with Brilliant Colours by the Selection of Syrphidae, Dr. Hermann Müller, 219
- Sawyer (John), "Automatic Multiplier and Calculator," 316
- Saxon and Thuringian Natural History Society, General Meeting of, at Nordhausen, 131
- Sayce (Prof. A. H.), "Science of Language," A. H. Keane, 49; Garrick Mallery's "Introduction to the Study of Sign Language among the North American Indians," 93; the Recent Progress of English Philology, 167; the Sacred Books of the East, Edited by F. Max Müller, 189; Minerva Ornaments, 219
- Scandinavian Naturalists and Physicians, Meeting of, at Stockholm, 130
- Scandium, 350
- Schäberle's Comet, 467
- Scheffer (Dr. Rudolf), Obituary Notice of, Henry O. Forbes, 12
- Schlagintweit (Herr Robert von), Arrival of, at New York, 68
- Schomburgk (Dr.), Report on the Progress of the Botanic Garden and Government Plantation of South Australia, 253
- Schools, the Opportunities of Science Masters at, Francis Galton, F.R.S., 9
- Schubert (Gotthilf Heinrich von), Celebration of the Centenary of the Birth of, 66
- Schubert (Dr. H.), "Kalkül der abzählenden Geometrie," 557
- Schuster (Dr. A., F.R.S.), on the Spectra of the Metalloids, 444; New Kind of Electric Repulsion, 535
- Schwendler (Louis), "Instruction for Testing Telegraph Lines and the Technical Arrangement of Offices," 94; on the Utilization of Monkeys for Work, 398
- Schwerin, Exhibition of Apparatus relating to Bee-Culture at, 17
- Sciaccia, Discovery of Coral near, 131
- Science in Parliament, 7
- Science Masters, the Opportunities of, at Schools, Francis Galton, F.R.S., 9
- Science and Art. Museum of, in Aberdeen, 66
- Science and Agriculture, Earl Spencer on, 182
- Science and Culture, Prof. T. H. Huxley, F.R.S., 545
- Science, the Place of, in Education, 529
- Science, a New Journal, 275
- Sciences Naturelles, Revue des, 283
- Scientific Practice, 229
- Scientific Societies, Provincial, and the British Association, John Hopkinson, 319, 440
- SCIENTIFIC WORTHIES, XVI.: Richard Owen, C.B., F.R.S. (with Portrait), 577
- Scilly Islands, Birds of, Edward Hearle Rodd, 507
- Slater (P. L., F.R.S.), Waterfowl, 295; Classification of Birds, 549
- Scotland, Thunderstorms in, A. Buchan, 594
- Scott (Robert H.), the Aurora Borealis, 33
- Scott (R. F.), the Theory of Determinants, 458
- Scottish Crannog, a, 13; Dr. Robert Munro, 34
- Scottish Meteorological Society, 275
- Scottish Naturalists, 137
- Scudder (Prof. S. H.), Modern Entomology, 550
- Seaham Colliery, the Explosion at, 464
- Secchi (Father), Statue of, 39
- Sedgwick (Adam), Proposed Life of, 275
- Sedgwick (Capt.), "Light and Heat," 483
- Seeing by Telegraphy, Profs. John Perry, W. E. Ayrton, 31
- Seismology in Japan, Prof. John Milne, 208
- Selenium, 585; Action of Phosphorescent Light on, 496; and the Photophone, Prof. Graham Bell, 500
- Septum Permeable to Water and Impermeable to Air, with Application to a Navigational Depth Gauge, Sir W. Thomson, F.R.S., 548
- Sewage and Potable Waters, 349
- Sharp (D.), New Biological Term, 364
- Shells, the Land and Freshwater of Great Britain, Richard Rimmer, 483
- Shettle (Dr.), on the Influence of Solar Radiation on the Earth's Rotation, 210
- Shrubsole (W. H.), Diatoms in the London Clay, 221
- Siam, Discovery of Sapphire Mines in, 230
- Siemens (Dr.), Newest Electrical Results, 135
- Sierra Leone, Rainfall of, W. Hume Hart, 585
- Sieve-Tubes of Dicotyledonous Plants, F. Orpen Bower, 602
- Sign-Language among the American Indians, Prof. A. H. Sayce, 93
- Silkworm Culture in Spain, 541
- Silvestri (Prof. O.), Etna, G. F. Rodwell, 359
- Simonton (T. D.), Visibility of Mercury to the Naked Eye, 119
- Simpson-Baikie's, International Dictionary for Naturalists, 17
- Sincholagna, E. Whymper's Ascent of, 19
- Siphonophora, American (East Coast), 113
- Sirius, the Companion of, 132
- Skin Furrows of the Hand, Dr. H. Faulds, 605
- Slags, Artificial and Erupted Rocks, Dr. H. C. Sorby, F.R.S., on, 390
- Small Pox in Paris, 111
- Smith (Dr. R. Angus, F.R.S.), Measurement of Actinism of the Sun's Rays and of Daylight, 70
- Smith (W. F.), Ball Lightning, 267
- Smithson (James), and the Smithsonian Institution, 110
- Smithsonian Institute, Annual Report of, 518
- Smyrna: Earthquake at, 329; Hyde Clarke, 363
- Smyth (Prof. Piazz), an Inevitable Test for Aurora, 76; Three Years' Experimenting in Mensurational Spectroscopy, 193, 222
- Snake, Black, Mr. S. H. Wintle on, 40
- Snake, Green, Experiment on a, 40
- Snake in Kensington Gardens, J. Harris Stone, 193
- Snow, Perpetual, Aqueous Vapour in relation to, Dr. J. Croll, F.R.S., 191
- Soames (L.), a Halo, 435
- Society of Arts: Conference on Public Health, 154; the Albert Medal of, awarded to James Prescott Joule, F.R.S., 154; Medals, 203; Annual Meeting, 229
- Socotra, Dr. J. B. Balfour on, 477
- Sodic Chloride Crystals, 31; Dr. Ralton, 11
- Solar Eclipse, the next Total, 112
- Solar Halo on Lake Constance, 111
- Solar Heat, M. Mouchet's Researches on the Utilisation of, 206
- Solar Physics, Preliminary Report on, by the Committee of Council on Education, 44
- Solar Radiation, on the Influence of, on the Earth's Rotation, Dr. Shettle, 210
- Solar Spectrum, the Magnesium Lines in, 596
- Solid Bodies, the Welding of, 350
- Solid Geometry, Elementary Treatise on, W. Steadman Aldis, 531
- Solothurn, Geological Discovery at, 399
- Songs of Birds, 97
- Sorbonne, the, struck by Lightning, 466
- Sorby (Dr. H. C., F.R.S.), Opening Address in Section C at the British Association Meeting, 390
- South African Museum, Report of, for 1879, 205
- South America, Mr. G. Whymper's Mountaineering Exploits in, 19
- South Kensington Museum, Opening of the Indian Section of, to the Public, 66
- Sparks (Dr. E. J.), Death of, 591
- Species, Origin of, the Coming of Age of, Prof. T. H. Huxley, F.R.S., 1
- Specific Gravities when in the Liquid State, on the Relation between the Molecular Weights of Substances and their, Prof. T. E. Thorpe, F.R.S., 262
- Spectre of the Broken at Home, J. Innes Rogers, 559
- Spectrum Analysis: Multiple Spectra, J. Norman Lockyer, F.R.S., 4, 309, 562; The Ultra-Violet Spectrum, 90; Three Years' Experimenting in Mensurational Spectroscopy, Prof.

- Piazz Smyth, 193, 222; Spectrum of the Flame of Hydrogen, W. Huggins, F.R.S. on, 283; the line D_{β} , 350; A Rotary Polarisation Spectroscope of great Dispersion, Prof. P. G. Tait, 360; Absorption Bands in certain Colourless Liquids, 368; Report on the Ultra-Violet Spectra by Prof. A. K. Huntington, 444; On the Spectra of the Metalloids, Dr. A. Schuster, F.R.S., 444; The Present State of Spectrum Analysis, 522; Spectrum of Hartwig's Comet, W. H. M. Christie, 557; Spectroscopic Investigations, G. Ciamician, 575; The Magnesium Lines in the Solar Spectrum, 596; On the Spectra of the Compounds of Carbon with Hydrogen and Nitrogen, Profs. Livinge and Dewar, 620
- Spencer (Earl), On Science and Agriculture, 182
- Sphagnaceæ, or Peat-Mosses, Dr. R. Braithwaite, 556
- Spiders and Wasps, 110
- Splenotomy in Dogs, 520
- Sponges, Proposed Bibliography of, 539
- Sportsman's Guide to Scotland, 17
- Sprague (T. B.), Toughened Glass, 292
- Sprengel Pump, Improvements in, 375
- Sprengel Vacuum, the Specific Inductive Capacity of a Good, British Association Report on, 443
- Stags' Horns, Prof. E. W. Claypole, 146; Herbert Ellis, C. Overton, 221
- Stahl (Herr), Motion in Algae, 114
- Standard Weights, Dr. Werner Siemens and his Set of, 64
- Stars, Occultation of a Fixed, by Saturn, 112; Binary α Centauri, 85, 399, 541; Pegasi, 205, 467; δ Equulei, 593; the Colour of Double Stars, C. S. Peirce, 291; Colours of Southern, 495; Variable, 277; Variable Star in Aquarius, 205; Ceraski's New Variable, 455, 616; Prof. E. C. Pickering, 603; Geo. Knott, 603; η Cygni, 348; R Hydrae, 542; A New Red Star, John Birmingham, 408
- Statics, Treatise on, Prof. George M. Minchin, 52
- Statistical Society, 116
- Steam-boilers, Incrustation in, 448
- Stebbing (Rev. T. R. R.), Fascination, 338, 534
- Steel and Iron, Immersion of, in Acidulated Water, W. H. Johnson, 11
- Steel, Hardening of, T. W. Giltay, 461; H. J. Johnston-Lavis, 511
- Step Backwards, A, 165
- Stereotyping, a New Process of, 328
- Sternum in Dinosaurs, 113
- Stewart (Prof. Balfour, F.R.S.), Systematic Sun-spot Periodicity, 80; On Some Points Connected with Terrestrial Magnetism, 146, 202
- Stewart (J.), on Lake Nyanza, 67
- Stone Arrow-Heads, W. L. Distant, 11
- Stone in the Swallow's Nest, 459; John Locke, 146; W. E. A. Axon, 242
- Stone (J. Harris), A Snake in Kensington Gardens, 193
- Stone-breaker, An Electrical, 302
- Stones, Cup and Ring, J. Romilly Allen, 97, 221; James Quin, 122
- Storm Effects, J. Rand Capron, 290
- Storm, Magellanic, G. M. Whipple, 558
- Storms of the United States, 594
- Strassburg, Imperial Observatory at, 132
- Stratigraphical Geology, 264
- Streams, Crossing Rapid, 607
- Subterranean Kaolinisation, John A. Church, 317
- Suez Canal Rock Salt, Dr. K Walton, 11
- Sugar, Crystallisable, Mr. Collier on, 278
- Sugar-Cane, the Elephant, 518
- Suicides, Statistics of, 576
- Sulphur, the Elementary Nature of, 349
- Sunday Art Exhibitions, 155
- Sun Signal, or Heliograph, Improved, Dr. Tempest Anderson, 499
- Sun-Spot Periodicity, Systematic, Prof. Balfour Stewart, F.R.S., 80
- Surgery and Superstition in Neolithic Times, 478
- "Swallows," Winter, Prof. Alfred Newton, F.R.S., 29
- Swallow, the Stone in the Nest of the, John Locke, 146; W. E. A. Axon, 242; Chatel, 459
- Swans, Wild—Notes of Birds, J. Birmingham, 171
- Swansea, Handbook to, S. C. Gamwell, 431
- Swedish Lakes and Temperature of Sweden, 132
- Swift's New Comet, 467
- Swinton (A. H.), "Insect Variety," 579
- Swiss Châlets, Rev. Geo. Henslow, 534; H. N. Moseley, 559
- Swiss Natural History Society, Meeting at Brieg, 110
- Switzerland, the Earthquake in, 252; the Triangulation of, 518
- Sydney, University of, Bequest to the, 45
- Sydney, supposed Discovery of Kerosene at, 88; Intercolonial Meteorological Conference at, 160
- Tait (Prof. P. G.), a Rotary Polarisation Spectroscope of Great Dispersion, 360; Thunderstorms, 339, 364, 408, 436
- Tanganyika, Lake of, Establishment of Germans on, 67; Plants from, 586
- Tasmania, Royal Society of, Report of, 133; Discovery of Gold-Fields in, 329
- "Tasmanian Friends and Foes, Feathered, Furred, and Fined," Mrs. L. A. Meredith, 300
- Tay Bridge Accident, 11, 213, 266; Hon. Ralph Abercromby, 533
- Taylor (Alfred Swaine, F.R.S.), Death of, 109
- Taylor (Noble), Toughened Glass, 241
- Taylor (Henry J.), "The Bee-Keeper's Manual," 433
- Taylor (C.), "Elementary Geometry of Conics," 603
- Tea Cultivation in Japan, 569
- Technical Education, Prof. Ayrton on, 616
- Telegraphy: Recent Advances in, M. Antoine Breguet on, 18; Seeing by, Profs. John Perry and W. E. Ayrton, 31; Testing Telegraph Lines, Louis Schwendler, 94
- Telekophon, the, 375
- Telephone: a New Use for the, 157; the Fine Wire, Prof. G. Chrystal, 168; at Liverpool, 230; in South Australia, 275; Experiments with the Wire, chiefly on Strongly Magnetic Metals, Prof. G. Chrystal, 303; Experiments in Switzerland, 329; on a New Form of Receiver, James Blyth, 330; Prof. Chrystal on the Differential, 331; the Telephone and Deaf Persons, 376; "A Baby Telephonist," 442
- Telescope (Lord Rosse's), Otto Struve, 75
- Telescopes and Microscopes, Construction of, 607
- Temperature and Arctic Fossil Floras, J. S. Gardner, 341
- Temperature of the Breath, 607; C. J. McNally, 534; Dr. R. E. Dudgeon, 584
- Temperature, Underground, British Association Report on, 442
- Temple (Lieut. Geo. T.), on the Hydrographic Department, 192; Letter to Col. Fr. Sejersted, 432
- "Teoria delle Forze Newtoniane e sui applicazioni all' Elettrostatica e al Magnetismo del Prof. Enrico Betti," 557
- Terrestrial Magnetism, Comparative Curves in, Rev. S. J. Perry, F.R.S., 120; J. Capello, 220
- Terrestrial Magnetism, on some points connected with, Prof. B. Stewart, F.R.S., 146, 202; Warren De La Rue, F.R.S., Hugo W. Müller, F.R.S., 169
- Thermoelectric Pile, Clöe's, Improvement of the, 19
- Thermoelectric Currents and Chemical Action, 156
- Thermometer, Water-Steam, Sir William Thomson's, 91
- Thermometry, Prof. Rowland on, 18
- Thin (Geo., M.D.), "On *Bacterium fetidum*: an Organism associated with Profuse Sweating from the Soles of the Feet," 209
- Thompson (Prof. S. P.), Arthur Young's Travels in France, 219
- Thomson (Sir Wm., F.R.S.), on "Turning the World Upside Down," 493; on a Septum permeable to Water and impermeable to Air, with Application to a Navigational Depth Gauge, 548; on Maximum and Minimum Energy in Vortex Motion, 618
- Thomson (Sir Wyville, F.R.S.), the Cruise of the *Knight Errant*, 405
- Thorpe (Prof. T. E., F.R.S.), Longstaff Medal awarded to, 109; on the Relation between the Molecular Weights of Substances and their Specific Gravities when in the Liquid State, 262; Supposed New Island in the Azores, 509
- Thunderstorms: in Geneva, Prof. Colladon on, 65; at Hamburg, G. Ambrose Pogson on, 155; at Moylough, 347; Prof. P. G. Tait on, 339, 364, 408, 436; in Scotland, A. Buchan, 594
- "Thüringer Wald" Club, Formation of, at Eisenach, 20
- Thurn (Everard, F. im), Journey to British Guiana, 41
- Thwaites (C.), Fascination, 484
- Tiberias, Lake of, the Fishes of, 494
- Tilden (Dr. W. A.), Principles of Qualitative Analysis, 360
- Timber, Calcareous Concretions in, Dr. G. Bidie, 169
- Tinned Meats, reported Poisoning by, 567
- Tobacco-smoking, Formation of Society against, in Paris, 65

- Todd (C.), Meteorology of South Australia, 120
Tokio, University of, 230; the Acceleration of Gravity at, 521
Tombs, Discovery of, at Chamblandes, 40
Tomsk, University of, 441
Tong-pang-chong, Chinese Remedy for Skin Disease, 541
Topographical Society of London, 592
Tornadoes in Missouri, 253
Torrent, Strange Method of Crossing a, W. Curran, 339; F. F. Tuckett, 382
Torsion of Wires of Steel, Iron, and Copper, Experiments on, by Herr Warburg, 207
Torsion, Wire, Major J. Herschel, F.R.S., 557
Toughened Glass, Noble Taylor, 241; T. B. Sprague, 292
Trachomeduse, a New Jelly-Fish of the Order of, Living in Fresh-water, Prof. E. Ray Lankester, F.R.S., 147, 177, 190, 241, 316, 361
Trains, a Substitute for Stopping, 519
Transverse Vibrations of Light, 363; on a Mode of Explaining, J. W. Frankland, 317
Transylvania, Earthquake in, 592
Tree Pruner, Samuel Wood, 336
Tree Planter, Samuel Wood, 336
Trees, Effect of Lightning on, L. Cumming, 220
Treb (Dr. M.), Appointed Director of Botanical Gardens at Buitenzorg, Java, 64
Trichoptera, European, Monograph of, R. McLachlan, F.R.S., 314
Trinity College, London, 540
Tromholt (Prof. Sophus), Auroral Observations, 192
Tubes, Glass, Experiments with, J. T. Bottomley, 291
Tuckett (F. F.), Strange Method of Crossing a Torrent, 382
Tuning-forks, Vibrations of, Dr. König, 90
Tupman (Major G. L.), Great Meteor, 242
Turkestan, Flora of, Dr. Regel on, 19
Twelvetrees (W. H.), Ural Crayfish, 10
Two Dimensions and of Finite Extent, on the Simplest Continuous Manifold of, C. J. Monro, 218
Typhoons, Père Marc Dechevrens on, 183
Tyrol, Earthquakes in the, 399
- "Uisnach, the Sons of," and "Loch Etive," 289
Ujfalvy (C. E. de), Expedition to Central Asia, 351
Underground Temperature, British Association Report on, 442
United States: Weather Maps, August, 1878, 36, 100, 249, 516; Geological Survey of New Jersey, 348; Prof. Loomis on the Temperature of, 594
"Universe, Key to the," Orson Pratt, sen., 290
University College, London, Meeting to Raise Funds for the Completion of the Buildings, 228
University College, London, Prof. Ray Lankester, F.R.S., on, 228
University and Educational Intelligence, 45, 70, 90, 115, 136, 160, 185, 208, 233, 257, 282, 307, 330, 575, 590, 623
Universities, the Proposed Abolition of Clerical Fellowships, &c., 250; the *Times* on the Functions of, 251
Ural Crayfish, W. H. Twelvetrees, 10
Urea, Relation of, to the Total Nitrogen of the Urine in Disease, Doctors Russell and West, 186
Urine of Cows, Phosphoric Acid in the, 595
Utah, the Plateau of, Capt. C. E. Dutton, Prof. A. Geikie, F.R.S., 324
Utricularia, Lieut. J. W. Clark, 318
- Vacuo, High, Contributions to Molecular Physics in, W. Crookes, F.R.S., 125
"Valley Naturalist," 568
Vapour Densities, Determinations of, 349
Varenne (J.), Researches on the Passivity of Iron, 279
Variable Nebula near ζ Tauri, 231
Variable Stars, 277; in Aquarius, 205; η Cygni, 348, 454; Ceraski's New, 455, 603, 616; R Hydrae, 542
Vaucauson Collection, Catalogue of, 276
Vayssière (M.), on a Problem in Entomology, 130
Veeder (M. A.), Mosquitos, 460
Vegetable Kingdom, Evolution of, W. B. Hemsley, 190
Venice, International Congress of Geography at, 398
Verhandlungen der k.k. Zoologisch-botanischen Gesellschaft in Wien, 20
Vesta, Diameter of, 231
- Vesuvius, appearance of the Phylloxera in the Vineyards of, 17
Opening of the Railway, 131; Activity of, 466
Vevey Cigars, 87
Vibration, Experiments on, 207
Vibrations of Flames, Prof. Carmichael on, 18
Vibrations of Light: on a Mode of Explaining Transverse, J. W. Frankland, 317; Transverse, 363
Victoria: Mineral Statistics of, 343; Royal Society of, Transactions, 518
Victoria (Philosophical) Institute, 92, 163
Victoria University, Manchester, 261, 274
Vienna: the International Congress of Meteorology at, 16; Imperial Academy of Sciences, 48, 163, 187, 236, 260, 308, 356; Mittheilungen of Geographical Society, 68
Vine, A New, 495
Vines (S. H.), Translation of "Prant's Text-Book of Botany," 216
Vinter (A), Tables for the Analysis of a Simple Salt, 337
Violins, Tone of, Lewis Wright, 435
Vivisection, Dr. B. G. Wilder on the two Kinds of, 517
Voice, The Science of Production and Preservation of, for the Use of Speakers and Singers, Gordon Holmes, 143
Voice, Human, the Mechanism of the, Emil Behnke, 239
Voice, Philosophy of, Sequel to the, Chas. Lunn, 556
Volcanic Eruption in Dominica, Edmund Wall, 77
Volcano (Lacustrine), 129
Volcanic Dust from Dominica, W. E. Wadsworth, 266
Volcanoes: Mount Etna, 346; Fuego, 346, 441, 544; Vesuvius, 466
Voltmeters, Leyden Jars, &c., Reduction of Observations on, 258
Vortex Atom Theory, S. Tolver Preston, 56, 121; G. H. Darwin, F.R.S., 95; On the Physical Aspects of the, 145
Vortex Motion, On Maximum and Minimum Energy in, Sir William Thomson F.R.S., 618
"Vox Populi:" A Sequel to the "Philosophy of Voice," Chas. Lunn, 556
- Wächter (Dr.), Electrical Ring-figures, 302
Wadsworth (M. E.), Volcanic Dust from Dominica, 266
Wagner (Dr. Hofrath von), Death of, 567
"Waiting Carriage," W. M. F. Petrie, 534
Walford (Cornelius), Recall of Appearance of Books, &c., 220
Wales, South, Ethnology of, 421
Wallace (Alfred R.), on Two Darwinian Essays, 141; "Island Life," 398
Ward (Rev. J. Clifton), Proposed Memorial to, 328
Warner Observatory, 614
Wartegg (Chevalier Ernst von Hesse), Travels in North Africa, 231
Washington, Philosophical Society of, 440
Wasps, Carnivorous, 31
Wasps and Spiders, 110
Water Supply, Charles Ekin, 221
Water, Living on, 294
Water, Excretion of, by Leaves, Dr. J. W. Moll, 403
Waterfowl, P. L. Sclater, F.R.S., 295
Watt (Edmund), Recent Volcanic Eruption in Dominica, 77; Monkeys in the West Indies, 318
"Weapons and Politics of the Ancient Hindus," G. Oppert, 581
Weather Maps (United States), 36, 100, 249, 372, 516
Weights, Standard, Dr. Werner Siemens and his Set of, 64
Weismann (Dr. Aug.), "Studies in the Theory of Descent," 141
Welding of Solid Bodies, 350
Weltende, Discovery of Diluvial Bones at, 66
Welwitschia mirabilis, Germination of, F. Orpen Bower, 590
West Indies, Monkeys in, John Murie, 77, 318
Westphal's Comet (1852, IV.), 184
West Harptree, Discovery of Natural Caverns in the Neighbourhood of, 204
Whipple (G. M.), Magnetic Storm, 558
Whitaker (J.), "Guide to the Geology of London," 481
White (Dr. Buchanan), the number of Known Species of Hemiptera-Heteroptera, 606
Whitworth (Sir Joseph), on Rifled Arms, 130
Whymper's (E.), Mountaineering Exploits in South America, 19; Ascent of Pichincha, 41

- Wickham, New South Wales, Discovery of Metallic Stone at, 131
- Wilder (Dr. B. G.), on "The Two Kinds of Vivisection," 517
- Williams (B. Price), on "The Increase of Population in England and Wales," 205
- Williamson (J.), "Fern Etchings: Illustrating all the Species of Ferns Indigenous to the North-Eastern United States and Canada," 168
- Williamson (Prof. W. C., F.R.S.), Plants of the Coal Measures, 281
- Wines, Doctored, 561
- Winnecke's Comet, 131
- Winter "Swallows," Prof. Alfred Newton, F.R.S., 29
- Wintle, S. H., on Black Snakes, 40
- Wire Telephone, Experiments with the, chiefly on Strongly Magnetic Metals, Prof. G. Chrystal, 303
- Wire Torsion, Major J. Herschel, F.R.S., 557; Professors John Perry and W. E. Ayrton, 604
- Wires, the Elasticity of, J. J. Bottomley, 447
- Women's Admission to Academic Degrees, Proposed, 70
- Women and the London University Examinations, 399
- Woodpecker, the Lesser Spotted, Duke of Argyll, 95
- Woodward (C. J.), Colour Combinations, 171
- Woodward (Dr.) appointed Keeper of the Geological Department of the British Museum, 228
- Wood (Samuel), the "Tree Planter," 336; the "Tree Pruner," 336
- Woolwich Guns, 293
- Worms, Circulation in, 113
- Worms, Intestinal, in the Horse, H. Krabbe on, 277
- Wright (Lewis), Tone of Violins, 435
- Wurtz (A.), "Elements of Modern Chemistry," 8
- Wyoming and Idaho, North American Geology, Prof. Archibald Geikie, F.R.S., 268
- Yacht, Russian Imperial, *Livadia*, 270
- Yale College, the Collection of Vertebrate Fossils, 373
- Yang-tse, the, the Yellow River, and the Pei-ho, Surgeon H. B. Guppy, 486; T. Mellard Reade, 559
- Yeast and Black Beetles, 11
- Yeddo, article in "L'Exploration" on, 68
- Yellow River, the, the Yang-tse, and the Pei-ho, Surgeon H. B. Guppy, 486; T. Mellard Reade, 559
- Yorkshire College, Annual Report, 347
- Young's (Arthur) Travels in France, Prof. S. P. Thompson, 219
- Ytterbium, 349
- Yuccas under Cultivation, Consul E. L. Layard, 606
- Zehfuss (Herr), on "After-Images of Motion," 90
- Zeitschrift für das chemische Grossgewerbe, Jul. Post, 95
- Zeitschrift für wissenschaftliche Zoologie, 20, 160, 552
- Zimmern's (Mrs.) "Geography for Little Children," 20
- Zinc-Carbon Battery, New, R. Anderson, 133
- Zinc Powder, Decomposition of Organic Compounds by, Prof. Ludwig, 89
- Zittel (Dr.), the Geology of the Libyan Desert, 587
- Zoological Gardens, Additions to, 17, 40, 66, 88, 111, 155, 183, 205, 230, 276, 301, 330, 347, 374, 399, 432, 466, 495, 519, 541, 569, 616; the Guide to, 329
- Zoological Society, 16, 21, 71, 162, 235, 442
- Zoological Station, A. C. Haddon's Temporary, at Torbay, 517, 560
- Zoology, Society of, Berlin, 65

NATURE

A WEEKLY ILLUSTRATED JOURNAL OF SCIENCE

*"To the solid ground
Of Nature trusts the mind which builds for aye."*—WORDSWORTH

THURSDAY, MAY 6, 1880

THE COMING OF AGE OF THE ORIGIN OF SPECIES¹

MANY of you will be familiar with the aspect of this small green-covered book. It is a copy of the first edition of the "Origin of Species," and bears the date of its production—the first of October, 1859. Only a few months, therefore, are needed to complete the full tale of twenty-one years since its birthday.

Those whose memories carry them back to this time will remember that the infant was remarkably lively, and that a great number of excellent persons mistook its manifestations of a vigorous individuality for mere naughtiness; in fact there was a very pretty turmoil about its cradle. My recollections of the period are particularly vivid; for, having conceived a tender affection for a child of what appeared to me to be such remarkable promise, I acted for some time in the capacity of a sort of under-nurse, and thus came in for my share of the storms which threatened even the very life of the young creature. For some years it was undoubtedly warm work, but considering how exceedingly unpleasant the apparition of the new-comer must have been to those who did not fall in love with him at first sight, I think it is to the credit of our age that the war was not fiercer, and that the more bitter and unscrupulous forms of opposition died away as soon as they did.

I speak of this period as of something past and gone, possessing merely a historical, I had almost said an antiquarian interest. For, during the second decade of the existence of the "Origin of Species," opposition, though by no means dead, assumed a different aspect. On the part of all those who had any reason to respect themselves, it assumed a thoroughly respectful character. By this time the dullest began to perceive that the child was not likely to perish of any congenital weakness or infantile disorder, but was growing into a stalwart personage, upon whom mere goody scoldings and threatenings with the birch-rod were quite thrown away.

In fact, those who have watched the progress of science within the last ten years will bear me out to the full when I assert that there is no field of biological inquiry in which the influence of the "Origin of Species" is not traceable; the foremost men of science in every country are either avowed champions of its leading doctrines, or at any rate abstain from opposing them; a host of young and ardent investigators seek for and find inspiration and guidance in Mr. Darwin's great work; and the general doctrine of Evolution, to one side of which it gives expression, finds in the phenomena of biology a firm base of operations whence it may conduct its conquest of the whole realm of nature.

History warns us, however, that it is the customary fate of new truths to begin as heresies and to end as superstitions; and, as matters now stand, it is hardly rash to anticipate that, in another twenty years, the new generation, educated under the influences of the present day, will be in danger of accepting the main doctrines of the Origin of Species with as little reflection, and it may be with as little justification, as so many of our contemporaries, twenty years ago, rejected them.

Against any such consummation let us all devoutly pray; for the scientific spirit is of more value than its products, and irrationally-held truths may be more harmful than reasoned errors. Now the essence of the scientific spirit is criticism. It tells us that to whatever doctrine claiming our ascent we should reply, Take it if you can compel it. The struggle for existence holds as much in the intellectual as in the physical world. A theory is a species of thinking, and its right to exist is coextensive with its power of resisting extinction by its rivals.

From this point of view it appears to me that it would be but a poor way of celebrating the Coming of Age of the Origin of Species were I merely to dwell upon the facts, undoubted and remarkable as they are, of its far-reaching influence and of the great following of ardent disciples who are occupied in spreading and developing its doctrines. Mere insanities and inanities have before now swollen to portentous size in the course of twenty years. Let us rather ask this prodigious change in opinion to justify itself; let us inquire whether anything has happened since 1859 which will explain, on rational grounds, why so many are worshipping that which they burned, and burning

¹ A Lecture delivered at the Royal Institution, Friday, March 19.
VOL. XXII.—No. 549

that which they worshipped. It is only in this way that we shall acquire the means of judging whether the movement we have witnessed is a mere eddy of fashion, or truly one with the irreversible current of intellectual progress, and, like it, safe from retrogressive reaction.

Every belief is the product of two factors: the first is the state of the mind to which the evidence in favour of that belief is presented; and the second is the logical cogency of the evidence itself. In both these respects the history of biological science during the last twenty years appears to me to afford an ample explanation of the change which has taken place; and a brief consideration of the salient events of that history will enable us to understand why, if the "Origin of Species" appeared now, it would meet with a very different reception from that which greeted it in 1859.

One-and-twenty years ago, in spite of the work commenced by Hutton and continued with rare skill and patience by Lyell, the dominant view of the past history of the earth was catastrophic. Great and sudden physical revolutions, wholesale creations and extinctions of living beings, were the ordinary machinery of the geological epic brought into fashion by the misapplied genius of Cuvier. It was gravely maintained and taught that the end of every geological epoch was signalled by a cataclysm, by which every living being on the globe was swept away, to be replaced by a brand-new creation when the world returned to quiescence. A scheme of nature which appeared to be modelled on the likeness of a succession of rubbers of whist, at the end of each of which the players upset the table and called for a new pack, did not seem to shock anybody.

I may be wrong, but I doubt if at the present time there is a single responsible representative of these opinions left. The progress of scientific geology has elevated the fundamental principle of uniformitarianism, that the explanation of the past is to be sought in the study of the present, into the position of an axiom; and the wild speculations of the catastrophists, to which we all listened with respect a quarter of a century ago, would hardly find a single patient hearer at the present day. No physical geologist now dreams of seeking outside the ranges of known natural causes for the explanation of anything that happened millions of years ago, any more than he would be guilty of the like absurdity in regard to current events.

The effect of this change of opinion upon biological speculation is obvious. For, if there have been no periodical general physical catastrophes, what brought about the assumed general extinctions and re-creations of life which are the corresponding biological catastrophes? And if no such interruptions of the ordinary course of nature have taken place in the organic, any more than in the inorganic, world, what alternative is there to the admission of Evolution?

The doctrine of Evolution in Biology is the necessary result of the logical application of the principles of uniformitarianism to the phenomena of life. Darwin is the natural successor of Hutton and Lyell, and the "Origin of Species" the natural sequence of the "Principles of Geology."

The fundamental doctrine of the "Origin of Species," as of all forms of the theory of Evolution applied to biology, is "that the innumerable species, genera, and families of organic beings with which the world is peopled have all descended, each within its own class or

group, from common parents, and have all been modified in the course of descent."¹

And, in view of the facts of geology, it follows that all living animals and plants "are the lineal descendants of those which lived long before the Silurian epoch."²

It is an obvious consequence of this theory of Descent with Modification, as it is sometimes called, that all plants and animals, however different they may now be, must, at one time or other, have been connected by direct or indirect intermediate gradations, and that the appearance of isolation presented by various groups of organic beings must be unreal.

No part of Mr. Darwin's work ran more directly counter to the prepossessions of naturalists twenty years ago than this. And such prepossessions were very excusable, for there was undoubtedly a great deal to be said, at that time, in favour of the fixity of species and of the existence of great breaks, which there was no obvious or probable means of filling up, between various groups of organic beings.

For various reasons, scientific and unscientific, much had been made of the hiatus between man and the rest of the higher mammalia, and it is no wonder that issue was first joined on this part of the controversy. I have no wish to revive past and happily forgotten controversies, but I must state the simple fact that the distinctions in cerebral and other characters, which were so hotly affirmed to separate man from all other animals in 1860, have all been demonstrated to be non-existent, and that the contrary doctrine is now universally accepted and taught.

But there were other cases in which the wide structural gaps asserted to exist between one group of animals and another were by no means fictitious; and, when such structural breaks were real, Mr. Darwin could account for them only by supposing that the intermediate forms which once existed had become extinct. In a remarkable passage he says:—

"We may thus account even for the distinctness of whole classes from each other—for instance of birds from all other vertebrate animals—by the belief that many animal forms of life have been utterly lost, through which the early progenitors of birds were formerly connected with the early progenitors of the other vertebrate classes."³

Adverse criticism made merry over such suggestions as these. Of course it was easy to get out of the difficulty by supposing extinction; but where was the slightest evidence that such intermediate forms between birds and reptiles as the hypothesis required ever existed? And then probably followed a tirade upon this terrible forsaking of the paths of "Baconian induction."

But the progress of knowledge has justified Mr. Darwin to an extent which could hardly have been anticipated. In 1862, the specimen of *Archæopteryx*, which until the last two or three years has remained unique, was discovered; and it is an animal which, in its feathers and the greater part of its organisation, is a veritable bird, while, in other parts, it is as distinctly reptilian.

In 1868, I had the honour of bringing under your notice, in this theatre, the results of investigations made, up to that time, into the anatomical characters of certain ancient

¹ "Origin of Species," ed. 1, p. 457.

² "Origin of Species," ed. 1, p. 458.

³ "Origin of Species," ed. 1, p. 431.

reptiles, which showed the nature of the modifications in virtue of which the type of the quadrupedal reptile passed into that of the bipedal bird; and abundant confirmatory evidence of the justice of the conclusions which I then laid before you has since come to light.

In 1875, the discovery of the toothed birds of the cretaceous formation in North America, by Prof. Marsh, completed the series of transitional forms between birds and reptiles, and removed Mr. Darwin's proposition that "many animal forms of life have been utterly lost, through which the early progenitors of birds were formerly connected with the early progenitors of the other vertebrate classes," from the region of hypothesis to that of demonstrable fact.

In 1859, there appeared to be a very sharp and clear hiatus between vertebrated and invertebrated animals, not only in their structure, but, what was more important, in their development. I do not think that we even yet know the precise links of connection between the two; but the investigations of Kowalewsky and others upon the development of *Amphioxus* and of the *Tunicata* prove beyond a doubt that the differences which were supposed to constitute a barrier between the two are non-existent. There is no longer any difficulty in understanding how the vertebrate type may have arisen from the invertebrate, though the full proof of the manner in which the transition was actually effected may still be lacking.

Again, in 1859, there appeared to be a no less sharp separation between the two great groups of flowering and flowerless plants. It is only subsequently that the series of remarkable investigations inaugurated by Hofmeister has brought to light the extraordinary and altogether unexpected modifications of the reproductive apparatus in the *Lycopodiaceæ*, the *Rhizocarpeæ*, and the *Gymnospermeæ*, by which the ferns and the mosses are gradually connected with the Phanerogamic division of the vegetable world.

So, again, it is only since 1859 that we have acquired that wealth of knowledge of the lowest forms of life which demonstrates the futility of any attempt to separate the lowest plants from the lowest animals, and shows that the two kingdoms of living nature have a common borderland which belongs to both or to neither.

Thus it will be observed that the whole tendency of biological investigation since 1859 has been in the direction of removing the difficulties which the apparent breaks in the series created at that time; and the recognition of gradation is the first step towards the acceptance of evolution.

As another great factor in bringing about the change of opinion which has taken place among naturalists, I count the astonishing progress which has been made in the study of embryology. Twenty years ago, not only were we devoid of any accurate knowledge of the mode of development of many groups of animals and plants, but the methods of investigation were rude and imperfect. At the present time there is no important group of organic beings the development of which has not been carefully studied, and the modern methods of hardening and section-making enable the embryologist to determine the nature of the process in each case, with a degree of minuteness and accuracy which is truly astonishing to those whose memories carry them back to the beginnings

of modern histology. And the results of these embryological investigations are in complete harmony with the requirements of the doctrine of Evolution. The first beginnings of all the higher forms of animal life are similar, and however diverse their adult conditions, they start from a common foundation. Moreover the process of development of the animal or the plant from its primary egg or germ is a true process of evolution—a progress from almost formless to more or less highly organised matter, in virtue of the properties inherent in that matter.

To those who are familiar with the process of development all *à priori* objections to the doctrine of biological evolution appear childish. Any one who has watched the gradual formation of a complicated animal from the protoplasmic mass which constitutes the essential element of a frog's or a hen's egg has had under his eyes sufficient evidence that a similar evolution of the animal world from the like foundation is, at any rate, possible.

Yet another product of investigation has largely contributed to the removal of the objections to the doctrine of Evolution current in 1859. It is the proof afforded by successive discoveries that Mr. Darwin did not overestimate the imperfection of the geological record. No more striking illustration of this is needed than a comparison of our knowledge of the mammalian fauna of the Tertiary epoch in 1859 with its present condition. M. Gaudry's researches on the fossils of Pikermi were published in 1868, those of Messrs. Leidy, Marsh, and Cope on the fossils of the Western Territories of America, have appeared almost wholly since 1870; those of M. Filhol, on the phosphorites of Quercy, in 1878. The general effect of these investigations has been to introduce us to a multitude of extinct animals, the existence of which was previously hardly suspected; just as if zoologists were to become acquainted with a country, hitherto unknown, as rich in novel forms of life, as Brazil or South Africa once were to Europeans. Indeed the fossil fauna of the Western Territories of America bids fair to exceed in interest and importance all other known Tertiary deposits put together; and yet, with the exception of the case of the American tertiaries, these investigations have extended over very limited areas, and at Pikermi were confined to an extremely small space.

Such appear to me to be the chief events in the history of the progress of knowledge, during the last twenty years, which account for the changed feeling with which the doctrine of Evolution is at present regarded by those who have followed the advance of biological science in respect of those problems which bear indirectly upon that doctrine.

But all this remains mere secondary evidence. It may remove dissent, but it does not compel assent. Primary and direct evidence in favour of Evolution can be furnished only by palæontology. The geological record, so soon as it approaches completeness, must, when properly questioned, yield either an affirmative or a negative answer; if evolution has taken place, there will its mark be left; if it has not taken place, there will lie its refutation.

What was the state of matters in 1859? Let us hear Mr. Darwin, who may be trusted always to state the case against himself as strongly as possible.

"On this doctrine of the extermination of an infinitude of connecting links between the living and extinct inhabi-

tants of the world, and at each successive period between the extinct and still older species, why is not every geological formation charged with such links? Why does not every collection of fossil remains afford plain evidence of the gradation and mutation of the forms of life? We meet with no such evidence, and this is the most obvious and plausible of the many objections which may be urged against my theory."¹

Nothing could have been more useful to the opposition than this characteristically candid avowal, twisted as it immediately was into an admission that the writer's views were contradicted by the facts of palæontology. But, in fact, Mr. Darwin made no such admission. What he says in effect is, not that palæontological evidence is against him, but that it is not distinctly in his favour; and without attempting to attenuate the fact, he accounts for it by the scantiness and the imperfection of that evidence.

What is the state of the case now, when, as we have seen, the amount of our knowledge respecting the mammalia of the Tertiary epoch is increased fifty-fold, and in some directions even approaches completeness?

Simply this, that if the doctrine of Evolution had not existed palæontologists must have invented it, so irresistibly is it forced upon the mind by the study of the remains of the Tertiary mammalia which have been brought to light since 1859.

Among the fossils of Pikermi, Gaudry found the successive stages by which the ancient civets passed into the more modern hyænas; through the Tertiary deposits of Western America, Marsh tracked the successive forms by which the ancient stock of the horse has passed into its present form; and innumerable less complete indications of the mode of evolution of other groups of the higher mammalia have been obtained.

In the remarkable memoir on the Phosphorites of Quercy, to which I have referred, M. Filhol describes no fewer than seventeen varieties of the genus *Cynodictis*, which fill up all the interval between the viverrine animals and the bear-like dog *Amphicyon*; nor do I know any solid ground of objection to the supposition that in this *Cynodictis-Amphicyon* group we have the stock whence all the *Viveridæ*, *Felidæ*, *Hyænidæ*, *Canidæ*, and perhaps the *Procyonidæ* and *Ursidæ*, of the present fauna have been evolved. On the contrary, there is a great deal to be said in its favour.

In the course of summing up his results, M. Filhol observes² :—

"During the epoch of the phosphorites, great changes took place in animal forms, and almost the same types as those which now exist became defined from one another.

"Under the influence of natural conditions of which we have no exact knowledge, though traces of them are discoverable, species have been modified in a thousand ways: races have arisen which, becoming fixed, have thus produced a corresponding number of secondary species."

In 1859, language of which this is an unintentional paraphrase, occurring in the "Origin of Species," was scouted as wild speculation; at present, it is a sober statement of the conclusions to which an acute and critically-minded investigator is led by large and patient study of the facts of palæontology. I venture to repeat what I have said before, that, so far as the animal world is con-

cerned, Evolution is no longer a speculation, but a statement of historical fact. It takes its place alongside of those accepted truths which must be taken into account by philosophers of all schools.

Thus when, on the first day of October next, the "Origin of Species" comes of age, the promise of its youth will be amply fulfilled; and we shall be prepared to congratulate the venerated author of the book, not only that the greatness of his achievement and its enduring influence upon the progress of knowledge have won him a place beside our Harvey; but, still more, that, like Harvey, he has lived long enough to outlast detraction and opposition, and to see the stone that the builders rejected become the head-stone of the corner.

T. H. HUXLEY

ON MULTIPLE SPECTRA

"Nunc age, quo motu genitalia materialia
Corpora res varias gignant, genitasque resolvant
Et qua vi facere id cogantur."

Lucretius, ii., 61-2.

"Prima moventur enim per se primordia rerum:
Inde ea, quæ parvo sunt corpora conciliata,
Et quasi proxima sunt ad vireis principiorum,
Ictibus illorum cæcis impulsa cidentur
Ipsaque, quæ porro paulo maiora, lacessunt."

Lucretius, ii. 132-6.

"It is conceivable that the various kinds of matters, now recognised in different elementary substances, may possess one and the same ultimate or atomic molecule existing in different conditions of movement.

"The essential unity of matter is an hypothesis in harmony with the equal action of gravity upon all bodies."—*Graham's Researches*, p. 299.

IN a recent paper¹ I showed that a study of the minute anatomy of spectra, both terrestrial and celestial, forces upon us the conclusion that both in the electric arc and in the hottest region of the sun the so-called chemical elements behave after the manner of compound bodies.

I then dealt more especially with the question of the basic lines in the various spectra, and it is clear that if, at any one temperature, there be some lines only truly basic in the spectrum of any element, we at once divide the lines visible at that temperature into two groups, those which are basic and those which are not. This would give a compound origin to the lines, and this is the real point.

It is now years ago since the view was first held that the elementary bodies had double spectra, that is, that each, or at all events several, under changed conditions of temperature or electric tension, gave us now a fluted spectrum and now one composed of lines.

I glimpsed the idea some time afterwards that the line spectrum was in its turn in all probability a complex whole, in other words that it was the summation of the spectra of various molecular groupings.

Recent work has to my mind not only shown that this is true, but that in the case of many bodies the complexity, and therefore the number, of the molecular groupings which give rise to that compound whole called a line spectrum, is considerable.

It is therefore important from my point of view to reconsider the evidence on which the assertion that the

¹ "On the Necessity for a New Departure in Spectrum Analysis" (*NATURE*, vol. xxi. p. 8).

² "Origin of Species, ed. 1, p. 463.

³ This passage was omitted in the delivery of the lecture.

fluted bands and the line spectrum (taken as a whole) of a substance really belong to that substance, because if we find that this must be accepted and that it can easily be explained on the view that the two kinds of spectra are produced by different molecular groupings, the fact of other molecular groupings giving rise to a complex line spectrum can be more readily accepted, contrary though it be to modern "chemical philosophy," as taught at all events in the text-books.

Plucker and Hittorf were, I believe, the first to point out that the same chemical substance, when in a state of gas or vapour, gave out different spectra under different conditions. On this point they wrote fifteen years ago:—

"The first fact which we discovered in operating with our tubes . . . was the following one:—

"There is a certain number of elementary substances which, when differently heated, furnish two kinds of spectra of quite a different character, not having any line or any band in common.

"The fact is important, as well with regard to theoretical conceptions as to practical applications—the more so as the passage from one kind of spectrum to the other is by no means a continuous one, but takes place abruptly. By regulating the temperature you may repeat the two spectra in any succession *ad libitum*." (Plucker and Hittorf on the Spectra of Ignited Gases and Vapours: *Phil. Trans. Royal Society*, 1865, part i. p. 6.)

Ångström, whose name must ever be mentioned with the highest respect by any worker in spectrum analysis, was distinctly opposed to this view, and in the text which accompanies his *Spectre Normal* we find the following statement—

"Dans un Mémoire sur les spectres 'doubles' des corps élémentaires que nous publierons prochainement, M. Thalén et moi, dans les Actes de la Société des Sciences d'Upsal, nous traiterons d'une manière suffisamment complète les questions importantes qu'on peut se proposer sur cet intéressant sujet. Pour le présent, je me borne à dire que les résultats auxquels nous sommes arrivés, ne confirment aucunement l'opinion émise par Plücker, qu'un corps élémentaire pourrait donner, suivant sa température plus ou moins élevée, des spectres tout-à-fait différents. C'est le contraire qui est exact. En effet en augmentant successivement la température, on trouve que les raies varient en intensité d'une manière très-compliquée, et que, par suite, de nouvelles raies peuvent même se présenter, si la température s'élève suffisamment. Mais, indépendamment de toutes ces mutations, le spectre d'un certain corps conservera toujours son caractère individuel."¹

Ångström did not object merely on theoretical grounds. He saw, or thought he saw, room to ascribe all these fluted spectra to impurities.

He was strengthened in this view by observing how, in the case of the spectra of known compounds, there were always flutings in one part of the spectrum or another; a rapid induction naturally, therefore, ascribed all flutings to compounds. The continuity of the gaseous and liquid states of matter, let alone the continuity of Nature's processes generally, never entered into the question. For Ångström, as for the modern chemist, there was no such thing as evolution, no possibility of a close physical relationship between elements, so called, driven to incandescence from the solid state, and binary compounds of those elements.

¹ Ångström sur "Le Spectre normal du Soleil," page 39.

In a memoir, however, which appeared after Ångström's death, and which, though under a different title, was in all probability the one referred to, this opinion was to a large extent recalled, and in favour of Plucker's view, in the following words:—

" . . . Nous ne nions certainement pas qu'un corps simple ne puisse dans certains cas donner différents spectres. Citons, par exemple, le spectre d'absorption d'iode que ne ressemble en aucune façon au système des raies brillantes du même corps, obtenues au moyen de l'électricité; et remarquons de plus qu'en général tout corps simple, présentant la propriété d'allotropie, doit donner à l'état d'incandescence des spectres différents, pourvu que la dite propriété de la substance subsiste non seulement à l'état gazeux du corps, mais encore à la température même de l'incandescence. . . .

"Le soufre solide possède, comme on sait, plusieurs états allotropiques, et, d'après certaines observations, ce corps, même à son état gazeux, prendrait des formes différentes. Par conséquent, en supposant que cela soit vrai, le soufre gazeux doit donner plusieurs spectres d'absorption, tandis que la possibilité d'un seul ou de plusieurs spectres brillants dépendra de la circonstance suivante, savoir si les états allotropiques plus complexes de cette substance supporteront la température de l'incandescence, avant de se décomposer.

"Il est bien évident que les cas dont nous venons de parler, ne forment pas une exception à la loi générale énoncée ci-dessus, savoir que chaque corps simple ne peut donner qu'un seul spectre. En effet, si l'on suppose que l'état allotropique est dû à la constitution moléculaire du corps, soit que les molécules se combinent les unes avec les autres, soit qu'elles s'arrangent entre elles d'une certaine manière, cet état allotropique possèdera au point de vue spectroscopique, toutes les propriétés significatives d'un corps composé, et par conséquent il doit être décomposé de la même façon que celui-ci par les effets de la décharge disruptive de l'électricité."¹

I say that in this paper Ångström recalled his own in favour of Plucker's view, because (as it has been remarked by Dr. Schuster²) the word "element" is used in a special sense—because in reality allotropic states are classed as compounds, that particular allotropic state which is to be regarded as truly elemental not being stated, nor any reason given why one should be thus singled out.

In the letter to which I have just referred Dr. Schuster gives an instance in which in order to show that elementary bodies did not really possess two spectra, a double spectrum was assigned to an acknowledged compound; the fluted spectra of hydrogen and carbon which differ from each other as widely as fluted spectra can, being both ascribed to acetylene.

Salet in his admirable work on the Spectra of the Metalloids,³ was driven to the conclusion that many of these bodies must be held to possess two spectra. His conclusions are thus expressed:—

"Nous avons comparé le spectre d'absorption du brome et de l'iode à leur spectre électrique, et cette comparaison nous semble mettre hors de doute la possibilité des spectres doubles. . . .

"Nous avons obtenu, par voie électrique, un spectre primaire de l'iode correspondant à son spectre d'absorption. Le soufre, le sélénium et le tellure nous ont offert des spectres de combustion très-analogues aux spectres primaires obtenus par voie électrique, mais différant essentiellement des spectres des lignes. . . .

¹ Ångström and Thalén's "Recherches sur les Spectres des Métaalloïdes," p. 5. ² NATURE, vol. xv. p. 447. ³ Ann. de Chimie et de Physique, 1873, vol. xxviii. p. 1.

"Nous avons produit le spectre primaire de l'azote avec différents corps qui n'ont absolument de commun que l'azote; nous pensons donc avoir démontré qu'il appartient bien réellement à ce métalloïde." (*Annales de Chimie et de Physique*, 4 série, tome xxviii. pp. 70, 71).

In 1868 Wullner¹ gave his attention to this subject, and strongly supported Plucker's view of the existence of double spectra, indicating at the same time that the difference of temperature must be regarded as the sole cause of the phenomenon, adding, however, "a decomposition with further elements is not to be thought of." In the case of hydrogen he showed that the banded spectrum ascribed to acetylene really depended upon a change in the emissive power brought about by an alteration of temperature. Touching oxygen, he showed that three distinct spectra may be obtained, while in nitrogen two are observed.

I may say that in my early laboratory experiments I was at first led to think that, in the case of metallic vapours, Ångström's first expressed opinion was correct, and I said so. But after more experience and knowledge had been acquired, I was compelled by the stern logic of facts to abandon it, and I showed, first, that more "orders" of spectra—to use Plucker's term—were necessary, and then that the line spectrum itself was in all probability compound; that is, that it was in some cases built up by the vibration of dissimilar molecules, some of which might even give us a fluted spectrum, if we could study them alone.

Although, however, in the views I have expressed on former occasions I have had the advantage of the support of the opinion of Plucker and Ångström, and later of Dr. Schuster,² not to mention others, I am aware that though there is a general consensus among spectroscopic workers that double spectra cannot be ascribed to impurities, it is not absolute.

I propose therefore in this place to refer to a special case in which this question has been recently brought prominently forward.

I have already stated that Ångström, who was the first to map the line-spectrum of carbon, ascribed the flutings ordinarily seen in the carbon compounds to acetylene.

Now Atfield, in 1862, as a result of a most carefully conducted and admirably-planned set of experiments, came to the conclusion that the flutings were really due to carbon: in short, that carbon, like hydrogen, iodine, sulphur, nitrogen, and other bodies, had a fluted spectrum as well as one consisting wholly of lines.

The work of Atfield will be gathered from the following extract from his paper (*Phil. Trans.*, vol. clii. part 1, p. 221 *et seq.*):—

"On recently reading Swan's paper by the light that

¹ *Phil. Mag.*, sec. 4, vol. xxxvii. p. 405.

² Dr. Schuster's recently published investigations are as follows:—

Mr. Lockyer's investigations have shown that most bodies give us a continuous spectrum, as a gas, before they condense, and many at a considerable temperature above the boiling point. Mr. Lockyer has rightly drawn the conclusion from these facts, that the atomic aggregation of the molecules is the cause of the different orders of spectra.

That the discontinuous spectra of different orders (line and band spectra) are due to different molecular combination, I consider to be pretty well established, and analogy has led me (and Mr. Lockyer before me) to explain the continuous spectra by the same cause; for the change of the continuous spectrum to the line or band-spectrum takes place in exactly the same way as the change of spectra of different orders into each other. Analogy is not a strong guide, yet some weight may be given to it in a case like the one under discussion, where experiment hitherto has failed to give a decided answer. (Dr. A. Schuster on the Spectra of Metalloids, *Phil. Trans.* Royal Society, 1879. Part I. page 38 and 89, note.)

Professors Bunsen and Kirchhoff have thrown on the subject, I came to the conclusion that these bands must be due to incandescent carbon vapour; that, if so, they must be absent from flames in which carbon is absent, and present in flames in which carbon is present; that they must be observable equally in the flames of the oxide, sulphide, and nitride as in that of the hydride of carbon; and, finally, that they must be present whether the incandescence be produced by the chemical force, as in burning jets of the gases in the open air, or by the electric force, as when hermetically-sealed tubes of the gases are exposed to the discharge of a powerful induction-coil. . . .

"To establish the absolute identity of the hydro- and nitro-carbon spectra, excluding of course the lines due to nitrogen, they were simultaneously brought into the field of the spectroscope: one occupying the upper, and the other the lower half of the field.

"This was readily effected after fixing the small prism, usually supplied with spectroscopes, over half of the narrow slit at the further end of the object-tube of the instrument. The light from the oxyhydrocarbon flame was now directed up the axis of the tube by reflection from the little prism, while that from the oxynitrocarbon flame passed directly through the uncovered half of the slit. A glance through the eye-tube was sufficient to show that the characteristic lines of the hydrocarbon spectrum were perfectly continued in the nitrocarbon spectrum. A similar arrangement of apparatus, in which the hydrocarbon light was replaced by that of pure nitrogen, showed that the remaining lines of the nitrocarbon spectrum were identical with those of the nitrogen spectrum. In this last experiment the source of the pure nitrogen light was the electric discharge through the rarefied gas.

"The above experiment certainly seemed to go far towards proving the spectrum in question to be that of the element carbon. Nevertheless, the ignition of the gases having been effected in air, it was conceivable that hydrogen, nitrogen, or oxygen had influenced the phenomena. To eliminate this possible source of error, the experiments were repeated out of contact with air. A thin glass tube 1 inch in diameter and 3 inches long, with platinum wires fused into its sides, and its ends prolonged by glass quills having a capillary bore, was filled with pure dry cyanogen, and the greater portion of this gas then removed by a good air-pump. Another tube was similarly prepared with olefiant gas. The platinum wires in these tubes were then so connected with each other that the electric discharge from a powerful induction-coil could pass through both at the same time. On now observing the spectra of these two lights in the simultaneous manner previously described, the characteristic lines of the hydrocarbon spectrum were found to be rigidly continued in that of the nitrocarbon. Moreover, by the same method of simultaneous observation, the spectrum of each of these electric flames, as they may be termed, was compared with the corresponding chemical flames, that is, with the oxyhydrocarbon and oxynitrocarbon jets of gas burning in air. The characteristic lines were present in every case. Lastly, by similar inter-observation a few other lines in the electric spectrum of the hydrocarbon were proved to be due to the presence of hydrogen, and several others in the electric spectrum of the nitrocarbon to be caused by the presence of nitrogen. . . ."

"The spectrum under investigation having then been obtained in one case when only carbon and hydrogen were present, and in another when all elements but carbon and nitrogen were absent, furnishes, to my mind, sufficient evidence that the spectrum is that of carbon."

"But an interesting confirmation of the conclusion just stated is found in the fact that the same spectrum is obtained when no other elements but carbon and oxygen are present, and also when carbon and sulphur are the

only elements under examination. And first with regard to carbon and oxygen. Carbonic oxide burned in air gives a flame possessing a continuous spectrum. A mixture of carbonic oxide and oxygen burned from a platinum-tipped safety-jet also gives a more or less continuous spectrum, but the light of the spectrum has a tendency to group itself in ill-defined ridges. Carbonic oxide, however, ignited by the electric discharge in a semi-vacuous tube, gives a bright sharp spectrum. This spectrum was proved, by the simultaneous method of observation, to be that of carbon plus the spectrum of oxygen. With regard to carbon and sulphur almost the same remarks may be made. Bisulphide of carbon vapour burns in air with a bluish flame. Its spectrum is continuous. Mixed with oxygen and burned at the safety-jet, its flame still gives a continuous spectrum, though more distinctly furrowed than in the case of carbonic oxide; but when ignited by the electric current its spectrum is well defined, and is that of carbon plus the sulphur. That is to say, it is the spectrum of carbon plus the spectrum that is obtained from vapour of sulphur when ignited by the electric discharge in an otherwise vacuous tube."

"Having thus demonstrated that dissimilar compounds containing carbon emit, when sufficiently ignited, similar rays of light, I come to the conclusion that those rays are characteristic of ignited carbon vapour, and that the phenomena they give rise to on being refracted by a prism is the spectrum of carbon."

This question was next taken up by Morren. He wrote¹ (in 1865) fifteen years ago:—

"A la réception de cet intéressant et substantiel Mémoire, j'avoue que je ne regardai pas d'abord comme fondée l'assertion de M. Atfield. . . .

"Je me suis donc mis au travail avec la pensée préconçue de combattre l'assertion émise par le savant anglais; mais pas du tout, il résulte au contraire des expériences auxquelles je me suis livré que M. Atfield a raison, et que c'est bien la vapeur du carbone qui donne le spectre indiqué plus haut. . . .

"Si on fait brûler le cyanogène au moyen du chalumeau à deux courants, en faisant arriver au centre de la flamme du cyanogène un courant d'oxygène très-pur (cette condition est indispensable), on voit se produire un des plus beaux effets de combustion possible, et cette expérience est certainement une des plus magnifiques qu'on puisse réaliser sur la combustion des gaz. Il se produit, au milieu de la flamme *rosé-violet* du cyanogène, une boule d'un blanc vert ébouillissant qui rappelle la lumière électrique produite par le courant de la pile entre deux charbons de cornue. Si le spectroscope est dirigé sur cette brillante lumière, on aperçoit, avec une splendeur merveilleuse, le même spectre de la partie bleue des flammes hydrocarbonées. Ainsi donc c'est du charbon seul, mais à l'état de vapeur, qui forme cette boule brillante qui plus loin, par son union avec l'oxygène, va passer à l'état d'acid carbonique. Du reste ce spectre n'est pas seul; avec lui on voit, mais très-effacé, le spectre spécial du cyanogène, et celui-ci tend de plus en plus à disparaître à mesure que l'oxygène arrive avec plus d'abondance et brûle de mieux en mieux le cyanogène. Quant au spectre de l'azote, on ne l'aperçoit pas dans cette vive lumière. Le magnifique éclat de ce beau spectre, le plus beau qu'il m'ait été donné de voir, permet de bien comprendre l'aspect creusé et ombré avec une teinte croissante qu'on remarque dans les parties qui n'ont pas de raies brillantes, et même entre ces raies."

Four years later Dr. Watts devoted himself to this subject, and in 1869 his work was thus summarised by himself:²—

¹ *Annales de Chimie et de Physique*, 4 série, t. me iv. p. 309, 312.

² *Phil. Mag.*, October, 1869.

"This spectrum [that consisting of the flutings in question] may be obtained from the flame of any hydrocarbon, though in many cases, owing to the faintness of the spectrum, only some of the groups can be recognised. In the flame of an ordinary Bunsen burner δ and ϵ are easily seen, γ and f are much fainter, and the red group cannot be detected.

"This spectrum is proved to be that of carbon, inasmuch as it can be obtained alike from compounds of carbon with *hydrogen*, with *nitrogen*, with *oxygen*, with *sulphur*, and with *chlorine*. I have obtained it, namely, from each of the following compounds:—olefiant gas, cyanogen, carbonic oxide, naphthalin, carbonic disulphide, carbonic tetrachloride, amylic alcohol, and marsh-gas."

That these conclusions, successively arrived at by Atfield, Morren, and Watts, are sound, I shall show in my next notice.

J. NORMAN LOCKYER

(To be continued.)

SCIENCE IN PARLIAMENT

THE House of Commons is now complete; all the boroughs and counties have made their choice, and the composition of the new Parliament has been and will be criticised from many points of view. So far as the interests of science and of what we conceive to be good education are concerned, there is, we fear, little difference between the present House of Commons and its predecessor; just a thin ray of light athwart a cloud of darkness, a tiny morsel of knowledge in a mass of ignorance. This ignorance, however, we are bound to believe is not wilful; we must admit that our new rulers are willing to be enlightened, unless in time they should show themselves otherwise disposed.

On this ground, as well as on others, it is to be lamented that one of the most eminent and useful scientific members of the House has lost his seat through some local caprice. The absence of Sir John Lubbock from the new Parliament is one we are sure every true lover of science will deplore. Where there is so much ignorance to be overcome, it seems to us we cannot have too many representatives of science in Parliament; and we are sure all who desire to see science advanced in this country would welcome any chance of getting Sir John back to his old place. Such an opportunity has, some may think almost providentially, presented itself in the vacancy that has occurred in the representation of London University by the promotion of Mr. Lowe to "another place." Several candidates have been proposed for the vacant seat, but alongside of Sir John Lubbock all must strike an impartial onlooker as singularly unsuitable. The "doctors" have been attempting to put in a strong claim to have themselves specially represented, supporting their cause, so far as London University is concerned, by somewhat shaky statistics. But medicine has no lack of friends in both Houses of Parliament; the claims which it has on the country are patent to all, and it is, moreover, included under the wider region of science. If the latter gets fair play from Government, medicine need have no fear that her claims will be neglected. Already are two Scottish universities represented by Dr. Lyon Playfair, who is nothing if not medical. Not one of our English universities has a man of science as its representative, and it is surely important that an institution in which science holds so prominent

a place as London University should have a scientific man for its representative. Sir George Jessel has for some reason a few strenuous advocates, who seem to forget that their candidate resigned his seat for Dover on the ground that it was contrary to the spirit of the act. Sir George is an excellent lawyer, but there are already too many of them in Parliament. Sir John Lubbock has already been fourteen years member of the Senate, and nearly eight vice-chancellor; thus by returning him not only would the London University confer a benefit on Parliament and the country at large, but at the same time would do the best they could for their own interests. We need not here insist on the claims of Sir John as a man of science; his eminence in this department, as well as a man of business is, known to all. He is indeed so many-sided that he would represent as few others could the different faculties which combine to form the London University. His career in Parliament has been marked by a large number of measures which he has carried through Parliament, all of them of a kind more or less affecting the alumni of London University, and several of them directly affecting those very medical men that would now turn their backs upon him. Sir John has been officially connected with various bodies and various movements having for their object the promotion of learning and science, and now we believe he has had the great honour of being designated as President of the British Association for its jubilee meeting at York next year. We should have thought that for a body like the members of London University it would have been unnecessary to point out Sir John Lubbock's claims upon them, and his peculiar fitness to represent them in Parliament. We are confident that all the scientific members of the institution will record their votes in his favour, and by sending him to Parliament strengthen the hands of the few who are intelligently convinced of the necessity of introducing and carrying out those reforms which are so much needed in the attitude of Government towards science and education.

WURTZ'S "CHEMISTRY"

Elements of Modern Chemistry. By Adolphe Wurtz. Translated and edited by Wm. H. Greene, M.D. (London: W. Swan Sonnenschein and Allen, 1880.)

M. WURTZ is one of the recognised leaders of modern chemistry: a text-book from his pen is sure to be hailed with interest and pleasure.

The reputation of the author as an original thinker and worker in chemical science leads one to look for something more than the ordinary orthodox collection of oft-repeated facts in any work bearing his name. And the opening pages of the book before us are certainly very refreshing. Simple and commonly-occurring facts are clearly and simply stated, and on these, as a basis, is laid at once the foundation of chemical theory.

The leading features of the book are, clearness of statement, selection of typical facts from among the vast array at the service of the chemical compiler, and devotion of a comparatively large space to chemical theory and to generalisations which are usually dismissed in a few words in the ordinary text-book.

Perhaps the most remarkable feature of M. Wurtz's book is that, notwithstanding that within less than 700

moderate-sized pages there is given an account of the leading properties of all the more important substances known to chemistry, the book is nevertheless exceedingly interesting and eminently readable. Probably this result could only be attained by a French writer.

In a very early part of the book the modern theory of valency or equivalency is explained, and this theory pervades the whole of the work. The great objection to the book, considered as an exponent of modern chemistry, in our opinion, is this marked devotion to one favourite theory. The objection which we should make to the book, considered more broadly as a scientific treatise, is that theoretical considerations are too much treated as identical with facts, and that facts are, seemingly, supposed to be explained when they are only stated in the language of that peculiar theory which finds in such expressions as "exchange of affinities," "satisfaction of bonds," &c., an *explanation* of chemical phenomena. The theory of valency assumes that the molecular weights of those compounds which are employed [in determinations of valency are known. But at present we know the molecular weights of gasifiable bodies only; hence no exact conclusions concerning valencies can be drawn from a study of non-gasifiable compounds. Nevertheless M. Wurtz appears to regard the formulæ of many non-volatile metallic oxides as on an equal footing with those of such compounds as water, hydrochloric acid, &c., and as just as serviceable for determinations of elementary valencies.

Indeed we do not find given a clear definition of molecular weight as distinguished from atomic weight. Avogadro's hypothesis, it is true, is mentioned, but not clearly stated as the basis of the modern system of molecular weight determinations. And without a definition of molecular weight, clearly established, it is impossible to grasp the modern acceptance of the term atomic weight.

In such a work as this one might reasonably look for a statement of the results of the recent work, of first-rate importance, of Guldberg and Waage, and of Ostwald, on Chemical Affinity, more especially as the subject of mass action is mentioned and Berthollet's laws are detailed.

The general subject of affinity is somewhat vaguely treated. Thermal chemistry scarcely finds any recognition in the work.

It may seem invidious to mention faults of detail; but there are a few which, we think, might very profitably be corrected in a second edition.

The nomenclature of the oxyacids of sulphur is certainly erroneous: hyposulphurous acid— H_2SO_2 —is called hydrosulphurous, and thiosulphuric— $\text{H}_2\text{S}_2\text{O}_3$ —hyposulphurous. The nomenclature of the oxides of iodine is also peculiar, and the formulæ of the known oxides are somewhat startling: perbromic acid is still enumerated among the oxyacids of bromine. Dry sulphuretted hydrogen is said to be energetically decomposed by iodine. SO_2 is called sulphurous oxide or sulphurous acid gas; and, lastly, Lavoisier is said to have determined the composition of water in 1785.

That part of the book which deals with the carbon compounds is not so satisfactory as the portion treating of inorganic chemistry. The classification is most unnatural, and the treatment of many important groups, e.g., the alcohols and terpenes, is unsatisfactory.

We should not think it possible for an average student

of chemistry, beginning the study of the carbon compounds with the aid of this manual, to gain any but most hazy ideas regarding the general scope of this branch of the science.

But notwithstanding such defects as those we have mentioned there can be little doubt that M. Wurtz's book is possessed of many admirable qualities. In place of masses of unconnected facts he presents the student with carefully-selected leading data; he may, we think, strain some of his favourite theories too much, yet he inculcates the paramount necessity of theoretical explanations; he gives prominence to generalisations, such as equivalents, combining weights, and laws of multiple proportions, nomenclature and notation, bases, acids, and salts, &c., &c., and these he develops historically with great clearness and rare felicity of illustration; and he gives just sufficient detail concerning chemical manufactures as suffices to render these intelligible to the ordinary student of chemistry.

The translation appears to be admirably executed. The book is well printed, and the illustrations are distinct. But why should one be led to believe that spirit-lamps and charcoal-furnaces are still the ordinary appliances for raising the temperature of substances in chemical laboratories?

In reading the historical notes which are given concerning most of the important compounds and generalisations of chemistry, one is almost persuaded to believe that, after all, "chemistry is a French science."

M. M. P. M.

OUR BOOK SHELF

The Geological Antiquity of Insects. Twelve Papers on Fossil Entomology. By Herbert Goss, F.L.S. 8vo, pp. 1-50. (London: John Van Voorst, 1880.)

THIS bulky pamphlet must prove decidedly useful both to geologists and entomologists. The subject of fossil entomology has of late assumed gigantic proportions, and asserted an importance little dreamt of when palæontology first substantiated its claims as the real guide to geologists in determining the nature of many strata. Indeed, as is truly stated by Mr. Goss, the wonder is that remains of any animals so fragile as insects could have been preserved sufficiently for scientific purposes; yet we find contemporaneous with the remains of those marvellous Devonian fishes those of the earliest types of insects, chiefly only wings, it is true, but wings in such a complete state of preservation that the intricacies of neuration can be traced; and this neuration is in some cases so difficult to homologise with that of existing forms that a separate, supposed extinct order (*Palaodictyoptera*) has been formed (probably unnecessarily) for the reception of these remains. Mr. Goss has given detailed accounts (with copious references) of almost every described species of fossil insect from the older formations, and has contrived to very lucidly place before his readers the sequence of appearance of the now-existing orders according to the testimony of the rocks. As we ascend in the geological scale the indications become less complete, and only genera, or eventually only families, are alluded to, but always with the same copious references to authorities. It could not be otherwise. As we ascend the materials increase enormously, until at last, in the post-tertiary system, we find ourselves in the presence of remains that have been identified with species now living in the same district; and in somewhat less recent strata in North

America the multitude of fossil remains of insects is such as to place it out of the question that any detailed account could be given of them. Not the least useful feature in the work consists in the notes on the correlation of special insect-forms with the most remarkable animal and vegetable relics from the same formations.

This pamphlet has no claims as embodying the results of original research; it is a useful concentrated compilation from the literature on the subject by one who evidently has an intelligent knowledge of it both in its geological and zoological aspects, and as such cannot fail to be of service as a text-book, giving the student a clear outline sketch, and the references where to seek more detailed information. Such a work is often more useful than original essays, which, from the magnitude of the subject, can only be limited in their aim. The treatment may be a little unequal, and we think it would be possible to point out cases in which certain fossil-insects have been referred to a wrong position; but this is the fault of the original describers.

We are rather sorry to see that all notice of Amber-Insects is intentionally omitted for the present, more especially as, from the medium in which they are preserved, these are the most perfect of all fossil insect-remains. They consist for the most part of well-marked existing genera, but we think no one has yet dared to identify any amber-insect with an existing species. In connection with this subject one word of caution to palæontologists with regard to many fossil insects. We find many insects (excluding those in amber) referred to modern genera, and even among those from ancient strata. This is a convenience only; it indicates that certain fossils present the general appearance of the existing genera to which they are referred; but in the majority of instances it does not prove that they would be so referred if the remains were in the same condition as the recent materials. In most cases we think it would be otherwise.

The substance of this pamphlet originally appeared as a series of introductory papers in vols. xv. and xvi. of the *Entomologists' Monthly Magazine*, but the reprint contains additional matter.

LETTERS TO THE EDITOR

[The Editor does not hold himself responsible for opinions expressed by his correspondents. Neither can he undertake to return, or to correspond with the writers of, rejected manuscripts. No notice is taken of anonymous communications.]

[The Editor urgently requests correspondents to keep their letters as short as possible. The pressure on his space is so great that it is impossible otherwise to ensure the appearance even of communications containing interesting and novel facts.]

The Opportunities of Science Masters at Schools

IN consequence of my publishing in your columns some facts on visual and other memory, I have been favoured with letters from many persons and from many countries; few however have been more acceptable than those from the masters and mistresses of schools. Confining my remarks for the present to the masters of the larger establishments, I may mention that the science masters of Cheltenham and of Winchester have promised assistance, but I write especially to acknowledge the aid already rendered to me by Mr. W. H. Poole, the science master of Charterhouse, and to make some comments thereon, in order to show how wide and yet how neglected a field for original research lies open to every schoolmaster. Mr. Poole has sent me returns from all the boys who attended his classes—172 in number. He selected certain of my questions concerning visual and other memory, he explained them clearly to the boys and interested them in the subject, and then he set them the questions to answer in writing, just as he would have set questions in the ordinary course of school-work. Lastly, he forwarded to me the replies in separate bundles corresponding to the different classes, and each paper was numbered, so that if I wanted to learn more about any of them and sent him the numbers, he

could ascertain the names of the writers. In this simple manner, by almost a single stroke, Mr. Poole has called a mass of statistical data into existence, more thorough and complete than could perhaps have been procured in any other way. I have spent many hours in analysing the answers, and find that they bear generally the marks of painstaking and veracity; they have already led me to results which appear important, but of which this is not the time to speak.

The observation I desire to make is that as every hospital fulfils two purposes, the primary one of relieving the sick, and the secondary one of advancing pathology, so every school might be made not only to fulfil the primary purpose of educating boys, but also that of advancing many branches of anthropology. The object of schools should be not only to educate, but also to promote directly and indirectly the science of education.

It is astonishing how little has been done by the schoolmasters of our great public schools in this direction, notwithstanding their enviable opportunities. I know absolutely of no work written by one of them in which his experiences are classified in the same scientific spirit as hospital cases are by a physician, or as other facts are by the scientific man in whose special line of inquiry they lie. Yet the routine of school work is a daily course of examination. There, if anywhere, the art of putting questions and the practice of answering them is developed to its highest known perfection. In no other place are persons so incessantly and for so long a time under close inspection. Nowhere else are the conditions of antecedents, age, and present occupation so alike as in the boys of the same form. Schools are almost ideally perfect places for statistical inquiries. If a census on other subjects such as this that has been made by Mr. Poole, was carried out, say once a term, or even once a year, at each great public school, what a rich statistical output we should annually witness. Or again, if a schoolmaster were now and then found capable and willing to codify in a scientific manner his large experiences of boys, to compare their various moral and intellectual qualities, to classify their natural temperaments, and generally to describe them as a naturalist would describe the fauna of some new land, what excellent psychological work might be accomplished! But all these great opportunities lie neglected. The masters come and go, their experiences are lost, or almost so, and the incidents on which they were founded are forgotten, instead of being stored and rendered accessible to their successors; thus our great schools are like mediæval hospitals, where case-taking was unknown, where pathological collections were never dreamt of, and where in consequence the art of healing made slow and uncertain advance.

Some schoolmaster may put the inquiry, What are the subjects fitted for investigation in schools? I can only reply, Take any book that bears on psychology, select any subject concerning the intellect, emotions, or senses in which you may feel an interest; think how a knowledge of it might best be advanced either by statistical questioning or by any other kind of observation, consult with others, plan carefully a mode of procedure that shall be as simple as the case admits, then take the inquiry in hand and carry it through.

FRANCIS GALTON

Museum Conference

PRESUMING that the object of a museum is twofold, viz., to instruct the general public through the eye and to serve as a repository of material by means of which specialists can carry on their scientific and historical researches, it must be obvious to every thoughtful observer how inadequate the machinery generally is to the end in view. A visitor, let us suppose, to the zoological department of a museum, observes a number of birds bearing a general family likeness, and a name under each specimen. Having no pictorial clue to the habits, native country, or specific distinctions of the numerous specimens, no verbal description before him, and no intelligent curator on the spot to give the information required, he goes away with a hazy impression of what he has seen, and too often with a headache. Surely there is room for improvement in the direction of the amount of information that could be conveyed by proper adjuncts to the specimens, and by grouping them according to the countries to which they belong, &c. &c.? Many a missionary going abroad would gladly learn something of the economical and medicinal products of the country to which he is going; but in a museum in which vegetable products are grouped according to their natural orders his difficulties are increased tenfold. I can imagine no better means of improving the character of museums and of increasing their usefulness than

a conference of curators to exchange ideas and the results of their experience. With regard to the use of museums by those seeking special information, the circumstances are very different in large cities and in small towns. In cities, as a rule, the curator naturally becomes in time the depository of a large amount of special information, for which there is such a demand that time is rarely left him for the manual labour and supervision which the keeping of a museum in good order involves. In this case it is assistance that is required rather than increase of salary, although a curator should in my opinion be so well paid that he need not be obliged to resort to literary work to eke out a living.

In provincial towns the case is somewhat different. The curator has less demand made upon his time by specialists, but he needs to be well acquainted with almost every branch of art and natural history, and is often expected to be able to lecture upon any subject that can at all be included within the range of objects in the museum. Such extensive knowledge is rarely to be found concentrated in one person, and consequently one branch of natural history is often pursued to the exclusion of others, as of arts and antiquities, or *vice versa*; and it is little consolation to the naturalist who has done good local work to think that if his collection be left to the local museum it may become devoured by insects or neglected by a subsequent curator who takes little or no interest in that particular branch.

A monthly or quarterly publication would form an excellent means of communication for the exchange of duplicates, the distribution to suitable quarters of the productions of foreign countries for purposes of investigation, for the record of improvements in manipulation or exhibition, and for the results of experience in various directions. Such a publication, if circulated abroad, might be made the means of incalculable benefit to trade by suggesting uses for little known native productions and by bringing residents abroad in communication with those at home who could direct them how best to utilise the resources of newly-explored districts.

I see no reason also why museums, especially those of a technical character, should not be made in some degree self-supporting, by charging a small admission fee to visitors and a fixed fee for the identification of objects used or to be used in trade. I trust the subject of a museum conference will be well ventilated in your columns, and that the liberal offer of the Council of the Society of Arts will soon be turned to account by a preliminary meeting in the rooms of that Society. I would suggest that those who are able and willing to form an executive committee should forward their names at once to Mr. Paton, who will then be in a position to carry out a scheme which cannot fail to produce a beneficial effect upon the education of the nation at large.

E. M. HOLMES

Ural Crayfish

REFERRING to the notice in NATURE, vol. xxi. p. 454, of M. Malakhoff's memoir on Ural Crayfish, you will perhaps allow me, a resident among the foot-hills of the South-Western Ural, space for a few words. *Astacus leptodactylus* is found in most of the streams here, in some abundantly. The variety is that in which the cephalo-thorax and chelæ are studded with tubercles, and is accurately represented in Prof. E. Ray Lankester's Fig. 2, in NATURE, vol. xxi. p. 354. I have one before me at the present moment from a tributary of the River Bielaia, measuring five inches in length, and this is the average size. I have never seen the mountain variety mentioned in M. Malakhoff's paper. His remark that "in the Ural the natives call the freshwater Unio Rak (*Ecrevisse*) and the true crayfish Rak-ryba (*l'Ecrevisse poisson*)" does not apply to this district, for here the latter is called simply "rak" and the unio "rakovitz" and "rakovina" indifferently, general terms for a mollusc and its shell. Various opinions exist in reference to the quality of the flesh. For my own part I find it extremely insipid, and I believe any Englishman eating it for the first time would be of the same opinion; but the inhabitants of the country, who have, of course, no opportunity of tasting fresh marine crustacea, rather esteem the flesh. Englishmen staying here a long time often grow to like it in default of anything better, till I verily believe in some cases they leave the country praising it as a delicacy. This may be one of the ways in which the diverging opinions respecting its quality have originated.

W. H. TWELVETREES

Voskresensky Zavod, near Orenburg, Russia,

March 27 (April 8)

Protection against Mosquitos, Flies, and Blight

MR. HAGEN'S letter on the destruction of insect-pests (NATURE, vol. xxi. p. 611) induces me to make generally known an absolute preventive of the bites of mosquitos, gnats, of green-fly in the vinery, blight in the garden, and a protection to animals from these "insect-pests." A few years ago I had some peach-trees which, being on a wall exposed to draught, were annually blighted. One died, and the new wood of the others was not more than a hand's length. A scientific friend advised me to try a weak solution of quassia to water them with, and the success was complete. Blight was prevented. The first year the trees bore well and the new wood was elbow-length or more. I next tried quassia in the vinery. Instead of lime-washing the walls to get rid of the green-fly, one watering with quassia dismissed them in a day. My head-gardener, who had previously much experience in nursery-grounds, wondered that he had never heard of it before. He now uses it in all cases as a protection from flies and blight. The dilution goes a long way: one pound of chips of quassia-wood boiled and reboiled in other water until he has eight gallons of the extract for his garden-engine. He finds it inadvisable to use it stronger for some plants. This boiling makes the quassia adhesive, and being principally applied to the underleaf, because most blight settles there, it is not readily washed off by rain. Quassia is used in medicine as a powerful tonic, and the chips are sold by chemists at from sixpence to a shilling a pound. The tree is indigenous to the West Indies and to South America.

And now as to gnats and mosquitos. A young friend of mine, severely bitten by mosquitos and unwilling to be seen so disfigured, sent for quassia-chips and had boiling water poured upon them. At night, after washing, she dipped her hands into the quassia water and left it to dry on her face. This was a perfect protection, and continued to be so whenever applied. The pastilles sold in Florence and elsewhere, which are vaunted to be safeguards against mosquitos, are, from my own experience, of no use.

At the approach of winter, when flies and gnats get into houses and sometimes bite venomously, a grandchild of mine, eighteen months old, was thus attacked. I gave the nurse some of my weak solution of quassia to be left to dry on his face, and he was not bitten again. It is innocuous to children, and it may be a protection also against bed insects, which I have not had the opportunity of trying. When the solution of quassia is strong it is well known to be an active fly-poison, and is mixed with sugar to attract flies, but this is not strong enough to kill at once. If it be true that mosquitos have been imported into one of the great hotels in the south-west of London, it might be very useful to anoint some of the furniture with it. Then a strong solution with sugar set about the rooms ought to clear them out.

Oatlands Park, Weybridge

WM. CHAPPELL

Immersion of Iron and Steel in Acidulated Water

IN NATURE, vol. xxi. p. 602, I have read an interesting account of Prof. Hughes's experiments on the change produced in iron and steel wire by immersion in acidulated water.

May I ask you to draw the Professor's attention to my experiments on this subject, *vide Proceedings* of the Literary and Philosophical Society of Manchester, January 7, March 4, December 30, 1873; January 13, March 10 and 24, 1874; and *Proceedings* of the Royal Society, No. 158, 1875; and a short article in NATURE, I think.

It has long been known to manufacturers of iron wire that iron becomes brittle after immersion in dilute sulphuric or hydrochloric acids. I believe, however, that I was the first to show that this change was due to occluded hydrogen, and by a careful series of experiments to determine approximately the percentage alteration in the breaking strain and elongation at the moment of rupture produced by occluded hydrogen in—

- (a) Ordinary or puddled iron wire;
- (b) Iron wire manufactured with charcoal instead of coal;
- (c) Mild or Bessemer steel;
- (d) Cast steel.

I also found an increased electrical resistance in wire containing occluded hydrogen, though subsequent experiments have led me to believe that the numbers I first published were too large.

My papers also called attention to the diffusion of hydrogen in iron wire beyond the part immersed in acidulated water; the increase in the length of wire charged with hydrogen and some other phenomena.

The whole subject of the occlusion of hydrogen by metals is one of great interest, and the scientific world will be glad if an accomplished experimenter like Prof. Hughes turns his attention to the subject.

WILLIAM H. JOHNSON

The Ferns, Bowdon, near Manchester, April 26

Stone Arrow Heads

THE interesting investigations of Mr. Redding on the method of making the above objects, as referred to in NATURE, vol. xxi. p. 613, have been somewhat anticipated by Mr. Paul Schumacher, "Methods of making stone weapons," *Bull. U.S. Geol. and Geog. Survey*, vol. iii. p. 547, 1877, which again was a translation from an earlier publication in *Archiv für Anthropologie*, vol. vii. p. 263. Mr. Schumacher's information was derived from the last arrow-maker of a tribe of Klamath Indians, and appears to correspond generally with that obtained by Mr. Redding from the representative of another tribe in the same region. Mr. Schumacher states that obsidian is not the only stone used, but chert, chalcedony, jasper, agate, and similar stones of conchoidal fracture. "The rock is first exposed to fire, and, after a thorough heating, rapidly cooled off, when it flakes readily into sherds of different sizes under well-directed blows at its cleavage." The process is also illustrated in Mr. Schumacher's paper. Superior stone mortars are often found in use amongst these Californian Indians, who deny their capability of making such objects, and account for their possession as "finds" either on the surface or beneath the earth, and describe them as the work of another and previous race.

W. L. DISTANT

Derwent Grove, East Dulwich, May 1

The Mode of Suckling of the Elephant Calf

IN some of the accounts recently published of the birth of an elephant in a menagerie in America it is stated that up to this time naturalists had always believed that the elephant calf obtained its mother's milk by means of its trunk, and not directly by the mouth.

Whether this be the case or not, Aristotle was certainly an exception, as the following passage from the twenty-seventh chapter of the sixth book of his "Historia Animalium" (Ed. Bekker, Oxford, 1837) clearly proves—*Ὁ δὲ σκύμνος, ὅταν γέννηται, θηλάζει τῷ στόματι, οὐ τῷ μυκτῆρι, καὶ βαδίσει καὶ βλεῖται εὐθὺς γεννηθείς.*—"And the calf, when it is born, sucks with its mouth and not with its trunk; and it both walks and sees as soon as it is born."

J. C. G.

May 3

The Tay Bridge Inquiry

IN the *Pall Mall* of April 21 appeared a report of the evidence of Mr. Henry Law, C.E., in the Tay Bridge inquiry. In this report Mr. Law is made to say: "The heavy girders would fall more rapidly than the carriages; a train moving forward at a great speed would not fall so rapidly as a quiescent structure."

I have been induced to ask your insertion of this note in NATURE in the hope that some of your readers who are at home in such matters may confirm or contradict these statements. A person with a mere elementary knowledge of dynamics would disbelieve the latter of them, and would doubt that the former has any practical truth.

Q. C.

Queenwood College, near Stockbridge, Hants

Yeast and Black Beetles

IN what form should yeast be applied for the destruction of black beetles? If Prof. Lankester will show us how to exterminate them he will earn the gratitude of every

LONDON HOUSEHOLDER

27, Marlborough Hill, N.W., May 1

SUEZ CANAL ROCK SALT.—Dr. Ralton wishes to know where information can be obtained on the subject of the rock salt beds which were cut through in constructing the Suez Canal.

SODIC CHLORIDE CRYSTALS.—Dr. Ralton asks, what is the action of urea in modifying the crystal form of sodic chloride crystals, referred to by our reviewer of Dr. Ord's book?

[Sodium chloride usually crystallises in cubes; it is stated, however, by Prof. Maskelyne in a lecture before the Royal

Institution that in presence of uric acid it crystallises in *octahedra*. There are other similar facts: thus alum usually crystallises in *octahedra*; but if sulphate of alumina is present in excess the alum crystallises in *cubes*.]

THE SONGS OF BIRDS.—In Pennant's "British Zoology," vol. ii., Mr. C. C. Starling will find in an appendix a very interesting paper by the Hon. Daines Barrington on the singing of birds. The paper is dated 1773, and published in the *Philosophical Transactions*, vol. lxiii.—JAMES MACFADZEAN.

DECAISNE AND BAILLON¹

IT is perhaps now time to make a protest against a scandal which has in no small degree excited the disgust of scientific men in various parts of Europe, who, like ourselves, have been favoured with copies of the privately-circulated publication of which the name stands at the foot of this note. That scientific men should quarrel, and quarrel sometimes with singular bitterness, is only to affirm in other terms that they are not exempt from the ordinary frailties of human nature. That they should make blunders in their work, however conscientiously performed, is but another illustration of the same truth. But that a scientific man with any respect for his calling should not merely think it worth while to publish the errors of one who has long laboured, and on the whole laboured not ingloriously, under the same roof as himself, and in the same pursuits, and should persist in the unhandsome enterprise of seeking out and raking together faults, even the most microscopic and frivolous, with all the relish and vindictiveness of gratified spite, is a thing so wholly disgusting that a protest should be made against it in the interest of common decency. Decaisne has spent a laborious life in botanical work of great usefulness and excellence, and his scientific reputation has long been established and acknowledged by his contemporaries, who have been quite capable of estimating the value of what he has done. Baillon, a much younger man, is scarcely less regarded for the industrious profession and frequent originality of his botanical publications. But he will not materially affect the position of Decaisne by his animadversions, and it is pitiful that any portion of his abounding energy should be devoted to the attempt to discredit writings which, after all, will always be consulted by students on their own merits, and having regard to the state of knowledge at the time they were published. The fact is that no scientific man could undergo with credit such a scathing revision as that to which Baillon has subjected his unfortunate fellow-savant, and we do not say without some reason that the last person who would emerge from the process with anything like satisfaction would be Prof. Baillon himself.

DR. RUDOLF SCHEFFER

IT is with sincere regret that we have to record the sudden death of Dr. Rudolf H. C. C. Scheffer, the director of the Botanical Gardens, Buitenzorg, Java, which took place at Sindanglaya on March 9. The loss of Dr. Scheffer will be felt by a large circle of botanists throughout the world, for the splendid gardens of which he was superintendent were in communication with every home and colonial botanical institution; but in the Netherlands Indian Colonies, however, it is that his death will be most felt and deplored.

It is now some twelve years since Dr. Scheffer came out from Holland to take the first directorship of the gardens, which had come into high repute by the great number and variety of species collected into it by numerous eminent botanists and by the energy and zeal of its well-known *hortulanus*, J. E. Teysmann, who has by his numerous voyages added so many new species to the

East Indian flora, and on the fiftieth anniversary of whose uninterrupted connection with the gardens Dr. Scheffer took so warm and active a part last January. Soon after his arrival Dr. Scheffer instituted a school for the training of native boys in the science of agriculture; and for their practical instruction he was the means of having an agricultural garden opened at Zjikoemah, close to the school, and some two miles from Buitenzorg. In this school Dr. Scheffer took the very highest interest and pleasure. It was not intended, on its institution, that he should take any active teaching duties, his superintendence was considered to be all that he could well bestow on it; but finding that the teaching staff was insufficient, he squeezed out of his already overburdened time several hours every day to devote to the tuition of these native boys. When on February 9, on his departure on a botanical journey to the south coast of Java, the writer, little thinking he was saying farewell for the last time, took leave of Dr. Scheffer, seemingly in his ordinary health, he received from him, to aid him in his work, a native boy who had lately taken his diploma of proficiency in the agricultural school. This boy was found to be well acquainted with the general flora of the district and with the classification of plants; he could accurately describe their organs and functions and state their economic uses; he had a good idea of the methods of fertilisation and the values of self- and cross-breeding. He was fairly grounded in the rudiments of zoology, anatomy, and physiology. Until he had tested this youth the writer did not believe it possible for the Malay mind to so clearly comprehend and so accurately to arrange scientific facts. In this the great power of Dr. Scheffer as a teacher appears, especially when it is remembered that he lectured almost to virgin minds and in a language so devoid of all precise and accurate terms as Malay. I am told by a friend, a competent botanist, who has listened to his lectures, that Dr. Scheffer's power of lucid explanation was very great. "I wish," he said, "I had had as good a course of lectures on botany in Holland."

In addition to the labour and anxiety attaching to this section of his work, Dr. Scheffer had also to give occasional lectures to the *aspirant controlleurs*, the young unplaced civil servants, and to superintend their examinations in agriculture. Over and above this he had the general superintendence of the large botanical gardens on his shoulders, with daily arrivals and despatches of plants to and from all quarters of the globe, on which he had to be consulted daily. If one had entered his small study in the fine building containing the herbarium, one would have found him engaged in his own peculiar work, in which he took so much delight, with his microscope and camera lucida studying the *Hemelia vastatrix*, a subject to which he had been lately devoting much time; in another corner would be a series of Palms—part of Dr. Beccari's collection, on whose examination and description he was engaged, the sectional coloured drawings being done by one of his own native pupils. If we did not find him here we should see the microscope and pencil conveniently left so as to resume work at the shortest possible notice; and adjourning to his house, near the entrance to the gardens, we should certainly find him in his neat library surrounded by a diverse collection of botanical works, and with the spare corners decorated with the busts and photographs of distinguished botanists, with an enormous pile of correspondence, to which he was writing heads of reply in Dutch, French, English, German, for his amanuensis. Dr. Scheffer told the writer that he wrote more than 3,000 letters a year with his own hand. He corresponded with every country and every botanical garden in the world; he had to give all sorts of advice to agriculturists throughout the Archipelago, on the cultivation of or the diseases affecting coffee, tea, sugar, tobacco, &c., and the many great improvements effected in the production of these valuable products is

¹ "Errorum Decaisneanorum graviorum vel minus cognitorum centuria quanta, Auctore H. Baillon."

due in a great measure to his advice. Need we wonder, then, even with youth in his favour, that at the early age of about thirty-seven, being yoked in such heavy double harness, he has died with it on, leaving a large amount of accomplished valuable work, which was waiting for a spare moment to prepare for the publisher.

For some time Dr. Scheffer had been suffering from defective digestive powers and frequent sleeplessness, but he neglected these warnings and the advice of his friends to take some rest. He was unfortunate in being surrounded by those who, with few exceptions, took little interest in his work, and by none to whom he thought he could entrust the work in which he was so hard and enthusiastic a worker, so he worked on. The fatal affection was inflammation of the liver. The seizure was very acute, and at an early stage danger was imminent; but at length he rallied. His medical attendants considered the crisis past, and recommended his removal to his own estate near Sindanglaya, to reach which a tedious climb of 4,500 feet over the Megameudoeng Pass had to be surmounted. He never reached his destination, expiring, on March 9, at the Sanatorium at Sindanglaya, where he now lies buried.

In his private life he was a man to be loved and esteemed; quiet, unassuming, very kind-hearted, ever ready to give whatever assistance he could, especially to scientific travellers. With him the Netherlands Indian Government has lost a valued public servant, to whom it will not be easy to find a successor, and botanical science has to deplore an earnest worker, a learned disciple, and a great helper.

HENRY O. FORBES

Preanger, Java

A SCOTTISH CRANNOG¹

BETWEEN geology and history there lies an intermediate sphere in which these sciences dovetail into one another. In this common territory or borderland lies the domain of prehistoric archaeology, and to its most recent portion, or that which archaeologists have designated the "Late Celtic Period," must be assigned the antiquarian remains I have here the pleasure of describing. During this period it appears that the Celtic races of Scotland and Ireland were in the habit of constructing artificial islands in marshes and shallow lakes to which, in troublous times, they resorted for safety. They were generally formed by the superposition of trunks of trees and brushwood mingled with stones strongly palisaded by stakes, and so situated as to be inaccessible except by means of causeways, or occasionally by a narrow gangway or mole. These island forts, or *crannogs*, as they have been called in the Irish annals, were very numerous in former times, but owing to the gradual rising of the level of the lakes, they appear to have been so completely lost sight of that their very existence was unknown to modern antiquaries, so that their discovery in the present century marks an important epoch in the history of archaeology.

In October, 1878, I drew the attention of antiquaries, through the columns of NATURE, to the remains of an ancient lake-dwelling just then discovered on the farm of Lochlee, in the parish of Torbolton, Ayrshire. Since then a series of excavations have been made with the view of ascertaining the exact nature of this structure, in the course of which a large collection of most interesting relics has been made.

In the year 1839, while a small lake on this farm was being artificially dried up for agricultural purposes, the attention of the labourers was directed to a singular mound, in which, on cutting drains through it, they exposed some wrought wood-work; but their observations,

¹A full report of the Lochlee Crannog is given in vol. xiii. of the *Proceedings of the Society of Antiquaries of Scotland*, and in vol. ii. of the *Collections of the Ayrshire and Wigtonshire Archaeological Association*.

though freely talked of in the neighbourhood at the time, led to no further results till forty years later, when it was found necessary to re-drain the locality, and hence the present investigations. By a curious coincidence the early drainage at Lochlee was made in the same year that Sir W. R. Wilde discovered and examined the first Irish crannog, viz., that of Lagore in County Meath. The Irish discovery, however, owing to a general system of drainage that was then going on, led at once to the most brilliant results, so that it soon became apparent that crannogs existed very generally over the country. Up to the present time over a hundred have been examined, and have furnished the Irish museums with a vast collection of relics. In the year 1854 a great impetus was given to the study of these researches by the discovery of the remains of ancient lake villages in Switzerland, which have now become so famous and well known all over the continent of Europe; but it was not till 1857 that the subject began to attract the attention of Scottish archaeologists. In this year Mr. Joseph Robertson read a paper to the Society of Antiquaries of Scotland, and in 1866 Dr. Stuart, who was then Secretary to this Society, collected and published all the scattered notices of Scottish crannogs known up to that date. Since the publication of Dr. Stuart's elaborate paper no further investigations on Scottish crannogs, with the exception of an occasional notice of a fresh discovery of the site of one, have been recorded.

But though traces of these crannogs have been found in almost every county of Scotland, there has been no systematic examination of them worthy of comparison with the investigations that have been made in other countries; nor, with the exception of a few articles found at Dowalton, is there any collection of relics which would enable archaeologists to form an opinion with much certainty as to the purpose they served in the social economy of the period they represent; nor can their range in the dim vista of prehistoric times be determined with greater accuracy.

Before the Lochlee Lake was originally drained no one appears to have surmised that a small island (visible only in the summer time) which formed a safe habitation for gulls and other sea-birds during the breeding season, was formerly the residence of man. It was situated near the outlet of the lake-basin, and the nearest land, its southern bank, was about seventy-five yards distant. The general appearance which it presented when the present investigations were commenced was that of a grassy knoll, drier, firmer, and slightly more elevated than the surrounding field. Towards the circumference of this mound the tops of a few piles were observed barely projecting above the grass. Guided by these the workmen dug a deep circular trench, in which they exposed numerous piles and transverse beams having square-cut holes in their ends, through which the former projected about eighteen inches or two feet. In the course of further explorations it became apparent that these piles formed a series of stockades surrounding a somewhat circular space about fifty feet in diameter. Beyond this circle on the south side there were indications of other rows of uprights which appeared to unite into one on the north side. Here, instead of further rows of piles, the corresponding space was occupied by an intricate arrangement of woodwork, consisting of young trees and stout branches, mixed with slanting stakes and logs running in all directions, the whole forming a dense protective barrier. The diameter of the island was about 120 feet. The central area was about three feet lower than the surrounding stockades with their transverses, and had a flooring of prepared logs resembling railway sleepers. Near the centre of this log pavement were found four circular hearths placed one above the other with an interval between each of 18 inches to 2½ feet. These hearths were neatly constructed of flat stones of various

sizes, and had a raised rim round them, also formed of flat stones, but uniformly selected and set on edge. Each of them was imbedded in a thin layer of clay, which extended several feet beyond, and the intermediate strata consisted of ashes, charcoal, and small bits of burnt bones. The top of the upper hearth was 7 feet 9 inches above the log pavement, but only about one foot below the surface of the mound, so that the greatest depth of the accumulated rubbish since the log pavement was laid would be about 8½ feet. The lowest or first fireplace was separated from the log pavement by a thick layer of turf and then a layer of clay.

On a level with the third hearth, counting from below, there were decayed portions of several massive stakes, with square-cut ends which appeared to have been the remains of a hut. One stake was found to have a small portion projecting from the centre of its base, which neatly mortised into a hole formed by a piece of wood, a flat stone, and some clay, and another had pressed down the portion of clay on which it rested nearly a foot. It was thus evident that the stakes were so formed as to prevent them as much as possible from sinking by pressure. Immediately below this level, all over the area of the log-pavement, but more particularly within a circle a few feet from the fireplace, most of the relics were found. Close to this hearth, but about two feet lower, we extracted the skeleton of an animal like that of a goat or sheep, the skull of which was entire, and had short horn-cores attached to it. The relic bed was made up of partially decomposed vegetable matters, and could be separated into thin layers; the common bracken, moss, parts of the stems of coarse grass, heather, and large quantities of the broken shells of hazel-nuts were frequently met with. One of the latter was found to have a hole gnawed in it, as if made by a squirrel.

The space immediately beyond and on the south side of the log pavement, extending between it and the outer circles of piles, was occupied by a refuse heap or midden, consisting of gritty ash, decayed bones, and vegetable matters. Its breadth was ten or twelve feet, and its length from east to west nearly double that. Its surface was three feet below that of the field, so that its average depth would be about four feet. Some important relics were found here, such as metal instruments and daggers, two fibulæ, several wooden vessels, and a few bone implements. It is noteworthy that the metal objects were all comparatively near the surface of the midden, and also that no boars' tusks were found in it except at its very lowest stratum.

The probable existence of some kind of communication between the crannog and the shore of the lake was suggested at an early stage of the investigations by the discovery of a few oak piles in a drain outside the mound on its south side. Upon making excavations in the line thus indicated a very singular wooden structure was discovered, which I found no less difficult to comprehend than it now is to describe. The tops of upright stakes were first revealed, which seemed to conform to no regular arrangement, but by and by, in addition to single piles, groups of three, four, and five, here and there, were detected. The first horizontal beam was reached 7 feet below the surface of the field, which proved to be one of a complete network of similar beams lying in various directions. At a depth of 10 feet the workmen could find no more horizontal beams, and the lake silt became harder and more friable. The reason of grouping the piles now became apparent. The groups were placed in a somewhat zigzag fashion near the sides of the gangway, and from each there radiated a series of horizontal beams, the ends of which crossed each other and were kept in position by the uprights. One group was carefully inspected. The first or lowest beam was right across; the next lay lengthways, and of course at right angles to the former; then three or four spread out diagonally, like a

fan, and terminated in other groups at the opposite side of the gangway; and, lastly, one again lay lengthways. Thus each beam raised the level of the general structure the exact height of its thickness, though large lozenge-shaped spaces remained in the middle quite clear of any beams. The general breadth of the portion of this unique structure examined was about 10 feet, and its thickness varied from 3 to 4 feet. A large oak plank, 10 feet long, showing the marks of a sharp cutting instrument by which it was formed, was found lying on edge at its west side and beyond the line of piles, but otherwise no remains of a platform were seen. All the beams and stakes were made of oak, and so thoroughly bound together that, though not a single joint, mortise, or pin was discovered, the whole fabric was as firm as a rock. No relics were found in any of the excavations along the line of this gangway.

The thickness, composition, and mode of structure of the island itself was ascertained by sinking a shaft at the south end of the log pavement (*i.e.*, near the centre of the island). This shaft was rectangular in form, and large enough to allow three men to work in it together. After removing the three or four layers of oak planks which constituted the log pavement, we came upon a thin layer of brushwood, and then large trunks of trees laid in regular beds or layers, each layer having its logs lying parallel to each other, but transversely and sometimes obliquely to those of the layer immediately above or below it. At the west end of the trench, after removing the first and second layers of the log pavement, we found part of a small canoe hollowed out of an oak trunk. This portion was 5 feet long, 12 inches deep, and 14 inches broad at the stern, but widened towards the broken end, where its breadth was 19 inches. This was evidently part of an old worn-out canoe, thus economised and used instead of a prepared log. Much progress in this kind of excavation was by no means an easy task, as it was necessary to keep two men constantly pumping the water which copiously flowed from all directions into the trench and even then there always remained some at the bottom. As we advanced downwards we encountered layer upon layer of the trunks of trees with the branches closely chopped off, and so soft that the spade easily cut through them. Birch was the prevailing kind of wood, but occasionally beams of oak were found, with holes at their extremities, through which pins of oak penetrated into other holes in the logs beneath. One such pin, some 3 or 4 inches in diameter, was found to pass through no less than four beams in successive layers, and to terminate ultimately in a round trunk over 13 inches in diameter. One of the oak beams was extracted entire, and measured 8 feet 3 inches in length and 10 inches in breadth, and the holes in it were 5 feet apart. Others were found to have small round projections, which evidently fitted into mortised holes in adjacent beams. Down to a depth of about 4 feet the logs were rudely split, but below this they appeared to be round rough trunks, with the bark still adhering to them. Their average diameter would be from 6 inches to 1 foot, and amongst them were some curiously gnarled stems occasionally displaying large knotty protuberances. Of course the wood in the act of digging the trench was cut up into fragments, and, on being uncovered, its tissues had a natural and even fresh-like appearance, but in a few minutes after exposure to the air they became as black as ink. Amongst the *débris* thrown up from a depth of 6 feet below the log pavement I picked up the larger portion of a broken hammer-stone or polisher, which, from the worn appearance presented by its fractured edges, must have been used subsequently to its breakage. After a long and hard day's work we reached a depth of 7 feet 4 inches, but yet there were no indications of approaching the bottom of this subaqueous fabric. However, towards the close of the second day's labour, when the probability

of total discomfiture in reaching the bottom was freely talked of, our most energetic foreman announced, after cutting through a large flat trunk 14 inches thick, that underneath this he could find no trace of further wood-work. The substance removed from below the lowest logs consisted of a few twigs of hazel brushwood, imbedded in a dark, firm, but friable, and somewhat peaty soil, which we concluded to be the silt of the lake deposited before the foundations of the crannog were laid. The depth of this solid mass of woodwork, measuring from the surface of the log pavement, was 9 feet 10 inches, or about 16 feet from the surface of the field. Amongst the very last spadefuls pitched from this depth was found nearly one-half of a well-formed and polished ring made out of shale, the external and internal diameters of which were $3\frac{1}{2}$ and 2 inches respectively.

In all the trenches made at the margin and beyond the crannog the stuff dug up was of the same character and composition. First or uppermost there was a bed of fine clay rather more than 2 feet thick, and then a soft, dark substance formed of decomposed vegetable matters. The source of the latter was evident from the occurrence in its upper stratum of large quantities of leaves, stems, branches, and the roots of stunted trees apparently *in situ*. This uniformity in the composition of the silt forming the bed of the lake points to the fact that for centuries the increase was due principally to the decomposition of vegetable matters, while latterly it was caused more by a deposition of fine clay. A change so marked in the sediment can only be accounted for by a corresponding change in the surrounding scenery, and no explanation is more likely than that the primeval forests had given place to the inroads of agriculture, when some of the upturned virgin soil would be washed down, as it still is, by every trickling rill that finds its way into this lake basin.

The remains of human industry found during the excavations of the Lochlee Crannog, calculated to throw light on the civilisation and social economy of its occupiers, are very abundant. They comprise a large variety of objects, such as warlike weapons, industrial implements, and personal ornaments, made of stone, bone, horn, wood, metal, &c. In the following description of them I have adopted the principle of classification suggested by the materials of which they are composed:—

I.—Objects made of Stone

Hammer Stones.—A great many water-worn pebbles, of a similar character to those observed in the surrounding glacial drift and river courses, which were used as




FIG. 1.—Hammer-Stone (Scale $\frac{1}{2}$).

hammers, pounders, or rubbers, were found in the *débris* all over the crannog, but more abundantly in the deeper layers of a small circular area surrounding the hearths. As typical specimens of such implements I have collected no less than nineteen. Of these fourteen are of a somewhat elongated oval shape, and were used at one or both ends (Fig. 1). They vary considerably in size, the major

diameter of the largest measuring 6 inches, and the rest graduating downwards to about the half of this. Two are flat and circular, and show friction markings all round, while other three were used on their flat surfaces only. One of these is divided into two portions, each of which was picked up separately, about a yard asunder, and found to fit exactly. It would thus appear that it was broken while being used on the crannog, and then pitched aside as useless.

Heating-Stones and Sling-Stones.—A large number of round stones, varying in size from half an inch to three inches in diameter, some having their surfaces roughened and cracked as if by fire, but others presenting no marks whatever, were met with. The former might have been used as heating-stones for boiling water in wooden vessels—the only ones found on the crannog—the latter as sling-stones or missiles.

Anvil.—About a foot below the surface, and a few feet to the north of the upper fireplace, a beautiful quartz pebble was found, which has the appearance of having been used as an anvil. It is of a circular shape, flat




FIG. 2.—Stone Celt (Scale $\frac{1}{2}$).

below, somewhat rounded above, and measures 27 inches in circumference.

Sharpening-Stones or Whetstones.—Five whetstones were collected from various parts of the island. They are made of a hard, smooth claystone, one only being made of a fine-grained sandstone, and vary in length from 5 to 7 inches.

Polished Celt.—Only one polished stone celt was found. It is a wedge-shaped instrument $5\frac{1}{2}$ inches long and 2 broad along its cutting edge, which bears the evidence of having been well used, and tapers gently towards the other end, which is round and blunt. It is made of a hard mottled greenstone (Fig. 2).

Querns.—Five upper, and portions of several lower quern stones were disinterred at different periods, all of which, however, with the exception of a pair found over the log pavement, and an upper stone observed towards the west margin of the crannog, were imbedded in the *débris* not far from the site of the fireplaces. Some are made of granite, while others are of schist or hard whinstone.

Cup-marked Stones.—Two portions of red sandstone, having cup-shaped cavities about 1 inch deep and 3 inches in diameter, were found amongst the *débris*. One of them was lying underneath, and as if supporting one of the horizontal raised beams at the north side of the

crannog. The other, the position of which was not determined, has two circular grooves or rings round the cup, the outer of which is 9 inches in diameter (Fig. 3).



FIG. 3.—Cup Stone (Scale $\frac{1}{2}$).

Other Stone Relics.—Amongst a variety of other stone relics there is one peculiar implement manufactured out of a bit of hard trap-rock. It presents two flat surfaces 3 inches in diameter, with a round periphery, and is $1\frac{3}{8}$ inch thick.

Flint implements.—Only three flint implements were found on the crannog—a large knife flake 3 inches long and $1\frac{1}{4}$ inch broad; the posterior portion of another flake; and a beautifully-chipped horseshoe-shaped scraper here figured (Fig. 4).

Spindle whorls.—Three small circular objects, supposed to be spindle whorls, are here classed together. Two are made of clay, and were found in the relic bed near the fireplaces. The smaller of the two (Fig. 5) is



FIG. 4.—Flint Scraper (Scale $\frac{1}{2}$).



FIG. 5.—Clay Spindle Whorl (Scale $\frac{1}{2}$).

$1\frac{1}{4}$ inch in diameter, and has a small round hole in the centre; the other has a diameter of $1\frac{3}{4}$ inch, and is only partially perforated, just sufficiently to indicate that the act of perforation had been commenced, but not completed. The third object is a smooth, flat, circular bit of stone, $1\frac{1}{2}$ inch in diameter and $\frac{1}{2}$ inch thick, and is perforated in the centre like a large bead.

(To be continued.)

NOTES

THE Royal Society of Edinburgh has awarded the Keith Medal for the biennial period 1877-79 to Prof. Fleeming Jenkin for his paper on the application of graphic methods to the determination of the efficiency of machinery.

PROF. HENRY J. S. SMITH, F.R.S., Savilian Professor of Geometry in the University of Oxford, has been made a Corresponding Member of the Academy of Science of Berlin.

ON the 16th inst. the International Congress of Meteorology will meet at Vienna.

THE honorary degree of LL.D. has been conferred by the University of Glasgow on Mr. Edward John Routh, M.A., F.R.S., and Dr. Michael Foster, F.R.S.

PROF. W. H. FLOWER, LL.D., F.R.S., will give a discourse at the Royal Institution, on Fashion in Deformity, at the evening meeting on Friday, May 7.

PROF. HUXLEY will deliver the inaugural address at the opening of the Science College at Birmingham on October 1.

SIR WILLIAM THOMSON will preside at the meeting of the Physical Society on Saturday afternoon, and will make some brief communications to the Society.

PROF. HENRY TANNER, F.C.S., Senior Member of the Royal Agricultural College, and Examiner in the Principles of Agriculture under the Government Department of Science, has been appointed Professor of the Principles of Agriculture in the Royal Agricultural College, Cirencester.

THE fifty-first anniversary meeting of the Zoological Society was held last week. The report of the council was read by Mr. Sclater, F.R.S., the secretary. It stated that the number of Fellows on December 31, 1879, was 3,364 against 3,415 at the same date of the previous year, 145 new Fellows having been elected, and 189 removed by death or other causes during the year. In consequence of the bad weather, which had seriously affected the garden receipts, and of the general depression in business which had prevailed in 1879, the income of the society showed a falling off as compared with that of 1878, but not to any serious amount; the total receipts having been 26,463*l.* in place of 27,944 in 1878. The total assets of the society on December 31 last were estimated at 28,051*l.*, and the liabilities at 9,960*l.* The number of visitors to the gardens in 1879 had been 643,000, against 706,713 in 1878.

THE general meeting of the German Geometrical Society will be held at Cassel on July 4-7 next.

IN the last week of April an extraordinary fact was observed at Montsouris. We have stated already that the electrical observations are taken eight times daily with a Thomson electrometer and recorded; out of the eight readings registered on April 28 not less than six were negative, and on the following day seven were of the same sign. The occurrence is so extraordinary that it has been referred to in the papers as a fair characteristic of the season.

A LARGE and influential committee of shipbuilders and marine engineers has been formed in Glasgow for the purpose of promoting an exhibition of naval and marine engineering models in Glasgow. It is proposed that the exhibition shall be opened in the Corporation Galleries in November and remain open for six months. Mr. James Paton, the Superintendent of the Glasgow Museum and Galleries, has been appointed Secretary to the Committee.

AT the next meeting of the Society of Telegraph Engineers Dr. Siemens is going to bring forward his latest development of his dynamo machine, and of the influence of the electric light on vegetation.

THE Whit-Monday excursion of the Geologists' Association will be to Oxford, under the direction of Prof. Prestwich and Mr. James Parker. It will last over two days. The long excursion of the Association will be to Bristol on August 2 and following days.

FROM the Report of the New York Central Park Menagerie we learn that that establishment has now 423 mammals, representing 56 genera and 98 species; 753 birds, of 102 genera, 134 species; 30 reptiles, of 8 genera and 10 species; or 1,206 animals in all. The additions in 1879 numbered 668.

HEYWOOD of Manchester has issued, for the small price of sixpence, the eleventh series of the Manchester Science Lectures for the People, containing lectures on "Islands," by Mr. A. R. Wallace; "The Age of Dragons," by Mr. B. W. Hawkins; "Palestine in its Physical Aspects," by Canon Tristram; and

"Traps to Catch Sunbeams," by Capt. Abney. We are sorry to learn from Prof. Roscoe's preface that the interest in these lectures having died out, they are to be discontinued. Nevertheless, as he says, they have undoubtedly done great good both when delivered and in the remarkably cheap form in which they have been published. The series, as a whole, has been a genuine success.

WE understand that Dr. James Geikie, F.R.S., will shortly send to press a work entitled "Prehistoric Europe—a Geological Sketch," which treats of the principal climatic and geographical changes which have taken place in our continent since the commencement of the Pleistocene or Quaternary period. Mr. Stanford will be the publisher.

THE Council of the Society of Arts have decided to summon a public Conference to consider the question of supplying London with pure water. The date for the Conference has been fixed for Monday, May 24, and succeeding days. The arrangements for the Conference are now being considered by a committee, and full announcements will be made as early as possible.

SINCE November last, instruction by means of lectures and laboratory practice, in connection with the City and Guilds of London Institute for the Advancement of Technical Education, has been given during the evening in Chemistry and Physics as applied to the Arts and Manufactures, by Prof. Armstrong, Ph.D., F.R.S., and Prof. Ayrton, A.M. Inst. C.E., in rooms at the Cowper Street Schools, Finsbury. On and after May 10, day classes will also be established, adapted to the scientific requirements of persons partially engaged, or intending to engage, in the manufacturing industries. The object of these day classes is to afford such preliminary training as is necessary for those who may desire, later on, to study particular branches of Applied Chemistry or Physics, for which special accommodation will be provided in the new buildings. Two courses, each of twenty-four lectures, in Chemistry and Physics will be given on two afternoons per week during May, June, and July, for imparting such knowledge of the general principles as is necessary for the after-understanding of the various branches of Applied Chemistry and Physics:—Chemistry, Wednesdays and Fridays, at 3 to 4 o'clock; Physics, Wednesdays and Fridays, at 4 to 5 o'clock. Prof. Ayrton will also give a special laboratory and tutorial course in Electrical Engineering; and Prof. Armstrong will give a similar course for instruction in Photographic Chemistry. Students desirous of attending either of these courses are requested to communicate with the respective Professors at the present temporary laboratories, Cowper Street, Finsbury, E.C., before May 10, stating the times at which they could attend, and the maximum number of hours they could devote to the subject.

WE learn from Catania, under date April 26, that the inhabitants were apprehending an eruption of Etna. An immense cloud of smoke has been observed.

A PARISIAN speculator has inaugurated the aeronautical season by a private ascent on April 25 at La Villette gasworks. The balloon, of only 300 cubic meters capacity, bore one aeronaut, with 30 kilograms of handbills, which were distributed all over Paris. The wind being slight, with a favourable direction, thousands of these prospectuses were picked up by street passers and largely read. The whole expense of the aerial expedition, gas and everything, did not exceed 10*l.* sterling.

THE phylloxera has made its appearance in the vineyards on Vesuvius and the opposite part of the Gulf at Puzzuoli and Pianura. Much alarm prevails. Precautionary measures are being taken. In Sicily the phylloxera, till now confined to Caltanissetta, is likewise reported near Messina.

AT the Annual Meeting of the Royal Institution on May 1, the Annual Report of the Committee of Visitors for the year 1879, testifying to the continued prosperity and efficient management of the Institution, was read and adopted. The real and funded property now amounts to nearly 85,000*l.*, entirely derived from the contributions and donations of the Members. Forty-nine new Members paid their admission fees in 1879.

THE *Japan Gazette* states that the line of railway which has been in contemplation for some time past between Tokio and Mayebashi will soon be commenced. The surveys are completed, and it is said that the line will traverse a rich district, and is expected to prove a great benefit to the country.

AN exhibition of apparatus and products relating to bee-culture will be held at Schwerin on August 28-30 next.

THE Electrotechnical Society at Berlin, which was founded on December 20, 1879, begins the second quarter of its existence with no less than 1,248 members.

THE Emperor of Austria has presented the large gold medal "for arts and sciences" to Dr. Karl Ritter von Scherzer in recognition of his latest work, "Die britischen Welt-Industrien."

THE *Report* of the Rugby School Natural History Society for 1879 is fairly encouraging. Several creditable papers are given by the members; we should like to see more papers of this class and fewer lectures by grown-up outsiders, some of which seem to us quite inappropriate in a *Report* of this kind.

"THE International Dictionary for Naturalists and Sportsmen in English, French, and German," by Mr. Simpson-Baikie (Trübner and Co.), is a very useful book of reference, and contains a good many scientific terms, especially connected with natural history.

"THE Sportsman's Guide" to the rivers, lochs, moors, and deer forests of Scotland comes once more to remind us of the hills and the heather, and to recall the memory of pleasant days spent on loch and river. It bears evidence of careful revision, and we are sure will prove useful to the tourist of scientific tastes, even if he be no disciple of the rod or gun.

IT is known that M. Jamin, member of the French Institute, has patented an electric lamp in which the light is directed by an electrical current. A public company has been formed with a capital of 8,000,000 francs for the working of the patent.

THE French Minister of Fine Arts has entered into an agreement with the Jablochkoff Electric Light Company to light the palace during the whole of the two months devoted to the exhibition. The number of lights fed by the machinery is about 400, and the motive power regarded at about 320 horses. The inauguration was to take place on May 1, and a large crowd had congregated to witness the process. But the crank of one of the principal engines broke, and it was necessary to postpone the opening for a few days. In spite of the growing opposition of the friends of the gas company, M. Garnier, the architect of the Paris Opera, will establish a trial of the principal electrical burners, to decide which is the more really fit for use in the house.

THE additions to the Zoological Society's Gardens during the past week include a Common Ocelot (*Felis pardalis*) from South America, presented by Mr. Stephenson Clarke; two Elliot's Guinea Fowls (*Numida ellioti*) from East Africa, presented by the Rev. Thos. Wakefield; two American Barn Owls (*Strix flammea*) from Jamaica, presented by Mr. G. E. Dobson, C.M.Z.S.; a Koala (*Phascogaleus cinereus*) from South-East Australia, a Grey Squirrel (*Sciurus cinereus*) from North America, two Blue-streaked Lories (*Eos reticulata*), from Timor

Laut, two Prince Albert's Curassows (*Crax alberti*) from Columbia, purchased; two Common Foxes (*Canis vulpes*), four Chilian Pintails (*Dafila spinicauda*), bred in the Gardens.

OUR ASTRONOMICAL COLUMN

THE COMET OF 1106.—Amongst the comets which were thought to present certain indications of identity with the great comet of 1843 was that recorded by a large number of European historians, as well as in the Chinese Annals, in the year 1106. The circumstances of its appearance may be thus briefly stated: On the 4th of February, or, according to others, on the 5th, a star was seen which was distant from the sun "only a foot and a half"; it was observed from the third to the ninth hour of the day. Matthew Paris and Matthew of Westminster distinctly term it a comet. Pigné, not having the experience of the comet of 1843 as a precedent, questioned the possibility of seeing one of these bodies at so small a distance from the sun as the above expression may be taken to imply. Now, however, we are able to connect, with much probability, the star viewed in the day-time with the comet which on February 7 was discovered in Palestine about the commencement of the sign Pisces. On this day, we are told by three contemporary writers, a comet appeared in that quarter of the sky where the sun sets in winter, and occasioned great surprise; a white ray extended from it to a great distance. From the time of its first appearance "the comet itself and the ray, which had the whiteness of snow, diminished day by day." Others, on the contrary, say that the train, which had a more than milky whiteness, appeared to increase daily. In the west of Europe it does not seem to have been remarked till February 16 or 18. According to some writers it was visible only a fortnight, others say that it continued to shine for forty days, or during the whole of Lent, from February 7 to March 25; an eye-witness records that after fifty days the most acute vision only sufficed to distinguish it with difficulty. There is similar contradiction respecting the aspect of the comet, though most of the historians testify to its great brightness and apparent magnitude. On February 10, according to Gaubil's manuscript, used by Pigné for his "Cometographie," it was near the end of the sign Pisces, with a tail 60° in length. European chronicles mention that the tail extended to the beginning of the sign Gemini, under the constellation of Orion, whence, as Pigné points out, the latitude of the comet must have been south, while as the sun was in 25° of Aquarius, it could hardly be less advanced than 10° or 12° of Pisces to be seen in the evening after sunset. Thence, about February 16 or 18, it moved to the western quarter of the heavens, and after many days had elapsed, as Pigné records: "La comète parut du côté du septentrion vers l'occident: sa queue, semblable à une grand poutre, regardoit la partie du ciel qui est entre le septentrion et l'orient; on la voyoit jusque vers le milieu de la nuit. Durant vingt-cinq jours elle brilloit de la même manière à la même heure." Williams, in his account of comets mentioned in the Chinese annals, has a notice of the one in question. In the reign of Hwuy Tsung, the 5th year of the epoch Tsung Ning, the 1st moon, day Woo Seuh (1106, February 10), a comet appeared in the west. It was like a great Pei Kow (a kind of vessel or measure). It appeared like a broken-up star. It was 60 cubits in length and 3 cubits in breadth. Its direction was to the north-east: it passed the sidereal division Kwei (determined by β , δ , ϵ Andromedæ and stars in Pisces), and through the divisions Lew (determined by α , β , γ Arietis), Wei (by the three stars of Musca), Maou (by the Pleiades), and Peih (by α , γ , δ , &c., Tauri). It then entered the clouds and was no more seen. Williams, doubtless influenced by this last expression, and the object having been said to resemble a broken-up star, and probably overlooking the presence of the comet recorded by the European historians in the same part of the sky, adds: "This appears to have been a large meteor, as it seems to have been seen for a short time only." But there can be little hesitation, we think, in identifying the body remarked in China with the European comet, its track through the constellations, as given by Williams, which agrees with Gaubil's manuscript, representing very satisfactorily the particulars found in the European chronicles.

In 1843 Laugier and Mauvais, reducing their elements of the great comet of that year to 1106, and assuming the perihelion passage to have taken place on February 3, found the following geocentric track.

Feb. 4, Long. 324, Lat. - 3	Feb. 16, Long. 4, Lat. - 23
7, " 335, " - 10	March 5, " 40, " - 28
10, " 345, " - 16	25, " 60, " - 27

And they conclude, "en admettant que la comète de 1106 est une apparition de la comète de 1843, toutes les observations sont satisfaites." It is not easy to see how such an inference can have been drawn in face of the circumstances mentioned by the historians during the later period of the comet's visibility, when it was seen to the north of west, with a tail extending towards the north-east; a condition wholly incompatible with the elements of the comet of 1843, which body did not remain on the northern side of the ecliptic so long as three hours. On reducing Hubbard's parabola of 1843 to 1106 we have the following positions, assuming perihelion passage February 3'5 G.M.T.:—

G.M.T.	Long.	Lat.	Log. r.	Log. Δ .	Intensity of Light.
Feb. 4, 0 ...	322'9 ...	- 1'7 ...	8'8080 ...	9'9704 ...	277'6
19, 8 ...	12'6 ...	- 25'1 ...	9'8377 ...	9'9543 ...	2'6
March 25, 12 ...	60'3 ...	- 27'3 ...	0'1725 ...	0'2619 ...	0'13

These places are in agreement with those found by Laugier and Mauvais; that for March 25 corresponds to R.A. 63°7, Decl. - 6°4.

It is well known that the comet of 1106, with better reason, was long supposed to be identical with the famous comet of 1680. That point has been discussed elsewhere. Our object now, since the possibility of the identity of the comet of 1106 with that of 1880 and 1843 has been again mooted, is to draw attention to the main difficulty that exists in the acceptance of the idea.

PHYSICAL NOTES

M. ANTOINE BREGUET, at a lecture upon Recent Advances in Telegraphy, exhibited some ingenious apparatus illustrating the principles of the duplex and quadruplex telegraph, the actions of the electric currents being most successfully represented by the flow of water in tubes.

PROF. CARMICHAEL describes, in the *American Journal of Science*, a device for rendering the sonorous vibrations of a flame visible to a whole audience. He passes coal-gas through a König's manometric capsule, and then leads it by a tube into a burner inclosed in a small mica cylinder or lantern, which is rotated either in a vertical or a horizontal plane. The ring of light thus produced is broken up by the sonorous vibrations into a serrated form, the forms of the serrations varying with the nature of the sound. To increase the brilliance of the light the gas is previously passed over a sponge soaked in some volatile hydrocarbon such as "gasoline" or "benzoline," and oxygen is also supplied into the mica lantern. A shrill whistle produces very fine serrations invisible thirty feet away. The human voice at ordinary loudness produces serrations two or three inches deep round the ring. A modified capsule placed upon the various parts of a vibrating body serves to investigate their modes of vibration, nodal points, &c.

SOME curious experiments on the magnetic behaviour of elder-pith have lately been made by M. Ader. Pith-balls placed in a powerful magnetic field are strongly attracted.

PROF. ROWLAND contributes a long and careful memoir upon thermometry and the mechanical equivalent of heat to the *Transactions of the American Academy of Arts and Sciences*. His results differ by about '25 per cent. from the accepted numerical determinations of Joule's equivalent. Amongst other matters noticed in this memoir is an alleged decrease in the specific heat of water at higher temperatures.

A CONTEMPORARY gives the following method of illustrating the indestructibility of matter:—Two sealed glass tubes of equal weight, one of them containing oxygen and a little powdered charcoal, are prepared. The charcoal may be caused to burn away completely by heating it by means of a small flame. On placing the two tubes on a balance it will be seen that there has been no variation in weight.

THE process of electrodeposition is now finding a useful application in the production of bronze statuary, where it promises to supersede the process of casting. The Electrometallurgical Company of Brussels have just produced a colossal statue of Van

Eyck by the deposition of copper electrically upon the clay model. The production of bronzes may be readily carried out on a small scale by the following process communicated to the *Natural History Journal*, and which possesses some elements of novelty. Take any plaster figure or group, boil in sterine, then blacklead and plunge in a copper bath. Attach a very weak battery, and deposit very slowly a *thin* coating of copper. Now remove from the bath, and bake in an oven until the plaster model shakes out in dust. You have now a very thin copper reproduction of your model. Varnish this outside so as to prevent the further deposition, and replace in the bath. The copper will now be deposited on the inside surface, and you can thicken up to any desired point. For this second process a much stronger battery may be used.

MM. LECLERC and Vincent have described to the Physical Society of Paris an electrical instrument which will automatically record the notes played upon a piano. It can be adapted to a piano of any construction.

CLÖE's thermoelectric pile has been recently improved by an addition which obviates the injurious effect of sudden and excessive heating of the junctions arising from alteration in the pressure of the gas. This safety-apparatus consists of a small glass vessel about half filled with water, and closed by a cork stopper, through which pass two tubes, one going to the bottom and being a branch of the tube by which the gas comes to the pile, while the other is shorter, and conducts any gas that may pass through it from the vessel to a gas-burner on another branch constantly lit. If the pressure of the gas is weak the water closes the mouth of the longer tube; if it increases the gas issues in bubbles in the liquid and rises through the shorter tube to the gas jet, where it is lit. The arrangement is a sort of safety-valve, and prevents the pressure from exceeding a certain amount, which is regulated at will.

M. MARCEL DEPRez has devised an ingenious apparatus for transmitting a movement of rotation by electricity. The apparatus is composed of a transmitter and a receiver. The transmitter consists of two ordinary split-collar commutators set upon a common axis, but adjusted at right angles to each other. The receiver consists of two longitudinal armatures carrying coils of wire as employed in the earlier Siemens' magneto-electric machines. These also run on a common axis and in positions at right angles to one another: and they are placed in the magnetic field between the poles of a permanent magnet. Currents generated by a battery pass through the transmitter and are conveyed by wires to the receiver. For every position of the axis of the transmitter there is one position—and one only—of stable equilibrium for the axis of the receiver. Hence the axis of the receiver follows all the movements of the transmitter; turns at the same rate and in the same direction as the transmitter may be turned; and makes the same number of revolutions precisely to within a quarter of a revolution.

GEOGRAPHICAL NOTES

THE new number of the Geographical Society's *Proceedings* is chiefly occupied with a narrative of Lieut. G. T. Temple's voyage on the coasts of Norway and Lapland, illustrated by a map on which the depths of the ocean are well shown in colour, and by Mr. E. Hutchinson's account of Mr. Ashcroft's ascent of the River Binué last August, with remarks on the systems of the Rivers Shary and Binué. With the latter paper is given a reduction of Mr. Flegel's map of the Upper Binué from his own surveys, recently issued by Hellfarth of Gotha. An interesting letter from Mr. Thomson is afterwards given, furnishing information as to the progress of the East African Expedition. Among the geographical notes may be mentioned a summary of the most recent rumours respecting Prejevalsky and a description of routes from Dzungaria into Tibet. There is also an account of a visit paid by Mr. Woolley, of the Consular service, to the Island of Tsushima and Corea, and of the Rev. J. Chalmers's recent explorations in the interior of New Guinea, in the course of which he traversed a considerable extent of previously unknown country. The notes are followed by a communication on the "Tal-Chotiali Route from India to Pishin and Candahar," furnished by Mr. G. W. Vyse, who was attached to the Tal-Chotiali Field Force, in correction of previous statements made respecting this route.

By a note received on April 28 we learn that the Howgate Arctic Expedition Bill passed the House of Representatives at

Washington on the 15th inst., and has gone to the Senate for final action. "This is a great step in advance, and augurs well for Government aid to the Expedition."

UNDER the title of "La Exploradora" an association has been formed in Spain, through the instrumentality of Señor Don Manuel Iradier, for the exploration and civilisation of Central Africa, and in furtherance of its objects commenced the publication of a *Boletín* in March. This association proposes to despatch an expedition from the west coast with what appears to be a somewhat ambitious programme. Its starting-point would be the Bay of Corisco, whence it would traverse the Sierra de Cristal, and afterwards march by way of Mount Onschiko and the River Eyo towards Lake Albert. If successful so far, it would then visit Mount Gambaragara, in the Usongora range, to study the peculiar population said to be found there. Then, turning in a north-westerly direction, it would make its way back to the Gulf of Guinea by Lake Liba and the Cameroons River. It is proposed that this expedition should start at latest during the month of June, but we are not aware whether the necessary funds for its journey of fourteen months have been provided. In the course of their march it is intended that the members of this expedition should devote themselves to the study of all the important problems yet unsolved in the central region of the African continent, and especially whether there be any connection between Lake Liba and the rivers Shary and Binué.

It is stated that the Comte de Semellé is about to return to Africa, in order to undertake an exploring expedition up the river Binué.

DR. REGEL, director of the Imperial Botanical Garden of St Petersburg, gave an account of the Flora of Turkestan at a recent meeting of the St. Petersburg Horticultural Society. Turkestan may be divided into two distinct parts—the west, with a very mild climate, and the east, the climate of which is almost that of St. Petersburg. The flora of Turkestan is exceedingly varied, much resembling that of Central Asia; plants proper to the climate of Europe grow there in small numbers. The eastern part abounds in Alpine specimens, and in general its vegetation approaches that of Europe, although quite as often plants are met with which are the sole product of Central Asia. Turkestan possesses neither lily nor tulip, and has very few conifers.

LAST week we referred to Mr. E. Whympers mountaineering exploits in South America. Some further details are given by Mr. Whympers himself in a letter to Mr. F. F. Tuckett in Tuesday's *Times*. It is dated from Quito, March 18. He says:—"You will be glad to hear that I have succeeded in polishing off Chimborazo, Corazon, Sincholagna, and Antisana. We have also passed twenty-six consecutive hours on the top of Cotopaxi. This last I reckon a feat, and I am not aware that any one has ever before encamped at so great an altitude as 19,500 feet. Antisana is the most difficult of those we have been up, and few more difficult ascents have ever been made. We are now going off to Cayambe, the mountain on the Equator, and shall try on the same journey to polish off Saranen and Cotocachi. Cayambe is thought to be an active volcano, but it is not certain that this is the case, neither is its height well determined. The height of Saranen is not known, but it is high. Cotocachi is the volcano which destroyed Ibarra some years ago, and is reputed to be 16,300 feet high. We have grown out of being affected by rarefaction of the air, and can be quite gay and lively at 19,000 feet. At first I was fairly knocked over by it, and was rendered quite incapable. The Carrels also were nearly as bad. The climate of Ecuador is the most utterly abominable that can be imagined. We have not had one single day fine from beginning to end, and not one view from a mountain top. An hour of clear weather from 6 to 7 a.m. is the most you can reckon on, and after that everything is bottled up in a mist. We carry about mercurial barometers everywhere, and boil water to an extent that would delight your heart."

IN the May number of their *Chronicle* the London Missionary Society announce the departure, on April 16, of a new expedition for East Central Africa, to reinforce the weakened and scattered party now there. The Rev. A. J. Wookey goes to join Mr. Hore at Ujiji, the Rev. D. Williams to Urumbo, where Dr. Southon now is, and Mr. W. S. Palmer, a medical missionary, to Uguha, where, we presume, he will be stationed at Mtowa, near the Lukuga Creek.

IN their just-issued eighty-eighth Report the Committee of the Baptist Missionary Society summarise the efforts of their

Congo Expedition to reach Stanley Pool by way of San Salvador and Makuta. Owing to tribal jealousies, the Makuta route has had to be given up, but fresh efforts are now being made to discover some other route to the Upper Congo by Zombo or Sanda; or should these prove unfavourable, to strike out an altogether new road, and so to reach Stanley Pool over hitherto untrodden ground. By latest advices it seems probable that they may be able to get there by Sanda (about two days' journey from Makuta), where Messrs. Comber and Crudgington have been well received, and have been allowed to establish a station.

A "THÜRINGER WALD" Club, similar to the various Alpine clubs, has recently been formed at Eisenach. An "Erzgebirge" Club is in course of formation at Joachimsthal (Bohemia). A Saxon Club for the closer investigation of the last-named mountain chain has existed for several years; also a "Rhöngebirge" Club. These clubs do great service to tourists and the general public, and would be well worth imitating in our own mountain districts.

MR. STANFORD has issued three nicely-printed maps in which the results of the recent elections are very clearly shown for England, Scotland, and Ireland. The maps have been designed by Miss E. Shaw-Lefevre.

MR. STANFORD has just published a "Geography for Little Children," by Mrs. Zimmern, which in a very simple and interesting way attempts to show the use of a map and teach some of the elementary points of physical geography. Its numerous attractive and quite original illustrations are an important feature. We have also received the forty-fifth edition of Cornwell's "Geography for Beginners."

SCIENTIFIC SERIALS

THE *Journal of Anatomy and Physiology, Normal and Pathological*, vol. xiv. Part 3, April.—Prof. Turner, the structure of the comb-like branchial appendages, and of the teeth of the basking shark (*Selache maxima*) (with a plate).—Dr. G. Thin, on the ganglion-cells of the elephant's retina.—Dr. J. H. Scott, on the structure of the style in the tongue of the dog.—Dr. A. H. Young, on the anatomy of the Indian elephant.—Dr. C. Creighton, illustrations of the pathology of sarcoma, from cases of subcutaneous cystic tumours (three plates).—Dr. Dreschfeld, on a peculiar form of liver tumour (with a plate).—On a case of cerebellar tumour (with a plate).—Dr. T. Oliver, post-mortem in a case of extreme obesity.—Prof. J. Young, on the head of the lobster (with a plate).—W. S. Richmond, new abnormalities of the arteries of the upper extremity, with a plate.—Dr. R. J. Anderson, abnormal arrangement of the thyroid arteries (with a plate).—On a variety of the mylo-pharyngeus and other unusual muscular abnormalities.—Drs. P. M'Bride and A. Bruce, the pathology of a case of fatal ear-disease (with a plate).—Dr. F. Shepherd, notes on the dissection of a case of congenital dislocation of the head of the femur.—J. D. Brown, abnormal cystic artery.—Anatomical notes.

Journal of the Royal Microscopical Society, vol. iii. No. 2, April, 1880.—A. D. Michael, a further contribution to the knowledge of British Oribatidæ, Part 2, with the assistance of C. F. George (two plates).—Dr. Lionel S. Beale, annual address as president.—J. W. Groves, on a means of obviating the reflection from the inside of the body tubes of microscopes, with suggestions for standard gauges for the same and for sub-stage fittings.—A. Nacet, on a petrographical microscope.—The record of current researches relating to invertebrata, cryptogamia, microscopy, and bibliography.—Proceedings of the Society.

Revue Internationale des Sciences, April.—M. Gilkinet, on the development of the vegetable kingdom in geological times.—A. de Bary, on apogamous fungi, and on apogamy in general.—R. Blanchard, on striated muscles in the monomyary acephalous mollusks, and on the peritoneum of Seba's python.

THE *American Naturalist*, vol. xiv., No. 3, March.—G. Macloskie, the proboscis of the house-fly.—E. Coues, sketch of progress in mammalogy in the United States in 1879.—E. D. Cope, a review of the modern doctrine of evolution, being an abstract of a lecture delivered before the Californian Academy of Sciences (with several cuts of crania of Anura).—E. A. Smith, a paper concerning amber.—Notes on recent literature, General Notes, and Scientific News.

No. 4, April.—W. S. Barnard, protoplasmic dynamics (an

attempt to find a clue "to the mode in which molecular movement is transformed into the movement of masses").—C. S. Minot, a sketch of comparative embryology (II., the fertilisation of the ovum).—C. A. White, on the progress of invertebrate palæontology in the United States for the year 1879.—E. D. Cope, a review of the modern doctrine of evolution (concluded).—A. J. Cook, on the tongue of the honey-bee.—Notes on recent literature, General Notes, Proceedings of Scientific Societies.

Verhandlungen der k. k. zoologisch-botanischen Gesellschaft in Wien, vol. xxix. Part ii., June to December, 1879, Vienna, 1880, contains, besides list of members and minutes of the Proceedings, the following memoirs:—Otto Bohatsch, supplement to the lepidopterous fauna of Syria.—H. Wichmann, the minute anatomy of the seeds of *Aleurites triloba*, Forst. (two plates).—Dr. J. Csokor, on the pimple mite, and on a new variety of the same occurring in swine (*Demodex phylloides*), one plate.—H. Leder, contribution to the coleopterous fauna of the Caucasus.—S. Schulzer, mycological notes, iv.—E. Reitter, the synonymy of coleoptera; contributions to a knowledge of the European Pselaphidæ and Scydmanidæ: on new coleoptera from South-West Russia; on Spelæodytes, Mill.—Dr. H. Loew, analytical table to determine the North American species of Pachyrhina, a genus of Tipulidæ.—C. R. Osten-Sacken, the Tanyderina, a remarkable group of the Tipulidæ.—F. von Thümen, two new leaf-frequenting ascomycetes, from Vienna.—A. von Pelzeln, on a fifth package of birds from Ecuador; on Dr. Breitenstein's collection of beasts and birds from Borneo.—Dr. F. Löw, notes on Psyllodidæ (with a plate); descriptions of new gall-insects, with notes on some species already known.—Dr. R. Bergh, contributions to a monograph of the Polyceridæ (with six plates).—W. Voss, materials towards a knowledge of the fungi of Carniola.—Dr. G. Mayr, on the ichneumon-wasp of the genus *Telenomus*.

THE *Zeitschrift für wissenschaftliche Zoologie*, xxxiv. Band, Heft 1, March.—Dr. Ernst Nauck, on the masticatory apparatus of the Brachyura, with a plate and woodcuts.—Dr. Hubert Ludwig, on *Asthenosoma varium*, Grube; and on a new organ in the Cidaridæ, with two plates and woodcut. Describes three specimens from the Museum Godeffroy, one possibly a variety of *A. varium*, or possibly a new species, and describes five sac-like organs which lie, like the radial Y-shaped manubria (Gabelstücke), in the plane of the ambulacra. These he calls the cœcal sacs (Blindsacke) of the masticatory apparatus. Each cœcal sac consists of a thin membrane, stiff with calcareous spicules; right and left of each of these there lie two other blind appendages, but very much smaller; they were first detected in *Cidaris tribuloides*, but were also found in *C. melularia*, *Dorocidaris papillata*, and *Goniocidaris canaliculata*. A slight trace of their existence was found in *Diadema setosum*, but they were quite absent in the families Echinometridæ and Arbaciadæ.—Prof. Dr. P. Langerhans, on the worm fauna of Madeira; part 3, with three plates (to the end of the Nemertean).—The same, on the Madeiran Appendicularia.—Dr. H. von Ihering, on *Graffilla muricicola*, a new parasitic Rhabdocœlian, with a plate (found in the kidney of *Murex trunculus* and *M. brandaris*, both at Naples and Trieste).

THE *Revue des Sciences Naturelles*, 2e série, tome 1, No. 4, March 15.—Dr. A. Godron, on the axillary buds and branches in the Gramineæ.—L. Tillier, essay on the geographical distribution of marine fishes (conclusion).—S. Jourdain, on the morphology of the early stage of the generative organs of *Helix aspersa*, with a plate.—M. Leymerie, sketch of the Pyrenees of the department of Aude (in continuation), with a plate.—A. Sabatier, the law of the correlation of forms and intermediate types.—E. Dubrueil, catalogue of the land and fluviatile mollusca of the department of Hérault (conclusion).—Review of recent French works on zoology by Messrs. Jourdain, Rouzard, and Dubrueil, and on botany and geology by M. Dubrueil.

Rivista Scientifico-Industriale, March 15.—Note on electricity and earthquakes, by Prof. De Bosis.—Researches on the diathermanous power of films of soapy water, by Prof. Marangone.

Archives des Sciences Physiques et Naturelles, March 15.—Swiss geological review for 1879 (continued), by M. Favre.—Enigmatic descriptions of natural groups, by M. de Candolle.—New observations on philippium, by M. Delafontaine.—On decipium and its principal compounds, by the same.—Earthquakes and their scientific study, by M. Heim.—On the density of chlorine at high temperatures, by M. Crafts.

SOCIETIES AND ACADEMIES

LONDON

Royal Society, April 22.—“Effects of Electric Currents on the Surfaces of Mutual Contact of Aqueous Solutions.” By G. Gore, LL.D., F.R.S.

In the year 1859 I made the following experiments, for the purpose of ascertaining whether visible movements, similar to those obtained by passing an electric current through mercury and an aqueous solution, could be obtained by passing a current through the surface of mutual contact of two aqueous liquids alone:—“1. A definite layer of oil of vitriol was placed beneath a layer of distilled water weakly acidulated with sulphuric acid, and the terminal wires of a voltaic battery immersed in the upper liquid; no visible movements occurred at the boundary line of the two liquids.

“2. A dense solution of cyanide of potassium was placed in a small glass beaker, a few particles of charcoal sifted upon its surface, and a layer of aqueous ammonia, half an inch deep, carefully poured upon it. A vertical diaphragm of thin sheet gutta-percha was then fixed so as completely to divide the upper liquid into two equal parts; the vessel was placed in a strong light, and two horizontal platinum wire electrodes, from sixty-six freshly-charged Smee's cells, were immersed one-eighth of an inch deep in the liquid ammonia on each side of the diaphragm. A copious current of electricity circulated, but no movement of the liquids at their mutual boundary line could be detected” (see *Proc. Roy. Soc.*, vol. x., 1860, p. 235, par. 9).

Recently, also, I have made similar experiments, but in a much more searching manner, in order to ascertain whether an electric current, passing between two aqueous liquids, affects their diffusion into each other. The essential difference in the form of these experiments from that of the above-mentioned ones was to concentrate the action of the current upon a very much smaller surface of contact of the liquids, and thus render any visible effect upon their diffusion more manifest.

After making several forms of apparatus, in order to obviate certain difficulties of manipulation which arose and were fatal to success, I found that, when an electric current was passed between the surfaces of mutual contact of certain aqueous solutions of different specific gravities, the boundary line of contact of the two liquids became indefinite at the surface where the current passed from the lighter into the heavier solution, and became sharply defined where the current left the heavier liquid and re-entered the lighter one; and that on reversing the direction of the current several times in succession after suitable intervals of time, these effects were reversed with each such change. Also, in various cases in which the contiguous boundary layers of the two liquids had become mixed, the line of separation of the two solutions became, by the influence of the electric current, as perfect as that between strata of oil and water lying upon each other. In rarer cases two such distinct lines of stratification appeared. Other new phenomena were also observed.

As I have sought, without success, for any record of previous discovery of essentially similar effects, and as it is evident that those I have observed belong to a large class of similar phenomena, I beg leave to take the earliest opportunity of submitting this brief statement to the Royal Society.

“Revision of the Atomic Weight and Valence of Aluminium,” by J. W. Mallet, F.R.S.

The general mean from all the experiments, if all be included, is $Al = 27.032$, with a probable error for this mean of $\pm .0045$. If Series I, B, be excluded, the mean of all the remaining twenty-five experiments is $Al = 27.019$, with a probable error of $\pm .0030$.

The general result adds, the author hopes, aluminium to the, unfortunately still limited, list of those elementary substances whose atomic weights have been determined within the limits of precision attainable with our present means of experiment.

This result also adds one to the cases already on record of the numbers representing carefully determined atomic weights approaching closely to integers, and leads the author to say a word on the reconsideration of “Prout's Law.” Taking the following eighteen elements as the only ones of which the atomic weights may be fairly considered as determined, with reference to hydrogen, with the greatest attainable precision, or a near approach thereto, namely, oxygen, nitrogen, chlorine, bromine, iodine, sulphur, potassium, sodium, lithium, silver, thallium, aluminium, carbon, phosphorus, barium, calcium, magnesium, and lead, and making a reasonable allowance for the errors of

the determinations, he calculates the probability that nine of those numbers should lie, as they are found to do, within 0.1 of integers, supposing the value of the true numbers to be determined by chance, and finds it only as 1 to 235². The exact figure for the chance will of course depend upon the limit of error taken; but the above example seems sufficient to show that not only is Prout's law not as yet absolutely overturned, but that a heavy and apparently increasing weight of probability in its favour, or in favour of some modification of it, exists, and demands consideration.

Chemical Society, April 15.—Prof. H. E. Roscoe, president, in the chair.—The following papers were read.—On the lecture illustration of chemical curves, by E. J. Mills. The author has contrived an apparatus for exhibiting the variations in the actions of sulphuric acid on zinc and sodic hydrate on aluminium, produced by alterations (1) in the strength of the solution, (2) in the time during which the action is allowed to proceed. The gas evolved is collected in a series of inverted glass cylinders filled with water, arranged at equal distances. The surfaces of the water levels after the gas has been collected form a curve.—On the analysis of organic bodies containing nitrogen, by W. H. Perkin (continued). The author finds that a mixture of precipitated manganic oxide and potassium chromate (containing 10 per cent. of bichromate) in about equal parts kept at a temperature of 200°–250° C. is preferable to the chromate alone for absorbing the oxides of nitrogen.—On the volatilisation of solids in vacuo, by W. D. Herman. The author has obtained adamantin colourless transparent crystals of phosphorus by volatilising ordinary phosphorus in vacuous glass tubes in the dark. The crystals may be as long as 8 mm.; they turn red in sunlight. Similar experiments have also been made with sulphur, selenium, &c.—On the determination of nitric acid as nitric oxide by means of its reaction with ferrous chloride, by R. Warington. The author describes an apparatus for the above purpose. The air is expelled by carbon dioxide, the nitrate heated by a calcium chloride bath to 135° C., and the nitric oxide measured as gas; organic matter does not affect the results.—On the six possible isomeric dibromtoluols and other of the bromo- and bromonitro derivatives of toluol related thereto, by R. Neville and A. Winther. The authors criticise the results of Wrobleosky, *Jahr.*, 1870, 528, and 1871, 450, and establish the conclusion that in such bodies the bromine never occupies a position which is “meta” to the amido group.

Zoological Society, April 20.—Prof. W. H. Flower, F.R.S., president, in the chair.—Prof. Owen, C.B., read descriptions of some new and rare Cephalopoda, to which were added notes on the occurrence of gigantic species of this group.—A second paper was read by Prof. Owen on the external and structural characters of the male of *Spirula australis*.—Dr. M. Watson read a paper on some points in the anatomy of the Proboscidea, in which he described the structure of the female organs of the Indian elephant, as observed in a specimen recently dissected.—Lieut.-Col. H. H. Godwin-Austen read a paper on the land-molluscan genus *Givasia* of Gray, and made remarks on its anatomy and on the form of the “*capreolus*” of Lister or the spermatophore, as developed in species of this genus of Indian Helicidae.—A communication was read from Dr. Max Schmidt on the duration of life of the animals in the Zoological Garden of Frankfurt-on-the-Main.—A communication was read from the Rev. O. P. Cambridge, C.M.Z.S., containing descriptions of new or little-known spiders of the genus *Argyrodus*.—A communication was read from Mr. Edgar A. Smith containing an account of a collection of the shells of Lake Tanganyika, and of the neighbourhood of Ujiji, Central Africa, made by Mr. E. C. Hore, of the London Missionary Society. Twenty-one species were represented in this collection, amongst which were two new generic forms proposed to be called *Tiphobia horei* and *Neodauma tanganyicensis*.

Geological Society, April 14.—Robert Etheridge, F.R.S., president, in the chair. Colville Brown, John N. Dufty, and George Benjamin Nichols were elected Fellows of the Society.—The following communication was read:—On a new Theriodont Reptile (*Chorhizodon orenburgensis*, Twelvetr.) from the Upper Permian Sandstone of Kargalinsk, near Orenburg, in South-Eastern Russia, by W. H. Twelvetrees, F.L.S. The above measures are cupiferous, and rest on limestone with Zechstein fossils. Associated with the remains of Saurians and Labyrinthodonts are *Calamites*, *Lepidodendron*, *Aroides crassispatha*, Conifers, and a *Urtica*. The specimen noticed in this

paper is apparently the dentary part of the left mandibular ramus, with the crowns of a canine, an incisor, and ten of the molars. The author describes the characteristics of these and the mode of implantation in the jaw, which accords with that described by Prof Owen in *Titanosuchus ferox*. The characters of this specimen resemble those of the genus *Rhopalodon*; but as there are some marked differences, the author proposes to name it *Chlorhizodon orenburgensis*.—The classification of the Tertiary period by means of the mammalia, by Prof. W. Boyd Dawkins, F.R.S., Professor of Geology in Owens College. The author, after some introductory remarks on the value of vertebrata and invertebrata in classification, pointed out that the mammalia become of especial value in the Tertiary period as undergoing more rapid change than the other classes, from their being, as it is happily termed, *en pleine evolution*. He discussed the characteristics of each of the great periods, as defined and limited by their mammalia, pointing out that throughout the Eocene these frequently exhibit relations more or less marsupial. Indeed it is not till the close of the Lower Miocene that the traces of this relationship are lost. In the Middle Miocene, *Sus*, *Cervus*, *Antelope*, *Felis*, *Lutra*, and *Castor* appear for the first time, and the higher apes were present in European forests. In the Upper Miocene, *Camelopardalis*, *Gazella*, *Hyæna*, and *Hystrix* appear. During the Pliocene several important genera disappear from the world or from Europe—among the latter the apes, at the close of the Upper Pliocene. Oxen, horses, bears, and elephants appear. Great changes took place in the Pleistocene; seven species survived into it which are now extinct, and of new-comers there were fourteen living and seven extinct species. *Cervus megareros* is the sole survivor from the Pleistocene to the prehistoric period which has since become extinct. The paper concluded with some remarks on the latter part of the first and the second period, which, however, as forming the subject of previous notices, was treated more briefly. The author remarked that a study of the development of the mammalia renders it hopeless to expect to find man in the Eocene or Miocene, and improbable in the Pliocene.

Anthropological Institute, April 13.—Major-General A. Lane Fox, F.R.S., vice-president, in the chair.—The director read a paper on Fijian Burial Customs, by the Rev. Lorimer Fison. There is no uniformity of custom in Fiji, so that no description of what is done by any one tribe can be taken as applicable to all the others. The strangling of widows, however, that they might be buried with their dead husbands, seems to have been everywhere practised. The widow's brother performs the operation, and is thenceforward treated with marked respect by his brother-in-law's kinsfolk, who present him with a piece of land over which the strangling-cord is hung up. Should he, however, fail to strangle his sister, he is despised and ashamed to show his face. When a woman is about to be strangled she is made to kneel down, and the cord (a strip of native cloth) is put round her neck. She is then told to expel her breath as long as possible, and when she can endure no longer to stretch out her hand as a signal, whereupon the cord is tightened, and soon all is over. It is believed that, if this direction be followed insensibility ensues immediately on the tightening of the cord; whereas if inhalation has taken place, there is an interval of suffering. An excuse for the practice of widow-strangling may be found in the fact that according to Fijian belief, it is a needful precautionary measure, for at a certain place on the road to Mbulu (Hades) there lies in wait a terrible god, called Nangga-nangga, who is utterly implacable towards the ghosts of the unmarried. He is especially ruthless towards bachelors, among whom he persists in classing all male ghosts who come to him unaccompanied by their wives. Turning a deaf ear to their protestations, he seizes them, lifts them above his head, and breaks them in two by dashing them down on a projecting rock. Women are let off more easily. If the wife die before her husband, the widower cuts off his beard and puts it under her left armpit. This serves as her certificate of marriage; and, on her producing it to Nangga-nangga, he allows her to pass. On the island of Vanua Levu a noted "brave" is distinguished from the common herd after death by being buried with his right arm sticking out above the grave-mound, and passers-by exclaim with admiration as they look upon the fleshless arm, "O the hand that was the slayer of men!" For some days after the decease of a ruling chief, if his death be known to the people, the wildest anarchy prevails. The idea seems to be that not until decomposition may be supposed to have made considerable progress is the dead man fairly done with,

and his authority handed over to his successor. Hence the death of a ruling chief is studiously concealed for a period varying from four to ten days. By many tribes the burial-place of their chief is kept a profound secret, lest those whom he injured during his lifetime should revenge themselves by digging up and insulting, or even eating, his body. Hence the surface sods are raised with extreme care, in order that they may be replaced with as little derangement as possible. Cave burial is common in Fiji, although by no means universal; in some cases artificial caves are made, either in the side of a hill, or by sinking a perpendicular shaft, and then putting in a "side drive," as the Australian gold-diggers call it; this forms the grave, and here the chief lies with his strangled women under him. A stone closes the entrance of the chamber and excludes the earth when the shaft is filled up. On the death of the king of the Nakelo tribe three old men come, with fans in their hands, and conduct the spirit to the banks of the river. Here they call upon Themba—the Nakelo Charon—to bring over his canoe, and wait until they see a wave rolling in towards the shore, which they say is caused by the approach of the invisible canoe; they then avert their faces, point their fans suddenly to the river, cry aloud, "Go on board, sir," and forthwith run for their lives, for no eye of living man may look upon the embarkation. The grave is dug about hip-deep, the body laid in it, and an old cocoanut is broken by a blow with a stone, being so held that the milk runs down upon the head of the corpse. The meat of the nut is then eaten by the three elders, and the grave is filled up.—A paper on the Polynesian Race, by C. Staniland Wake, M.A.I., was read. The author proposed to show, first, that the Polynesian Islanders must be described as a bearded rather than a non-bearded race, and secondly, that, as a rule, they are well acquainted with the use of the bow and arrow, and quoted the observations of numerous travellers in support of his view.—Major-General A. Lane Fox, F.R.S., exhibited some paintings and bead mats, the work of Bushmen.

Physical Society, April 24.—Prof. W. G. Adams in the chair.—New members:—The Marquis of Blandford, Mr. J. Marshall.—Prof. G. C. Foster read a note by Prof. Rowland, of Baltimore, U.S., on the discovery of Mr. Hall that a magnet exercises an electromotive on a current in a conductor crossing its field, as well as a force on the conductor itself. This fact will render it necessary to apply a correction to equations which assume that only the latter force acts. The electromotive force in question is at right angles to the direction of the current and to the lines of magnetic force. Prof. Rowland expresses it mathematically in this note, and bases a new method of determining the value of v , the ratio of the electrostatic to the electromagnetic unit of electricity, which gives v almost identical with the velocity of light, thus confirming Clerk-Maxwell's theory of the nature of light. Dr. J. Hopkinson, F.R.S., suggested an expression for one of Prof. Rowland's results.—Prof. Foster also read a note by Prof. Wild, of the Central Russian Meteorological Observatory, on a mode of correcting the bifilar magnetometer for torsion of its fibres, &c., and a method for finding the horizontal component of the earth's magnetism by its aid.—Mr. Ridout, F.C.S., described an improved thermo electric apparatus of his construction. The author has followed the idea of combining the thermopile and galvanometer in one instrument on the same base-board. The defects of the apparatus as ordinarily made are a too great disparity between the resistance in the pile and in the galvanometer; the junctions of the pile are too deep, and short-circuit the current; the bars too long and resisting, as well as too numerous; the junctions too slender; the mass of matter to be heated too great. These defects are remedied by placing the bars in glass tubes connected with these plates of copper; making the bars half the usual length, and using only a single pair. The defects in the galvanometer are that the wire does not come near the needle; the needles are not of the best form, and the suspension is troublesome. Mr. Ridout makes the wire a flat ribbon mounted on one bobbin; the needles are flat oblong plates from the same piece of steel, and magnetised in one piece; they are mounted on a pivot turning in an agate cup. The several parts of the apparatus are mutually adapted to each other; and in using it the galvanometer is not joined to the pile till the latter has been exposed to the heat, so as to prevent the current generated abstracting heat from the hot side. As made by Mr. Browning, the pile consists of a pair of elements $\frac{1}{2}$ in. long, the copper connections being circular plates $\frac{1}{4}$ in. thick and $\frac{3}{8}$ in. diameter. The pile is supported by thick copper terminals

above the galvanometer, which consists of a copper ribbon making some twenty turns round a pair of astatic needles 1 m. long and $\frac{1}{4}$ in. broad, pivoted in an agate cup. A contact-key is placed on one side, and the whole is inclosed in a glass shade perforated opposite the pile. A glass cone protects the front from extraneous heat, and a glass case the back. A directing magnet is fixed above the pile. Contact between the galvanometer and pile is made after (say) 30 seconds' exposure to the heat. The pile is affected by a person standing six feet from it, and the radiation from stellar space is evident in clear weather. Half a minute is sufficient to put the instrument ready for use.—Mr. Ridout also exhibited laboratory experiments showing cohesion in mercury by causing it to overflow up an inclined trough; electrolysis of water by a single Grove or bichromate cell, through diminishing the pressure in the flask containing the water by boiling it and condensing the vapour on cooling; a differential thermometer showing absorption of heat on liquefying solids; and the production of musical notes in glass tubes by contracting the bore smoothly to about $\frac{1}{4}$ of the diameter at one part. Prof. Foster remarked that the cohesion experiment might show the surface-tension. Prof. Guthrie and Prof. Hughes offered remarks on the electrolytic experiment, the latter stating that he finds the resistance of an iron cell he has constructed to depend on the electrodes rather than the liquid; when the negative plate is tempered iron the resistance is low, when soft iron it is high.—Prof. Stone exhibited photographs of König's new tonometer described by him at the last meeting, and further mentioned that König had devised a thermometer based on the principle that changes of temperature produce corresponding changes in the vibration rate of a tuning-fork. The temperature is found from the rate of the fork by bringing it to a zero rate by means of a rider.—Prof. Michin then described his experiment to solve the problem of transmitting light by photo-electric action. Two years ago he conceived the idea of employing for this purpose the fact that light falling on a sensitised silver plate disengages electricity. He forms a sensitive cell composed of two silver plates immersed in a conducting solution; one plate is coated with a sensitive emulsion of chloride or bromide of silver. When chloride is used, a solution of salt in water forms the liquid; when bromide, a solution of bromide of potash. A current is set up in the cell even in the dark, but when exposed to the magnesium light the current is very powerful, and flows within the cell from the uncoated to the sensitised plate. Prof. Michin also conducted this current by wire to a second cell in a dark chamber, and found that it effected a decomposition of the sensitive plate in that cell, as shown by a distinct darkening of the plate when "developed" by pyrogallic acid. The same effect was produced whether the current was reversed or not. Prof. Michin is continuing his experiments, and has provided a cable containing a number of separate conductors insulated from each other, in order to convey the currents from several cells. Prof. Perry feared that the effect would not be strong enough; but Prof. Michin said the light of a match produced a decided photo-electric effect in the cell. Prof. Perry alluded to the selenium plan proposed by himself and Prof. Ayrton, and said that Mr. Willoughby Smith had observed selenium to be sensitive to the shadow of a flying swallow. Prof. Adams testified to the sensitiveness of selenium and its power of being directly excited by light, a fact first proved by the experiments of Mr. Day and himself.

Entomological Society, April 7.—H. T. Stainton, F.R.S., vice-president, in the chair.—Messrs. G. C. Bignell, W. D. Cansdale, Frank Crisp, and the Rev. W. Fowler, were elected Ordinary Members, and M. E. André a Foreign Member.—Mr. J. T. Carrington exhibited a pale variety of *Arctia caja* which was bred by a gentleman at Croydon, who had been experimenting upon the effects of the rays of light transmitted through glasses of various colours upon this species. The specimen exhibited had been reared under green glass, but there was no evidence to show that the variation was due to the green rays.—The Secretary read a communication from Mr. Rothney, of Calcutta, on insects destroyed by flowers, with reference to a note on this subject published in the *Proceedings* of last year by Mr. J. W. Slater.—The following papers were read:—Notes on the coloration and development of insects, by Peter Cameron; on two gynandromorphous specimens of *Cirrochloro aoris*, Dbl., an Indian species of nymphalideous butterflies; and on *Cetonia aurata* and *Protactia bensoni*, by Prof. Westwood. Specimens and drawings were exhibited in illustration of the last paper, showing the specific distinctness of the insects in question.

Meteorological Society, April 21.—Mr. G. J. Symons, F.R.S., president, in the chair.—Rev. J. O. Bevan, M.A., F. E. Cobb, E. Filliter, F.G.S., T. L. Gentles, W. A. Harrison, F.R.G.S., J. W. Peggs, F. Slade, and E. J. C. Smith, were elected Fellows of the Society.—The discussion on Mr. Ellis's paper, on the Greenwich sunshine records, 1876-80, was resumed and concluded.—The following papers were read:—On the rate at which barometric changes traverse the British Isles, by G. M. Whipple, B.Sc., F.R.A.S., F.M.S.—A new form of Six's self-registering thermometer, by J. W. Zambra, F.M.S.

EDINBURGH

Royal Society, April 5.—Sir Wyville Thomson, vice-president, in the chair.—Mr. John Murray, of the *Challenger* Expedition, occupied the evening with an interesting and exhaustive paper on the structure and mode of origin of coral reefs and islands. After detailing the well-known and widely-accepted theory of Darwin, Mr. Murray proceeded to take exception to its general truth, and to substitute a new theory, which, in the light of the recent discoveries of the *Challenger* Expedition, appeared at once simpler and more consistent with the facts. The main features of this theory were as follows: The abundant pelagic life of the ocean was stated to be the chief food of the reef-building corals and of the deep-sea animals. Lime-secreting creatures were especially abundant in tropical oceanic waters. Tow-net experiments showed that in a cubic mass of the ocean one mile square by 100 fathoms, there were about sixteen tons of carbonate of lime in the form of calcareous Algae, Foraminifera, pelagic Molluscs, &c. Although so abundant on or near the surface the dead shells of these organisms were quite absent from by far the greater part of the floor of the ocean. In all the greater depths they were removed during their fall or shortly after reaching the bottom by the action of carbonic acid, which was especially abundant in deep sea water. Other things being equal, they were found at greater depths where they were most abundant at the surface. On submarine elevations (which were probably all of volcanic origin) these dead shells were met with in great abundance: when the depth was less than a mile the shells and skeletons of almost every surface creature were present in the deposit. Mixed up with these we had in these deposits the shells and skeletons of deep-sea animals, as Echinoderms, Annelids, Polyzoa, Foraminifera, Corals, &c. In these more or less shallow depths the accumulation was relatively rapid, and the solvent action of sea water had consequently little effect. Eventually this bank reached near enough the surface to serve as a foundation for reef-building corals. As these corals built up to the surface those situated towards the outer margin of the coral plantation had a great advantage in the more abundant supply of food, and reached the surface first. If the coral-field or plantation were small (less than a square mile) the periphery was relatively large over which food came from the ocean, and from which detritus was carried to the interior; hence the interior was filled up and no lagoon was formed. The same was the case when the coral plantation was long and narrow. In larger coral-fields—the area increasing as the square and the periphery only in an arithmetic progression—the interior parts of the coral plantation were at a relatively great disadvantage, less food and less detritus for filling up were supplied per square mile, and in consequence a lagoon was formed. The carbonic acid in the sea water removed in solution the lime of the dead coral and coral rock from the lagoon. As the atoll extended seawards the lagoon was widened and deepened by the solvent and disintegrating power of the sea water. The structure of upraised coral atolls were referred to as confirming these views. Barrier reefs were explained on the same principles. Fringing reefs built seawards on a talus formed of their own debris and of surface shells and deep-sea shells and skeletons. A lagoon-channel was gradually formed by the solvent action of the sea water thrown over the reef at each tide. In this way the fringing reef became a barrier reef. Numerous sections of the reefs at Tahiti, from the survey of Lieut. Swire, of the *Challenger*, were exhibited. The structure of the interior overhanging reefs, and of the steep exterior submarine talus, were especially pointed out and explained. The chief features of barrier reefs and atolls were quite independent of subsidence, and would exist alike in stationary areas or in areas either of slow elevation or of slow subsidence. Throughout the volcanic islands of the great oceans the evidence of recent elevation was everywhere conspicuous, and the same was the case in regions of barrier

reefs and atolls, as shown by Dana, Jukes, Couthouy, Semper, and others. He would expect to find local areas of subsidence in the great ocean basins on either side of volcanic islands and atolls, and this is what the soundings of the *Challenger* and *Tuscarora* seem to show. On the other hand the lines of volcanic islands and coral islands had probably always been the sites of a gradual elevation, for it must be remembered that these last have probably almost all a volcanic basis. In all cases the great agencies are the growth of the coral where most nourishment is to be had, and its death and disintegration by the action of the sea at those parts which cannot be, on account of their situation, sufficiently supplied with nourishment. In many cases, however, this disintegration, by breaking up the reef, serves to so alter conditions that decaying parts get a new lease of life, and growth begins afresh where decay was formerly manifest. Mr. Murray applied his theory with singular success to the discussion of particular cases of coral islands, such as the Maldivé Islands, the Chagos Archipelago, and the great barrier reefs of Australia. The special merit of the theory is that it does away with the great and general subsidences which is the peculiar feature of Mr. Darwin's theory. Of such subsidences there is no other evidence. These views were also in harmony with Dana's as to the great antiquity of the ocean basins. In a previous paper he had shown that a study of deep-sea deposits also argued for the permanency and great antiquity of these great ocean depressions. The co-existence of fringing and barrier reefs and of atolls in close proximity (*e.g.* in the Fiji Islands), which is not easily explained by Darwin's theory, offers no difficulty whatever when looked at in the light of Mr. Murray's principles. In the criticism which followed, Sir Wyville Thomson and Prof. Geikie spoke in terms of high commendation of the thoroughness which characterised Mr. Murray's paper, and the success with which he had been able to do away with the assumption which was the basis of Darwin's theory, but for the truth of which there was no positive evidence.

PARIS

Academy of Sciences, April 26.—M. Edm. Becquerel in the chair.—The following papers were read:—On the inverse problem of the motion of a material point on a surface of revolution, by M. Resal.—On the law of distribution, according to altitude, of the substance in the atmosphere absorbing ultra-violet solar radiations, by M. Cornu. The identity of this law (which he is able to determine very definitely) with the barometric formula, shows that the absorption is exercised by the gaseous mass and not by aqueous vapour or dust, which leads to different progressions.—Study of the explosive properties of fulminate of mercury, by MM. Berthelot and Vieille. It is simply decomposed into carbonic oxide, nitrogen, and mercury. The authors furnish data of the heat liberated, the density, and the pressures developed in a closed vessel. The superior force of the fulminate is attributed to the almost instantaneous nature of its decomposition by simple inflammation, the almost total absence of dissociation of the products, and the great density of the matter.—On the cholera of fowls; studies of the conditions of non-recurrence of the malady, and some others of its characters, by M. Pasteur. The aliments suited to the life of the microbe in the fowl disappear in consequence of inoculation with attenuated virus.—Observations of Schaberle's comet at Marseilles Observatory, by M. Stephan.—On the meteorite which fell on May 10, 1879, near Estherville (Emmet Co., Iowa, U.S.), by Prof. J. Lawrence Smith. He thinks this meteorite should be placed apart for the phenomena of its fall, especially the force of penetration of its fragments into the ground, and for the mode of association of its mineral constituents.—On winter barley as forage, by MM. Pierre and Lemetayer. It is rather the abundance and precocity of this cereal which renders it in demand, than its richness in azotised matter.—On appointment of a scientific commission for the Panama scheme. M. de Lesseps specified documents he would give them. The work in hand came to this: 75,000,000 cubic metres to be excavated; 8,000 workmen for six years; 250 working days each year, or 1,500 days, during which 50,000 cubic metres should be done each day.—*Apropos* of M. Bouty's note on thermo-electric currents from a metal and a liquid, M. Du Moncel recalled former experiments by M. Hellesen and himself.—Some considerations in support of a note of March 29 on the impossibility of supposing in general a function of velocities in every question of hydraulics where frictions have a notable rôle, by M. Boussinesq.—On the dependence of two electromagnetic gyro-

scopes submitted to the same circuit of induction, by M. de Fonvielle. The velocity of each movable piece is diminished.—The death of M. de Luca was announced.—The surface of the wave considered as a limiting surface, by M. Mannheim.—On the numerical calculation of definite integrals, by M. Baillaud.—On simultaneous linear equations and on a class of non-plane curves, by M. Picard.—On the series $F_3(a, \alpha, \beta, \beta', \gamma, x, y)$, by M. Appell.—Influence of temperature on the duration of period of a tuning-fork, by M. Mercadier. He corrects a numerical mistake in his memoir as quoted by Wiedemann (with whom he is in agreement).—On the theory of induction-currents, by M. Mascart.—On an experimental method fitted to determine the lines of surface in stationary flow of electricity through conducting surfaces, by M. Guébbard. At a short distance from a thin plate of metal in a mixed solution of acetate of lead and acetate of copper, are held the free ends of two conductors connected with a pile; thus a double system of Nobili's rings is produced of remarkable constancy and regularity, and in relation to the positions of the electrodes and the contour of the conducting surface.—Absolute measurement of Peltier's phenomenon on contact of a metal and its solution, by M. Bouty.—Measurement of the difference of potential of two metals in contact, by M. Pellat. The method (which has precision exceeding $\frac{1}{1000}$ Daniell) is one of compensation, and its principle is, that if two metals, A and B, are connected by a metallic wire they take the same difference of potential as if they had been put directly in contact. The author studies the effects of varied surfaces of metals, change of temperature, and influence of gases round the plates.—On the theory of double circular refraction, by M. Gouy.—Influence of temperature on the compressibility of gases under strong pressures, by M. Amagat. When a gas is $\left\{ \begin{matrix} \text{more} \\ \text{less} \end{matrix} \right\}$ compressible than according to Mariotte's law, its compressibility $\left\{ \begin{matrix} \text{decreases} \\ \text{increases} \end{matrix} \right\}$ with the temperature.—Researches on the passivity of iron (second part), by M. Varenne. *Inter alia*, an iron rod may be made passive by immersion of only a fraction of it in concentrated nitric acid, and passivity may be produced by prolonged immersion of iron in compressed bioxide of nitrogen.—On the proportion of iron in mineral waters of Rouen and Forges-les-Eaux, by M. Houzeau.—Isomers of phloroglucine, by M. Gautier.—On the products contained in coke of petroleum, by MM. Prunier and Varenne.—On a singular explosion produced during heating of wine, and on a new mode of determination of alcohol, by M. Wartha. This explosion was probably caused by inflammation of a mixture of alcohol and air in the tun. M. Wartha is seeking to determine the limit of explosion of such mixtures.—Synthetic reproduction of the aluminous silicates and alkaline silico-aluminates of nature, by M. Meunier.—On the origin and development of the egg in the Medusa Eucopa before fecundation, by M. Merejkowsky.—On the apparent analogies between cholera of fowls and the malady of sleep (nelavan), by M. Talmy.

CONTENTS

PAGE

THE COMING OF AGE OF THE ORIGIN OF SPECIES. By Prof. T. H. HUXLEY, F.R.S.	1
ON MULTIPLE SPECTRA. By J. NORMAN LOCKYER, F.R.S.	4
SCIENCE IN PARLIAMENT	7
WURTZ'S "CHEMISTRY"	8
OUR BOOK SHELF:—	
Goss's "Geological Antiquity of Insects"	9
LETTERS TO THE EDITOR:—	
The Opportunities of Science Masters at Schools.—FRANCIS GALTON, F.R.S.	9
Museum Conference.—E. M. HOLMES	10
Ural Crayfish.—W. H. TWELVETREES	10
Protection against Mosquitoes, Flies, and Blight.—WM. CHAPPELL, F.S.A.	11
Immersion of Iron and Steel in Acidulated Water.—WILLIAM H. JOHNSON	11
Stone Arrow Heads.—W. L. DISTANT	11
The Mode of Suckling of the Elephant Calf.—J. C. G.	11
The Tay Bridge Inquiry.—Q. C.	11
Yeast and Blackbeetles.—LONDON HOUSEHOLDER	11
DECEASED AND BAILLON	12
DR. RUDOLF SCHEFFER. By HENRY O. FORBES	12
A SCOTTISH CRANNOG (<i>With Illustrations</i>)	13
NOTES	16
OUR ASTRONOMICAL COLUMN:—	
The Comet of 1866	18
PHYSICAL NOTES	18
GEOGRAPHICAL NOTES	19
SCIENTIFIC SERIALS	20
SOCIETIES AND ACADEMIES	21