

A 610 II
M



opł. 18/13
h.m.

Nature, October 26th 1852.



James Prescott Joule.

Engraved by C. H. Jeens.

London, Published by Macmillan & Co.

NATURE

A WEEKLY

ILLUSTRATED JOURNAL OF SCIENCE

VOLUME XXVI.

MAY 1882 to OCTOBER 1882



"To the solid ground

Of Nature trusts the mind which builds for aye."—WORDSWORTH

1912. 1942.

London and New York:

MACMILLAN AND CO.

1882

NATURE

A WEEKLY

ILLUSTRATED JOURNAL OF SCIENCE

VOLUME XXVI

MAY 1907

LONDON :

R. CLAY, SONS, AND TAYLOR, PRINTERS,
BREAD STREET HILL, E.C.



MACMILLAN AND CO.

1873

INDEX

- ABEL (Prof. F. A., F.R.S.), Some of the Dangerous Properties of Dust, 19; the Legal Flashing Test for Petroleum, 466
- Abercromby (Hon R.), Spectroscope and Weather Forecasting, 572
- Abietinæ, the, a Chapter in the History of Coniferæ, J. Starkie Gardner, 106
- Abney (Capt.) and Prof. Schuster on Results obtained during the late Total Solar Eclipse, 465
- Aborigines, Australian, A. W. Howitt, 452
- Absorption of Heat by Gas-mixtures, Heine, 308
- Accidents from Electricity in Paris, 378, 415
- Accumulators, Kabath's Electric, 180; Chemistry of Planté and Faure's Gladstone and Tribe, 603
- Acoustics, Koenig's Experiments in, 203, 275
- Adams (Prof. Leith), Death of, 377
- Aërial, Panoramic Photography, 482
- Aëronautics, Ascent by M. Eloy, 67, 88; Aëronautical Society, 335; French Military Aëronauts, 482
- Ærorthometer, the, 467
- Æschna cyanea*, Curious Fact regarding, Signor Stefanelli, 89
- Africa, Italian Exploration of, 41; Report of South African Museum, 231; New English Expedition, 304; Lieut. Giraud's Expedition, 309; Dr. Holub's New Expedition to South Africa, 558; Ravenstein's Map of Eastern Equatorial Africa, 558; African Rivers and Meteorology, Prof. O'Reilly, 597; Hamburg Geographical Society's Expedition to Central East Africa, 615
- Agardh (Dr. J. G.), Algæ, 65
- Agriculture and Biology, 101
- Aino Ethnology, A. H. Keane, 524
- Air in Guns, Resistance of the, Prof. D. Colladon, 353
- Airy (Sir G. B., F.R.S.), the Proposed New Forth Bridge, 598
- Alaska, Seal Islands of, 199; Lieut. Schwatka's Expedition to Northern, 231; Joan Petroff on Limit of Innuït Tribes on Alaska Coast, 257
- Aldis (Mary Steadman), "The Great Giant Arithmos," 123
- Alexandria, Climate of, 338; Telephonic Experiment at Malta during Bombardment of, 287
- Algæ, Dr. J. G. Agardh on, 65
- Algol, the Variable Star, 483
- Allen (A. H.), "Commercial Organic Analysis," 28
- Allen (Grant), Colours of Flowers, 299, 323, 346, 371
- Alluvion, Sea-Shore, Langley Point, 30; Galshot and Hurst Beaches, 104; the "Chesil," J. B. Redman, 150
- Altitudes, Rapid-view Instruments for Momentary, Fras. Galton, F.R.S., 249
- Altitudes, Sunlight and Skylight at, 586
- Aluminium for Movable Coil, Dr. E. Obach, 245; The Mechanical Properties of, 495
- "Umazulu: the Zulus, their Past History, Manners, Customs, and Language, &c.," Rev. J. B. Jenkinson, 522
- America: Free Libraries in, 329; Convention of Photographers Association of, 378
- American Association for the Advancement of Science, 17, 480, 505
- American Journal of Science, 22, 94, 286, 383
- American Mathematical Text-books, some Recent, R. Tucker, 59
- American Naturalist, 70, 88, 591
- American Woodcock Carrying its Young, 542
- Amicis' (De) "Morocco," German Edition, 614
- Amu-Daria, Geological History of Delta of, 282
- Anæsthesia of Larynx by Carbonic Acid, Brown-Séquard, 557
- Analysis, Commercial Organic, A. H. Allen, 28
- Anatomie, Handbuch der vergleichenden, Prof. Schmidt, 385
- Anatomie der Wirbelthiere, Lehrbuch der, Prof. Wiedersheim, 385
- Anderson (R.), Lightning Conductors, 557
- Andes, Note on Soroche (Mountain Sickness) in the, J. Ball, F.R.S., 477
- Andrews (G. H.), "Boats of all Nations," 556
- Andreyew Expedition, 558
- Anemometrical Observations on Board Ship, 83
- Angell (Dr. A.), the Brown Coloration of Southampton Water, 493
- Animal Intelligence: Dr. Geo. J. Romanes, F.R.S., J. Whitaker, 449; C. Lloyd Morgan, 523; Rev. Geo. Henslow, 573
- Annalen der Physik und Chemie, 45, 166, 286, 359, 472
- Annales de Chimie et de Physique, 585
- Annual Record of Published Scientific Work, Prof. Sollas's Scheme for, 377
- Antarctic Region, Meteorology of the, J. J. Murphy, 366
- Antarctic Expedition, Wreck of Italian, 378
- Anthelm's Nova of 1670, 42
- Anthropological Institute, 47, 71, 167, 215, 230, 287, 306
- Anthropological Society, Congress of German, 378
- Ants, Bees, and Wasps, Sir J. Lubbock, F.R.S., Dr. G. J. Romanes, F.R.S., 121
- Ants in Horticulture, Utilisation of, Prof. C. V. Riley, 126
- Ants, White, Surgeon Major Bidie, 599
- Apo, Ascent of Mount, 257
- "Apple Weevil," Miss Ormerod, 447
- Arc Electric Lamp, New, W. H. Preece, F.R.S., 526
- Archibald (E. Douglas), Cyclones, 9, 31; Recent Unseasonable Weather, 197; Is the Axis of a Cyclone Vertical? 222
- Archives des Sciences Physiques et Naturelles, 70, 213, 383, 616
- Arctic Exploration: the Dutch Expedition, 19; Danish Expedition, 282
- Arctic Voyage Round Asia and Europe, Nordenskjöld's, Lieut. A. Hovgaard, 29
- Aristotelian Society, 530
- Arithmetic, "The Great Giant Arithmos, a most Elementary Arithmetic," Mary Steadman Aldis, 123

- Armagh Observatory, Appointment of J. L. E. Dreyer as Director of, 88
 Armstrong (Sir Wm.) on the Treatment of Steel for the Construction of Ordnance, 494
Arnoglossus Lophotes, Specimen of, 556
 Arran, Dr. Geikie, F.R.S. in, 39
 Arsenious Sulphide in Arsenious Oxide, Colloidal Form of, 614
 Art, Primer of, John Collier, Miss L. S. Bevington, 5
 Asia, by A. H. Keane, Rev. A. H. Sayce, 317
 Asia, the Central Plateau of, Sir Richard Temple, 437
 Astronomical Column, 18, 42, 68, 90, 114, 137, 161, 185, 210, 223, 281, 307, 331, 344, 448, 483, 511, 541, 613, 635
 Astronomical Observations, Dr. Simon Newcomb, 326
 A-tronomical Observatories, Continental, 331
 Atlantis, Ignatius Donnelly, 341
 Atlases, McAlpine's, 175; Prof. T. J. Parker, 292; Dr. McAlpine, 386
 Atmosphere at the Surface of the Earth, Mean Temperature of, as Determined by Observations and by Theory, O. Reichenbach, 150
 Atomic Weights, 271
 Atomic Attraction, F. D. Brown, 332
 Atta della R. Accademia dei Lincei, 23, 71, 94, 360, 519
 August Meteors, Donald Cameron, 378, 523
 Auroræ: 453; Aurora Australis, T. H. Potts, 126; in Greenland, 130; on the Newfoundland Coast, 160; Observatory for, Lophus Tromholt, 220, 230; E. J. Stone on, 556; Rev. A. E. Eaton on, 626; the Recent, Prof. O'Reilly, S. Everhed, W. J. Lineham, Dr. G. Plarr, Elizabeth Brown, 548; W. H. M. Christie, F.R.S., G. M. Seabroke, A. P. Smith, J. K. Watts, Anne Gifford, W. Larden, H. Mellish, 571; Aurora Borealis, 56; Prof. J. P. O'Reilly, 56; W. Pullinger, 81; S. Maitland Baird Glennill, 105; in France, 585
 Australian Museum, Report of Trustees of, 379
 Australian Aborigines, A. W. Howitt, 452
 Austrian Solar Meteorological Expedition, 231
 Aye-Aye of Madagascar, Notes on, Rev. R. Baron, 504

 B.A. Unit, R. T. Glazebrook, 597
 Backhouse (T. W.), Spectrum of Wells' Comet, 56
 Bacteria, Influence of Light on Development of, Jas. Jamieson, 244
 Bagot (Alan), Colliery Ventilation, W. Galloway, 339
 Bahr-el-Jebel, Journey of Dr. Emin-Bey in East of, 282
 Baker (B.), on the Forth Bridge, 494, 624
 Balbi's Universal Geography, New Edition of, 282
 Balfour (Prof. F. M.), Death of, 305, 329; Obituary Notice of by Dr. M. Foster, F.R.S., 313, 365; Burial of, 351; Prof. Alfred Newton on, 342; G. Griffith on, 365; Prof. Arthur Gamgee on, 405; Prof. J. Bell on, 584; Presentation of his Scientific Library to University of Cambridge, 611; Proposed Memorial to, 583, 631
 Ball (J., F.R.S.), Note on Soroche (Mountain Sickness) in the Andes, 477
 Ball (Prof. R. S., F.R.S.), Dunsink Observatory, 236
 Ball (Prof. V.): the Salt Supply of India, 468; Diamond Mines in India, 468
 Balliol College, Oxford, Endowment of Lectureship in Physical Science, 279
 Ballion (E.), Index to Bulletin of Moscow Impl. Society of Naturalists, 557
 Balloons: Experiments on the Steering of, 17; Vote of Subsidy for Photographing Paris by Captive Balloons, 231; Woolwich Balloons sent to Egypt, 471; Scientific Ascents at Paris, 585; Regulations by Vienna Municipal Authorities for Persons wishing to Manœuvre, 613
 Bamberg, Bequest by Dr. Reimis for Observatory in, 230
 Bancroft (H. K.), History of the Pacific States of North America, 558
 Bark imported into England from Columbia, 66
 Barnes (Joseph), Elementary Qualitative Analysis, 621
 Barometers, J. T. Brown, 282
 Baron, Rev. R.), Notes on the Aye-Aye of Madagascar, 504
 Barrett (Prof. W. F.), Alteration in Dimension of Magnetic Metals by Act of Magnetisation, 585
 Bartoli and Papasogli, Mellogen, 568
 Battery, New Forms of Secondary, 308; Chemistry of Planté and Faure, Dr. J. H. Gladstone, F.R.S., 342; Sulphate of Heat in Secondary, Prof. O. J. Lodge, 596
 Becquerel, Monument to, 479, 529
 Bedford (Henry), Matter and Magneto-electric Action, 8
 Belgian Horticulture, 280
 Belgian Academy, Prize offered for Essay on Destruction of Fish by River Pollution, 281
 Belgique, Bulletin de l'Académie Royale de Sciences de, 312
 Bell (Prof. J.), on Death of F. M. Balfour, 584
 Ben Nevis Observatory, 279; Damage to Meteorological Instrument, C. L. Wragge, 330
 Ben Nevis and Fort William Meteorological Observations, 112
 Bergen, Metamorphic Rocks of, 567
 Berger and Bardonant, Translation of Cully's Practical Telegraphy, 557
 Bergsma (Dr. P. A.), Death of, 159
 Berichte über die Verhandlungen der Naturforschenden Gesellschaft zu Freiburg, 592
 Berlin Physical Society, 144, 167, 215; Proceedings of, 239
 Berlin: Physiological Society, 71, 120, 216, 287, 336, 384; Proceedings of, 239
 Berne, Plätrage of Wines in, 380
 Berthelot's Generalisation as to Presence of Four Salts in Mixed Solution of Two Salts proved by Brügelmann, 614
 Besançon, Observatory E-established at, 88
 Bevington (Miss L. S.), "Primer of Art," John Collier, 5
 Bidie (Surgeon-Major), White Ants, 549
 Binary Star 73 Ophiuchi, 541
 Binocular Perspective, W. Le Conte Stevens, 68
 Biology: Biological Notes, 42, 542; Biology and Agriculture, 101; Teaching of at the Royal Agricultural College, Cirencester, 112; Biology in an Arts Curriculum, Prof. F. W. Hutton, 209; Studies from Biological Laboratory of Johns Hopkins University, 331; Biological Station at Sydney, 480
 Birds, Gizzard-contents of some Oceanic, H. B. Guppy, 12; Instantaneous Photography of Birds in Flight, 84, 85, 86; Coues Check List of North American Birds, 362
 Birmingham (J.), Red Variable Stars, "Variable Cygni x (Birmingham), 1881," 8
 Black, W. J. the Rainfall of the Globe, 222
 Blake (J. F.), "A Monograph of British Fossil Cephalopods," 25
 Blindness, Prof. Plateau on, 41
 Bloxam (Prof.), and the Royal Military Academy, 40
 "Boats of all Nations," G. H. Andrews, 556
 Bobbers, Prof. H. N. Moseley, F.R.S., 501
 Bock (Carl), Exploration in Siam, 550
 Bohemia, Science in, 164, 237
 Bonn, Phylloxera at, 584
 Bornet and Grunow, a New Genus of Cryptophyceæ, 557
 Bossekof Observatory, 378
 "Botanical Atlas; a Guide to the Practical Study of Plants," D. McAlpine, 175
 Botanical Society, German, 280
 Botany, Jackson's Guide to the Literature of, Jas. Britten, 417
 Bottomley (J. T.), James Prescott Joule, 617
 Boulder, Preservation of Granite, from Mount Sorrel, 257
 Bouty (M), Analogy to Thermoelectric Phenomena, 309
 Bove Expedition, Wreck of, 415
 Bower Birds, Affinities of, 558
 Bowerbank (Dr.), a Monograph of the British Spongidae, 550
 Bowman (W.), the Researches of, Prof. Arthur Gamgee, 410
 Bradford, Opening of the Technical School at, 207
 "Brain and its Functions," J. Luys, 103
 Bramwell (Sir F. J.) on Compressed Air as applied to Locomotion, 495
 Brazza's (M. de) Discoveries in Ogowe, 209
 Breathing, Course of Air in Nasal Cavity in, Dr. Paulsen, 232
 Breguet (Antoine), Death of, 257
 "Brehm's Zoological Atlas," 510
 Bristol, New Technical School in, 184
 BRITISH ASSOCIATION: Meeting at Southampton, 16; General Arrangements, Excursions, &c., 337; Opening of, 390; Inaugural Address of the President, C. William Siemens, D.C.L., LL.D., F.R.S., 390; the Proposed Meeting in Canada, 421, 457; Grants, 421; Report of Committee for

preparing a New Series of Wave-lengths Tables of the Spectra of the Elements, 458; Report of Committee on Methods of Calibrating Mercurial Thermometers, 458; Report of Committee for Investigating the Ultra-Violet Spark-Spectra emitted by Metallic Elements, 458; Report of Committee on the Lunar Disturbance of Gravity, 459; Report of Committee on the Present State of Spectrum Analysis, 459; Report of Committee on the Natural History of Socotra, 459; Report of Committee on the Revised New Code and the Teaching of Science in Schools, 459; Preliminary Report of Committee on Erratic Blocks, 460; Report of Committee on Caves in Ireland, 461; Report of Committee on Underground Waters, 461; Report of Committee for obtaining Photographs of the Typical Races in the British Isles, 463; Report of Committee on the Scottish Zoological Station, 464; Report on the International Geological Map of Europe, 464; Report on the Earthquake Phenomena of Japan, 464; Report of Committee on Fossil Polyzoa (*Jurassic Species—British Area only*), 486; Report of Committee on Electrical Standards, 488; Report of Committee on Meteoric Dust, 488; Report of Committee on Wind Pressure, 488; Report of Committee on Screw Gauges, 488; Meeting, 1884, 634

Section A (Mathematical and Physical)—Opening Address by the President, the Right Hon. Lord Rayleigh, F.R.S., 400; Lord Rayleigh on the Absolute Measurement of Electric Currents, 465; on the Duration of Free Electric Currents in a Conducting Cylinder, 465; on the Equilibrium of Liquid-conducting Surfaces charged with Electricity, 465; Prof. Schuster and Capt. Abney on Results obtained during the late Total Solar Eclipse, 465; Prof. Schuster on some Matters relating to the Sun, 465; G. H. Darwin on a Misprint in the Tidal Report for 1872, 465; G. Forbes on the Velocity of White and Coloured Light, 461; Prof. Balfour Stewart on a Similarity between Magnetical and Meteorological Weather, 488; on a Supposed Connection between the Heights of Rivers and the Number of Sun-spots on the Sun, 489; Prof. H. S. Hele Shaw on Contact Makers of Delicate Action, 490

Section B (Chemical Science)—Opening Address by the President, Prof. G. D. Liveing, F.R.S., 402; Professors Liveing and Dewar on the reversals of the Spectral Lines of Metals, 466; F. A. Abel on the Legal Flashing Test for Petroleum, 466; Prof. J. M. Crafts on the Boiling-points and Vapour-tensions of Mercury, &c., determined by the Hydrogen Thermometer, 466; H. B. Dixon on the Velocity of Explosion of a Mixture of Carbonic Oxide and Oxygen, with Varying Quantities of Aqueous Vapour, 466; C. T. Kingzett on the Action of Oxygen and the Mode of Formation of Hydrogen Dioxide, 466; Prof. Sakurai on Metallic Compounds containing Bivalent Hydrocarbon Radicals, Part III., 467; Prof. W. A. Tilden on Hydrocarbons of the Formula $(C_6H_8)_n$, 467; A. Vernon Harcourt on the *Ærorthometer*, an Instrument for Correcting the Measure of a Gas, 467; C. T. Heycock on a Revision of the Atomic Weight of Radium, 467; W. Marriott on a Method of Obtaining Ammonia from Shoddy, 467; Prof. von Baumhauer on the Application of the Diamond to Mineralogical and Chemical Analysis, 467; Prof. Divers and M. Shimos on the Occurrence of Tellurium and Selenium in Japan, 467; J. M. Thomson on the Action of the Component Salts as Nuclei on Supersaturated Solutions of certain Double Salts, 467; Prof. Crafts and A. Killiet on the Decomposition by Heat of Potassium Chlorate, 467

Section C (Geology)—Opening Address by the President, Robert Etheridge, F.R.S., 422; J. S. Gardner on the Cause of Elevation and Subsidence of Land, 468; Prof. Prestwich on the Drift Phenomena of Hampshire, 468; Prof. V. Ball on the Sources of the Salt Supply of India, 468; Prof. V. Ball on the Identification of certain Ancient Diamond Mines in India, 468; H. B. Woodward on the Bure Valley Beds and Wettleton Beds, 468; C. E. de Rance on the Iron and Lead Measures of Tyne-Head, Alston, 468; Rev. A. Irving on Alpine Rocks, 468; W. Pengelly on the Post-Miocene Deposits of Bovey Tracey, 469; Rev. E. Hills on Problems of the Channel Islands, 469; T. W. Shore and E. Westlake on the Southampton Artesian Well, 469; W. Topley on the Synclinal Structure of the Straits of Dover, 469; Dr. Charles Ricketts on Subsidence as the Effect of Accumulation, 469; E. Wethered

on the Origin of the Hæmatite Deposits in the Carboniferous Limestone, 469; Prof. W. Boyd Dawkins on the Geology of the Channel Tunnel, 491; C. E. de Rance on the Channel Tunnel in its Geological Aspects, 491; A. R. Hunt on the Evidence of Wave Action at a Depth of Forty Fathoms in the English Channel, 491; Prof. Prestwich on the Equivalents in England of the "Sables de Bracheux," &c., 491; Prof. W. J. Sollas on the Formation of Flints, 491; Prof. James Thomson on Sandstone Conglomerate, 491; J. S. Gardner on a Revised Classification of the British Eocene, 491; J. W. Elwes on the Oligocene Strata in the Hampshire Basin, 492; E. Tawney on the outcrop of the Brockenhurst Beds, near Lyndhurst, 492

Section D (Biology)—Opening Address by the President, Prof. Arthur Gamgee, F.R.S., 405

Department of Anthropology—Opening Address by Prof. W. Boyd Dawkins, F.R.S., 434; W. S. Duncan on Evidence as to the Scene of Man's Evolution and the Prospects of Proving the same by Palaeontological Discovery, 494; G. Harris on Ebb and Flow in Mental Endowment, 494; F. Bonney on some Customs of the Aborigines of the River Darling, N.S.W., 494; Prof. Boyd Dawkins on the Light thrown by the Exploration of Caves on the Conquest of Britain, 494

Department of Zoology and Botany—Prof. Du Bois Reymond on a new principle affecting the Systematic Distribution of the Family of the Torpedinidæ; and on the Probable Occurrence of the *T. occidentalis* (Storer) on the British Coast, 492; Prof. McIntosh on Cephaliseus, a new form allied to Rhabdopleura (Allman), 492; T. Mott on an Instructional System of Arrangement in Provincial Museums, 492; Dr. Cobbold on the Injurious Parasites of Egypt, 492; Dr. Arthur Angell on the Brown Coloration of the Southampton Water, 493

Department of Anatomy and Physiology—Dr. Fraser on the Early Development of certain Rodents, 493; Dr. G. E. Dobson on the Homologies of the Long Flexor Muscles of the Feet of Mammalia, 493; Dr. Hartog on the Nature of the "Telson" and "Caudal Fusca of the Crustacea," 493; F. J. Faraday on Considerations arising from Koch's Discovery of the Bacillus Tuberculosis, 493; W. Newton Parker on the Kidneys of Teleostei, 493; Dr. S. N. Macdonald on the Perception of Colour in Man and Animals, 493; T. W. Shore on the Structure of the Muscular Tissue of the Leech, 493; E. A. Shrafer on an Improved Method of Direct Determining of the Contraction Wave in Curarised Muscle, 494; G. B. Howes on the presence of a Tympanum in the Genus *Raca*, 494; Prof. H. N. Martin's Method of Isolating the Mammalian Heart for experimental purposes, 494; T. S. Ralph on some Toxic Conditions of the Blood illustrated by the Action of Hydrocyanic Acid, 494

Section E (Geography)—Opening Address by the President, Sir Richard Temple, Bart., 437

Section G (Mechanical Science)—Opening Address by the President, John Fowler, C.E., F.G.S., 441; B. Baker on the Forth Bridge, 494; Sir Wm. Armstrong on the Treatment of Steel for the Construction of Ordnance, 494; T. R. Wrighton on the Increased Tenacity in Perforated Test Bars of Iron and Steel, 494; J. Clarke Hawkshaw on the Channel Tunnel, 494; T. R. Crampton on excavating the Channel Tunnel by Hydraulic Machinery, 494; Major Allen Cunningham on the Hydraulic Experiments at Roorkee, 495; Sir F. J. Bramwell on Compressed Air as applied to Locomotion, 495; Dr. Fleming on Recent Progress in Electric Railways, 495; Prof. Forbes on Wires conveying Currents, 495; Barlow on the Mechanical Properties of Aluminium, 495; A. Giles on the Southampton Docks, 495; Prof. W. C. Unwin on Current Meter Observations in the Thames, 495; Sir F. J. Bramwell on a Speed Indicator, 495; the B.A. Unit, 597

British Fossil Cephalopods, a Monograph of, J. F. Blake, 25
British Medical Association, 351
Britten, James: Old English Plant-Names, 243; Jackson's Guide to the Literature of Botany, 417; Jackson's Vegetable Technology, 417
Bromine, Vapour-Density of, Jahn, 567
Brooks (W. K.), Handbook of Invertebrate Zoology, Prof. E. Ray Lankester, F.R.S., 548
Brown (Elizth.), the Recent Aurora, 548
Brown (F. D.), Atomic Attraction, 332

- Brown (J. E. A.), the Cuckoo, 56
 Brown (J. T.), Temperature Regulators, 114; Barometers, 282
 Brown (Robert), "Law of Kosmic Order: an Investigation of the Physical Aspect of Time," 79
 Brussels Chronograph, the, 107
 Bulletins de la Société d'Anthropologie de Paris, 46, 472
 Bulletin de l'Académie Royale des Sciences de Belgique, 94, 262, 359, 519
 Bulletin de l'Académie des Sciences de St. Petersburg, 166
 Bulletin de la Soc. Imp. des Naturalistes de Moscou, 213
 Bulletin of Torrey Botanical Club, 286
 Burmah, Birds of, Eugene Oates, 305
 "Burman, the," by Shway Yeo, Dr. Tylor, F.R.S., 593
 Bursera, Seed-Leaves of, 558
 Butterflies, South African, Roland Trimen, 556
- Cable, Plan for passing Ships sending Messages by, 258
 "Cable La Pose du Premier," W. de Fonvielle, 330
 Cables, International Conference for Protection of Submarine, 583, 634
 Cailletet, Pump for Compressing Gases, 308
 Cailletet's Gas-Condensing Pump, R. J. Lecky, 343
 Cailletet, Vaseline as Lubricant in presence of Mercury, 308
 Calibrating Mercurial Thermometers, B.A. Report on, 458
 Calshot and Hurst Beaches, Sea-shore Alluvion, J. B. Redman, 104
 Cambodia, Delaporte on Remains of, 280
 Cambridge University Press, New Publications, 612
 "Cameos from the Silver-land," E. W. White, 548
 Cameron (D.), August Meteors, 378, 523
 Campbell (J. F.), Caution to Solar Observers, 105
 Canada, Royal Society of, 186
 Canals, Rivers and, a Treatise on, L. F. Vernon-Harcourt, Major Allan Cunningham, 5
 Candolle (Alph. de) on Charles Darwin, 183
 Canoe, Lacustrine (?), found, 67, 114
 Cape Horn, French Expedition to, 231
 Carbon and Iron in Steel, on the Mutual Relations of, George Woodcock, 105
 Carbonic Acid, Anæsthesia of Larynx by, Brown-Séguard, 557
 Cardiff Naturalists' Society, Report of, 89
 Carnelley, Experiments on Melting-points of Mercuric Chloride, 567
 Carr (G. S.), "Synopsis of Elementary Results in Pure and Applied Mathematics," 197
 Case, Dr., F.R.S., Sequel to First Six Books of Euclid, 219
 Caspian Naphtha Wells, 557
 Catananche Lutea, on the Occurrence of Root-Florets in, 43
 Caucasian Milk-Ferment, 43
 Caustic Lime, "Getting" Coal by means of, W. Galloway, 298; Paget Mosley, W. Galloway, 365
 Cecchi Expedition in Shoa, 282
 Census, Italian, 258
 Cephaliseus, Prof. McIntosh on, 492
 Cephalopods, British Fossil, a Monograph of, J. F. Blake, 25
 Ceylon, Prof. Haeckel in, 375, 388, 502, 574
 "Chambers's Etymological Dictionary of the English Language," Andrew Findlater, 7
 Channel Tunnel, 160, 229; M. Berthelot on, 230; J. Clark Hawkshaw on, 494; T. R. Crampton on, 494; Pointing of Rocks and the, Prof. W. King, 45
 Chase (Prof. Pliny Earle), Conservation of Solar Energy, 176
 Cheese, Imitation, Prof. T. E. Thorpe, F.R.S., 172
 Chemical Lecture Experiments, 110
 Chemical Notes, 44, 137
 Chemical Society, 47, 95, 191; Proceedings of, 239
 Chemical Calculations, Notes on, with Examples, for use in the Leys School, A. Vinter, 501
 Chemistry of Planté and Faure Cell, Dr. J. H. Gladstone, F.R.S., and Dr. A. Tribe, F.R.S., 251, 603; Prof. P. J. Lodge, 268; Dr. J. H. Gladstone, F.R.S., 342
 Chemistry, Catechism of Modern Elementary, 280
 Chemistry, Dynamics of, Prof. G. D. Liveing, F.R.S., 402
 "Chesil, The," Sea-shore Alluvion, J. B. Redman, 150
 Chiasmodon Niger, Theo. Gill, 574
 Chicago Observatory, Report of, 613
 China, Maps of, 19; Extension Seaward of the Waters of the Chinese Rivers, Surgeon-Major H. B. Guppy, 38; Telegraph in, 113; Meteorology in, 136; Mines in, 136; Earthquakes in, Marc Dechevrens, 175; the Geology of, Dr. Archibald Geikie, F.R.S., 241; Translation of Modern Scientific Works into Chinese, 379; Coast, Meteorological service of, 414; Printing in, 612; Chinese Deities made subservient to Political ends, 613
 Chios, Earthquake at, 351
 Chlorine at high Temperatures, Smith and Lowe's Experiments on, 568
 Chlorophyll-Granules, Researches on the Division of the, and upon the occurrence of Hypochlorin in the Cyanophyceæ and Bacillariaceæ, Prof. Schaarschmidt Gyula, 476
 Chlorophyll, Spectroscopic Study of, 636
 Choughs, Domesticated, Lady Dorothy Nevill, 556
 Christie (W. H. M., F.R.S.), Sun - Spots and Magnetic Storms, 55; Recent Magnetic Storm and Aurora, 571
 Chronograph, the Brussels, 107
 Chronograph, Washburn, E. S. Holden, 368
 Circumpolar Expedition, Swedish, 378, 447
 City and Guilds of London Institute, Report of Technological Examination of, 447
 Clarke (Hyde), Early History of Mediterranean Populations, 341; Gesture Speech of Man, 419
 Cleveland Technical School, B. Samuelson, M.P., 351
 Clifford (Leigh), Physico-Chemical Lecture Experiments, 126
 Clifford (W. K.), Mathematical Fragments and Papers, 217
 Climate of Alexandria, 338
 Climate in Town and Country, Dr. Frankland, 380
 Clouds consisting of Liquid or of Frozen Water, how may they be distinguished, Dr. Hermann Kopp, 31
 Coal by means of Caustic Lime, "Getting," W. Galloway, 298, 365; Paget Mosley, 365
 Coal Mining in Great Britain, a History of, R. L. Galloway, 569
 Coal Tar Distillation, Prof. Lunge, 281; Prof. T. E. Thorpe, F.R.S., 620
 Cobbold (Dr., F.R.S.), the Injurious Parasite of Egypt, 492
 Coils, Aluminium for Movable, Dr. E. Oback, 245
 Coils, Movable, Dr. W. H. Stone, 268
 Cole (A. C.), Studies in Microscopical Sciences, 89
 Cole's Summer Travelling in Iceland, G. F. Rodwell, 363
 Colladon (Prof. D.), Resistance of the Air in Guns, 353
 Collett (H.), The Comet, 623
 Collier (John), "Primer of Art," Miss L. S. Bevington, 5
 Colliery Ventilation, by Alan Bagot, William Galloway, 339
 Colonial Forest Cultivation, Memorial for School of, 280
 Colossal Cuttle-Fish, 542
 Colour Perception, Napier Smith, 30; J. W. Swan, 246
 Colour Blindness, Decision of the Swedish Government, as to Employment of Railway Officials, 482; Russian Physicians on, 510
 Colour, "Natural" Experiment in Complementary, C. T. Whitmell, 573; W. R. Brown, 597
 Colours of Flowers, Grant Allen, 299, 323, 346, 371
 Colours and Dyewares, Manual of, J. W. Slater, 89
 Columbia, Bark Imported into England from, 66
 Columbus Monument at Barcelona, 611
 "Combing" of Waves, A. M. Worthington, 198
 Comets: 1882a (Wells), 18, 42, 68, 114, 137, 161, 223, 308, 551, 582; Prof. E. J. Stone on, 104; A. Percy Smith on, 124; F. T. Mott on, 124; A. A. Common on, 501; A. Riccio on, 609; G. M. Seabroke on, 621; Major Herschel on, 622; C. J. B. Williams on, 622; W. Larden on, 623; General Sir J. H. Lefroy on, 623; Wentworth Erek on, 573, 597, 623; H. Collett on, 623; Daylight Observations of, 210, 281; Spectrum of, T. W. Backhouse, 56; A. Percy Smith, 124; Dr. B. Hasselberg, 344; Comet of May, 17, 210; Comet of 1881, 11, on June 11; Cordoba Observation of, 186; Comet of 1812, expected return of, 448; Comet of 1763, 483; Comet 1882b (Finlay, Sept. 8), 614, 635; Barnard, Sept. 10, 636; Comet of 1812, Pon's, 636; Comet

- seeking in Southern Hemisphere, 308; Comet-Orbits, Definitive, 483; Cometary Discoveries, 511
- Commensalism, a New Case of, 608
- "Commercial Organic Analysis," A. H. Allen, 28
- Common (A. A.), the New Comet, 501
- Comparative Action of Isomeric and Metameric Compounds on the Growth of Plants, 43
- Compressing Gases, Pump for, Cailletet, 308
- Conder (Capt.) and Lieut. Mantell, Campaign in Eastern Palestine, 231
- Conics, Collection of Examples and Problems on, and some of the Higher Plane Curves, Ralph A. Roberts, 197
- "Conic Sections Treated Geometrically," S. H. Haslam and J. Edwards, 7
- Conic Sections, Elementary Treatise on, Chas. Smith, 124
- Coniferae, a Chapter in the History of the Abietineae, J. Starkie Gardner, 106
- Conroy (Sir John), Spectrum of Light emitted by Glow-worm, 319
- Conservation of Solar Energy, on the, J. J. Murphy, 31; Prof. Pliny Earle Chase, 176
- Contact Makers of Delicate Action, Prof. H. S. Hele Shaw, 490, 501
- Continental Astronomical Observatories, 331
- Cooper (W. B.), Phonodynamograph, 331
- Coote (Walter), "Wanderings South and East," 476
- Copal Forest at Imhambane, Discovery of, 351
- Copenhagen International Geographical Exhibition, 231
- Cordoba Zones, 137
- Cordoba Observation of Comet 1881 II. on June 11, 186
- Corea, Geography of, 282; Ethnology of, 344
- Cornwall Polytechnic Society, 135
- Corpuscular Theory of Gravitation, Pictet's, Prof. Herschel, 343
- Cotton, Japanese, 542
- Coues' Check List of North American Birds, 362
- Crabs, Blood of, 635
- Crevaux (Dr. Jules), Supposed Death of, 183
- Crocodylian Skull, Development of, Prof. W. K. Parker, F.R.S., 252
- Croll (Dr. Jas.), "Evolution by Force Impossible," 556
- Crustacea, the Telson and Caudal Fusca of the, 493
- Crustacea, Blind Subterranean, in New Zealand, 542
- Cryptogamic Meeting of the Essex Field Club, 481
- Cryptophyceae, a New Genus of, Bornet and Grunow, 557
- Crystallography, Dr. Liebisch's Geometrische Krystallographie, 266
- Crystal Palace, Electricity at the, "Submarine Telegraphy," 60
- Crystal Palace Electrical and Gas Exhibition, 556
- Cuckoo, the, J. S. A. Brown, 56
- Cuckoo Singing at Night, 88
- Culley's Practical Telegraphy, Translation of, Berger and Bardonant, 557
- Cumberland Association for the Advancement of Literature and Science, 161
- Cunningham (D.), Recent Unseasonable Weather, 222
- Cunningham (J. T.), Darwin Memorial, 124
- Cunningham (Major Allan), "Treatise on Rivers and Canals," L. F. Vernon-Harcourt, 5; "Report on the Irrawaddi River, 172; Hydraulic Experiments at Roorkee, 495
- Cups and Circles, Chas. Rau, 126
- "Cuprous Chloride Cell," A. P. Laurie, 126
- Currents of Moderate Strength, Dynamometer for Alternating, Dr. W. H. Stone, 201
- Cuttle-Fish, Colossal, 542
- Cyclones, E. Douglas Archibald, 9, 31; Is the axis of a Cyclone vertical? J. A. W. Oliver, E. D. Archibald, 222
- Dakota and Nebraska, Princeton College Expedition to, 256
- Dalton (J. C.), "Treatise on Human Physiology, designed for the use of Students and Practitioners of Medicine," Prof. J. G. McKendrick, 451
- D'Amico (Cav.), Tea, &c, acclimatised in Sicily by, 584
- Danish Arctic Exploring Expedition, 282, 615, 634
- Danish Venus Transit Expedition, Departure of, 584
- Darwin (Charles, F.R.S.), 49, 73, 97, 145, 169; Funeral of, 16; Memorial, 66, 87, 124, 207, 230, 351, 634; Biographical Notice, by Dr. Packard in *American Naturalist*, 88; His Letters, Francis Darwin, 104; Alph. de Candolle on, 183; Commemoration in honour of, 183; Prof. Haeckel on Darwin, Goethe and Lamarck, 533
- Darwin (Francis), Chas. Darwin's Letters, 104
- Darwin (G. H.), Lunar Disturbance of Gravity, 458; On a Misprint in the Tidal Report for 1872, 465
- Davis Lectures Programme of the Zoological Subjects, 112
- Davison (W.), Collections in Malasia, 305
- Dawkins (Prof. W. Boyd, F.R.S.), Address at the British Association in the Department of Anthropology, 434
- Daylight observation of Comet, 1882a, 210
- Dead Heat, A, Edward Muybridge, 81
- Deaf-Mutes, Felix Hémet, 105
- Dechevrens (Marc.), Earthquakes in China, 175; "Typhoons of the Chinese Seas in 1881," 626
- Deep-Sea Exploration, 15
- Deep-Sea Investigations, The *Triton*, 230
- "Degeneration: an Essay," Reflections on Reading, 603
- Delaporte on Cambodian remains, 280
- De Long (Capt.), Commander of the *Jeannette* fate of, 41
- "Dene-Holes," T. V. Holmes, 634
- Deprez (M. Marcel), on the Transmission of Electricity, 184
- Descent, Studies in the Theory of, Dr. Aug. Weismann, Alfred R. Wallace, 52
- Deutsche Rundschau für Geographie und Statistik, 558
- Diamond Mines in India, Prof. V. Ball, 468
- Dickie (Dr. Geo.), Death of, 279
- Dictionary, Blackie's Imperial, 258
- Didymium, the Atomic Weight of, 137
- Dielectrics, Heat developed in, Profs. Bellat and Naccari, 210
- Diffusion experiments with gases on Hydrophane of Czernowitza, Hufner, 309
- Diffusion figures, Martini, 309
- Dijon, Earthquake at, 415
- Dilatation of Isomorphous substances, M. Spring, 306
- Distant (W. L.), "Rhopalocera Malayana: a Description of the Butterflies of the Malay Peninsula," 6; Difficult Cases of Mimicry, 105
- Doberck (Dr. W.), Double Stars, 153, 177; Markree Magnetic Dip, 418; Sun-spots and Markree Rainfall, 366
- Dobson (Dr. G. E.), on the Homologies of the long Flexor Muscle of the Feet of Mammalia, 493
- Donnelly (Col. J. F. D., F.R.S.), Meteorological Spectroscope, 501
- Donnelly, (I.), Atlantis, 341
- Donovan (T.), Death of, 111
- Double Stars, 114; Dr. W. Doberck, 153, 177
- Dove (Dr. Edward), Appointed Secretary to the Transit of Venus Commission, 41
- Dragon-fly (*Ceschna cyanea*), Curious fact regarding a, Signor Stefanelli, 89.
- Draper (Dr. Henry), Photographs of the Spectra of the Nebulae in Orion, 33
- Dredging in the Norwegian Fjords, Prof. E. Ray Lankester, F.R.S., 478
- Dreyer (J. L. E.), Appointed Director of Armagh Observatory, 88
- Ducks, Domestication of, in America, 113
- Dudgeon (R. E., M.D.), "The Sphygmograph; its History and Use as an Aid to Diagnosis in Ordinary Practice," 29
- Dufour (Prof.), on the Hailstorm, August 21, 1881, 530
- Dumas, Summary of works of International Commission of Weights and Measures, 583
- Dundee, New University College of, 415
- Dunman (Thomas), Death of, 67; "Talks about Science," 418
- Dunsink Observatory, R. S. Ball, F.R.S., 236
- Dusts, some of the Dangerous properties of, Prof. F. A. Abel, F.R.S., 19
- Dutch Society of Sciences at Harlem, Medals awarded by, 510
- Duvaux (M.), New French Minister of Public Instruction, 378
- Dynamo, Relation between Waste and Useful Work in Shunt, Prof. O. J. Lodge, 311
- Dynamo-elektrischen Maschinen, Die Magnet und, Dr. H. Schellen, 318
- Dynamometer for Alternating Currents of Moderate Strength, Dr. W. H. Stone, 201

- Ear, diseases of, Statistics concerning, 185
 Ears, Function of the, in the Perception of Direction, Consul E. L. Layard, 176
 Earth, Mean Temperature of the Atmosphere at the Surface of the, as Determined by Observations and by Theory, O. Reichenbach, 150
 Earth's Internal Heat, Utilization of, 210
 Earth-Tremors in Japan, John Milne, 125
 Earthquakes: at Karpathos, 89; at Fayal, 113; in Naples, H. J. Johnston-Lavis, 151; in China, Marc Dechevrens, 175; at Lulea (Sweden), 209, 231; at Laibach and Trieste, 280; at Geneva, 281; at Ardon, Valais, 281; at Chios, 351; at Dijon, 415; Report on Japanese, 464; at St. Louis, &c., 556; Isthmus of Panama, 583; at Panama, 611; at Verona, 634; Earthquakes and Mountain Ranges, Rev. O. Fisher, 7; New Seismic Apparatus for Indication of Earthquake-motions, 208
 Eaton (Rev. A. E.), Aurora, 626
 Eclipse, the Total, 40, 52, 75, 82, 83; Eclipses, Total Solar of, 1883 and 1885, 512; English Eclipse Expedition, 63, 129; Eclipse, Janssen's Photographs of, 88; Eclipse Notes, J. Norman Lockyer, F.R.S., 51, 100; Scientific Results of the Eclipse, 181
 Eddystone Lighthouse, Opening of new, 89
 Edinburgh Royal Society, 23, 47, 95, 167, 264, 287, 335
 Edison's Tachimeter, Influence of Time on the Carbon Disk of, Prof. T. C. Mendenhall, 309
 Edison Electric Light in "Press" Department of Telegraph Office, 415
 Edmonds, F. B., Sunspot Period, 52
 Edriophthalmous Crustacea, 542
 Education in United States, 223
 Education, The New Code and Science, 459
 Education, Naval, 473
 Edwards (J.) and S. H. Haslam "Conic Sections treated Geometrically," 7
 Egypt, Eclipse Expedition to, 40; Scientific Exploration in, Gen. Pitt-Rivers, F.R.S., 364; Maps of, 310, 378, 415; Woolwich Balloons sent to, 471; the Injurious Parasites of, Dr. Cobbold, F.R.S., 492; the Oldest Tombs and Tenants, 57; Uganda and the Egyptian Sudan, Rev. C. T. Wilson and R. W. Felkin, 79; Funeral Tent of an Egyptian Queen, Villiers Stuart, 193
 Eisner (Prof. Th.) Existence of a Voice in Lizards, 29
 "Eira," Search for the, 208, 387; C. R. Markham, F.R.S., 418
 Eldridge (G. Morgan), A New Thermograph, 163.
 Electric Light, Earliest Use of the Incandescent, 62; "Le Lampe Soleil," 208; Fire Risks from, 272; "Electric Illumination," Vol. I., 305; Electric Lighting by Incandescence, J. W. Swan, 356; Domestic Use of Incandescent, 470; Electric Lighting of Kösen, 611; New Arc Electric Lamp, W. H. Preece, F.R.S., 526.
 Electricity: at the Crystal Palace: IV. "Submarine Telegraphy," 60; E. Mascart and E. Joubert's Electricity and Magnetism, 147; Electric Railway, 156; Kabath's Electric Accumulators, 180; Electricity on Pike's Peak, 260; Modern Applications of Electricity, E. Hospitalier, 289; Electrical Units, Maurice Lévy, 308; Congress of Electricians, 306, 414; Electricity of Flame, Elster and Geitel, 308; Electric Properties of Flames, 320; Electro-technical Exhibition at Munich, 330, 556; Electric Development, Exhibition of Practical, 351; Accidents from Electricity in Paris, 378, 415; Lord Rayleigh on the Absolute Measurement of Electric Currents, 465; Lord Rayleigh on the Duration of Electric Currents in a Conducting Cylinder, 465; Lord Rayleigh on the Equilibrium of Liquid-conducting Surfaces charged with Electricity, 465; B.A. Report on Electrical Standards, 488; Electric Navigation, Prof. S. P. Thompson, 554; Electric and Gas Exhibition at Crystal Palace, 556; *Traité Pratique d'Electricité*, C. M. Gariel, 570; International Conference for Establishing Technical Uniformity in, 583, 611; Electrical Congress in Paris, 633; Experiment of Janin and Maneuvrier on Inverse Electromotive force in Voltaic Arc, 308; Hartleben's "Elektro Bibliothek," 611
 Ellis (William), Magnetic Storm of 1882, April, 175
 Eloy, Aéronautical Ascent by, W. de Fonville, 88
 Elster and Geitel, Electricity of Flame, 308
 Emin Bey (Dr.), Journey in East of Bahr-el-Jebel, 282
 Encyclopædic Dictionary, Cassell, Petter & Galpin's, 510
 "Encyclopædia der Naturwissenschaften," 530
 Ende (W. am), Proposed Bridge over the Forth, 624
 Energy, Solar Conservation of, J. J. Murphy, 31
 Engineering, Visit of Society of Telegraph Engineers to School of Military, 257
 English Plant-names, Old, Jas. Britten, 243
 Entomological Society, 95, 192, 496, 616
 Epping Forest, 34; and the Essex Field Club, 159
 Equatorial Coudé, Lœwy, 414
 Erck (Wentworth), the Comet of 1882, 573, 597, 627
 Erratic Blocks, the B.A. Report on, 460, 481
 Essex Naturalists' Field Club, 41, 67, 159; Cryptographic Meeting of the, 411
 Etheridge (Robert, F.R.S.), Opening Address in Section C of the British Association at Southampton, 422
 Ethnology, Korean, A. H. Keane, 344; Aino, A. H. Keane, 524
 Euclid, Sequel to first six books of, Dr. Casey, 219
 Europe, the International Geological Map of, 464
 Evans (John, F.R.S.), Unwritten History and How to Read it, 513, 531
 Evershed (S.), the Recent Aurora, 548
 Evolution, Permanence and, Dr. G. J. Romanes, F.R.S., 265
 "Evolution by Force Impossible," Dr. Jas. Croll, 556
 Excitability of Plants, Prof. Burdon Sanderson, F.R.S., 353
 Exhibition, International Fisheries, 89
 Exhibition, Copenhagen International Geographical, 231
 Exploration, Deep-Sea, 15
 Fauna of the Suez Canal, 42
 Fauna, Molluscos, of Moscow, 43
 Fayer (Sir J., F.R.S.), Porculia Salvania (Hodgson), 80
 Fayal, Earthquake at, 113
 Featherman (A.), "Social History of the Races of Mankind," 28
 Feichtinger (Prof.), Free Sulphuric Acid in Paper sized with resin, 557
 Feil, Particulars of History of, P. L. Guinaud, 350
 Felkin (R. W.) and Rev. C. T. Wilson "Uganda & the Egyptian Sudan," 79
 Female Schools in France, First superior, 585
 Fenton, John, Spelling Reform, 366
 Ferguson (J. B.), United States Fisheries, Report of, 474
 Fermat, Inauguration of Statue of, 232
 Ferns, British, Pocket Guide to, Marian S. Ridley, 501
 Fertilisation of Flowers by Insects, Dr. H. Müller, 307
 Field Naturalist, 258
 Field Clubs, London, 612
 Fijian and Maori Comparative Vocabulary, Thurston and Wild, 309
 Finalter (Andrew), "Chambers's Etymological Dictionary of the English Language," 7
 Finlay (Sept. 8), Comet 1882*b*, 614
 Fireballs in Netherlands, Dr. Groneman, 245
 Fire risks from Electric Lighting, 272
 Fish, Destruction of, by River Pollution, 281; New and Very Rare from the Mediterranean, J. Yate Johnson, 453; International Fisheries Exhibition, 89, 279, 305, 480; Swedish Fisheries, Gerhard von Yhlez, 57; United States Report of Fisheries, T. B. Ferguson, 474
 Fisher (Rev. O.), Earthquakes and Mountain Ranges, 7
 Fitzgerald (Prof. Geo. Fras.), Dr. Siemens' Solar Hypothesis, 80
 Fjords, Norwegian, Dredging in the, Prof. E. Ray Lankester, F.R.S., 478
 Flame, Electricity of, Elster and Geitel, 308
 Flames, Electric Properties of, 320
 Flammarion, Conditions of Habitability of Mars, 352
 Florida, Orange Culture in, Major Herschel, 420
 Flowers, Colours of, Grant Allen, 299, 323, 346, 371
 Flowers, Fertilisation of, by Insects, Dr. H. Müller, 307
 Floyer (Ernest A.), "Unexplored Baluchistan Survey of a Route through Mekrán, Bashkurd, Persia, Turkistan and Turkey," A. H. Keane, 197
 Fluids, W. F. Stanley, 545
 Fonville (W. de), Aéronautical Ascents by M. Eloy, 88; "Le Pose du Premier Cable," 330

- Food-plant Improvement, Maj r Hallett, 91
 Forbes (G.), on the Velocity of White and Coloured Light, 465
 Forbes (H. O.), Stamens with Different Functions in one Flower, 386; Arrival of, at Larat, 611
 Forbes (W. A.), Expedition up Niger, 305
 Forth Bridge, B. Baker on, 494
 Fowler (John, C.E. F.G.S.), Opening Address in Section G at the British Association at Southampton, 441
 Forel (Prof.), Le Grain du Glacier, 89; On Glaciers, 67
 Forest, Subterranean, at Crossland, 160
 Forest Cultivation, Memorial for School of Colonial, 280
 Forth Bridge, The Proposed, Sir G. B. Airy, 598; Prof. G. Reynolds; B. Baker; M. am Ende; Wm. H. Johnson, 623
 Fossils, Silurian, in the North-West Highlands, Henry Hicks, 7
 Fossil Cephalopods, British, a Monograph of, J. F. Blake, 25
 Fossils, Moore Collection of, 280
 Foster (Dr. M.), Francis Maitland Balfour, 313, 365
 Fouqué (F.) and M. Lédy, "Synthèse des Minéraux et des Roches," 452
 France: Association for the Advancement of Science, 17, 350, 466, 470; Prize offered by the French Government for most useful Application of Volta-pile, 184; Number of Public Teachers in France, 281; First Superior School for Females in, 585
 Frankland (Dr.), Climate in Town and Country, 380
 Free Libraries in America, 329
 Freshwater Sponges, New, 43
 Fries (Prof. Elias), proposed Purchase of his Botanical Collections by the Upsala University, 113
 "Funeral Tent of an Egyptian Queen," Villiers Stuart, 193
 Fungi of Huddersfield, Exhibition of, 612
 "Galenii Pergamensis de Temperamentis et de Inæquali Intemperie Libri tres, Thoma Linacro Anglo Interprete," 1521, 6
 Gallo-Roman Town near Poitiers, 635
 Galloway (R. L.), a History of Coal Mining, 509
 Galloway (W.), "Getting" Coal by Means of Caustic Lime, 298, 365; Colliery Ventilation, by Alan Bagot, 339
 Galton (Fras.), Rapid-View Instrument for Momentary Attitudes, 249
 Galvanometers, Graded, Sir William Thomson's A. Gray, 506
 Gamgee (Prof. Arthur, F.R.S.), Opening Address in Section D at the British Association at Southampton, 405
 Gardner (J. S.), Phylloxera, 38; a Chapter in the History of Coniferae—the Abietinæ, 106; "Madeira: its Scenery," 363; the Cause of Elevation and Subsidence of Land, 468
 Gardner (H. D.), the Watchmaker's Handbook, by Claudius Saunier, 319
 Gariel (M.), *Traité Pratique d'Electricité*, 570
 Gas Mixture, Absorption of Heat by, Heine, 308
 Gas-condensing Pump, Cailletet's, 308; P. J. Lecky, 343
 Gases, Absorption of Radiant Heat by, Prof. Tait, 639
 "Gasteropoden der Meeres-Ablagerungen der Ersten und Zweiten Miocänen Mediterran-Stufe in der Oesterreichisch-Ungarischen Monarchie," von R. Hörnes and M. Auinger, J. Gwyn Jeffreys, F.R.S., 149
 Gee (Geo. E.), Hall-marking of Jewellery, 89
 Gegenbaur's Morphologisches Jahrbuch, 616
 Geiger (Lazarus), "Contributions to the History of the Development of the Human Race," 103
 Geikie (Dr. Archibald, F.R.S.), in Arran, 39; the Geology of China, 241
 Geitel and Ek-ter, Electricity of Flame, 308
 Geminorum, Variable Star u, 114
 Geography: Geographical Notes, 19, 90, 139, 162, 512, 543; International Geographical Exhibition at Copenhagen, 231; Proceedings of Royal Geographical Society, 231; Geography in Russia, 211; Geography in New South Wales School Books, 279; Geographische Bildertafeln, Opper and Ludwig, 309
 Geology: Geologists' Association, 17; Summer Excursion of, 230; Geological Collections in Oxford University Museum, Index Guide to, Prof. Prestwich, 378; Swedish Geological Expedition to Spitzbergen, 447; International Geological Map of Europe, 464; Geological Explorations in New Forest, 556; Geological Society, 46, 95, 263; Proceedings of, 238; Dr. Archibald Geikie on the Geology of China, 241
 Germain (Miss S), Street in Paris to be named after, 352
 German Chemical Society, 138
 German Botanical Society, 280, 583
 German Association of Naturalists, 305; Proceedings of, 509
 German Anthropological Society, Congress, 378
 Gesture Speech of Man, Colonel Garrick Mallery, 333; Hyde Clarke, 419
 Giffard (M.), the Fortune left by, 510
 Gifford (Anne), Recent Magnetic Storm and Aurora, 571
 Gilchrist Trust, "Science Lectures for the People," 378
 Gilder (W. A.), Schwatka's Search: Sledging in the Arctic in quest of the Franklin Records, 7
 Gill (Theo.), Chiasmodon Niger and Notacanthus Rissoanus, 574
 Gilpin's "Forest Scenery," 612
 Giraud (Lieut.), African Expedition, 309
 Gizzard, Contents of some Oceanic Birds, H. B. Guppy, 12
 Glacial Phenomena, Pseudo, Rev. T. E. Tenison-Woods, 81
 Glaciers, Prof. Forel on, 67; Commercial Utilisation of, 185; Le Grain du Glacier, Prof. Forel, 89
 Gladstone (Dr. J. H.) and Dr. A. Tribe, F.R.S., Chemistry of Plant and Fauna Cells, 251, 342, 603
 Glandular Secretion, Prof. Arthur Gamgee on, 407, 411
 Glasgow, the Kelvingrove Museum, 67; the Mitchell Library, 160
 Glazebrook (R. P.), B.A. Unit, 597
 Glennill (S. Maitland Baird), Aurora Borealis, 105
 Globe, Rainfall of the, 206
 Glowworm, Spectrum of Light emitted by, Sir John Conroy, 319; John Spiller, 343
 Goethe, Darwin, and Lamarck, Prof. Haeckel on, 533
 Gold Raised at Victoria, 306
 Goodsir (John), the Researches of, Prof. Arthur Gamgee, 409
 Göttingen, Royal Society of Sciences, 144, 264
 Granite Boulder from Mount Sorrel, Preservation of, 257
 Gratings for Optical Purposes, Preliminary Notice of the Results Accomplished in the Manufacture and Theory of, Prof. H. A. Rowland, 211
 Graves of North-east London, Palæolithic, W. G. Smith, 579
 Gravitation, Pictet's Corpuscular [Theory of, Prof. Herschel, 343
 Gray (A.), on Sir William Thomson's Graded Galvanometers, 506; Alteration by Magnetisation in Dimensions of Magnetic Metals, 625
 Gray (Geo.), Philosophical Institute of Canterbury, New Zealand, 229
 "Great Giant Arithmos, a Most Elementary Arithmetic, Mary Steadman Aldis, 123
 Greenland, Auroræ in, 130
 Gre-ham College, Exhibition of Objects from Iserlohn Technical School at, 257
 Griffith (G.), on F. M. Balfour, 365
 Grimshaw (Mr.), the Microscope, 531
 Groneman (Dr.), Fireballs in Netherlands, 245
 Grote (A. Radcliffe), Illustrated Essay on the Noctuidæ of North America, with "A Colony of Butterflies," 281, 500
 Guiraud (P. L.), Particulars of History of, Feil, 350; Major Herschel, 573
 Guinea Pig, Dr. Fraser on the, 493
 Guns, Resistance of the Air in, Prof. D. Colladon, 353
 Guppy (Surgeon-Major H. B.), Gizzard Contents of some Oceanic Birds, 12; Extension Seawards of the Waters of the Chinese Rivers, 38
 Gyula (Prof. Schaarschmidt), Researches on the Division of the Chlorophyll-Granules, and upon the Occurrence of Hypochlorin in the Cyanophyceæ and Bacillaridæ, 476
 Haeckel (Prof.), Return of, 88; in Ceylon and India, 254, 273, 375, 388, 502, 574; on Darwin, Goethe, and Lamarck, 533
 Hæmatite Deposits in the Carboniferous Limestone, 469
 Hagen (Dr. H. A.), Limulus, 126
 Hail-storm of August 21, 1881, Prof. Dufour on, 530
 Haldane (R. B.), "Immanuel Kant's Critique of Pure Reason," 76; Stuckenbergs' Life of Immanuel Kant, 361

- Haller (Dr. G., and Cie.), North German Museum for Natural Science, 329
- Hallett, Major, Foodplant Improvement, 91
- Halo, A Curious, Prof. J. P. O'Reilly, 268, 344; Prof. S. P. Thompson, 293; W. A. Sanford, 320
- Hamburg Geographical Society's Expedition to Central East Africa, 615
- Hampshire, Robert Etheridge, F.R.S., [on the Geology of, 422
- Hannay (J. B.), Limit of Liquid State of Matter, 370
- Hart Testimonial, 232
- Haslam (S. H.) and J. Edwards "Conic Sections Treated Geometrically," 7
- Havre, Telephony at, 352
- Hawes (A. G. S.) and E. M. Satow, Handbook for Travellers in Central and Northern Japan, 290
- Hawkshaw (J. Clarke), The Channel Tunnel, 494
- Health Resorts; Scottish Highlands, 297
- Heat, Absorption of by Gas Mixtures, Heine, 308
- Heat Developed in Dielectrics, Prof. Bellati and Naccari, 210
- Heine, Absorption of Heat by Gas Mixtures, 308
- Helms (Ludwig Verner), "Pioneering in the Far East, and Journeys to California in 1849 and the White Sea in 1878," 476
- Hélouis (N. A.), Patent for Manufacture of Hydrogen and Oxygen, 585
- Hémont (Felix), Deaf Mutes, 105
- Hemsley (W. Botting), "Mariane North" Gallery of Paintings of "Plants and their Homes," Royal Gardens, Kew, 155
- Henslow (Rev. Geo.), Animal Intelligence, 573
- Herring Merchants, Meeting of Swedish, 447
- Herschel (Sir W.), Bibliography of his writings, 208
- Herschel (Prof.), Pictet's Corpuscular Theory of Gravitation, 343
- Herschel (Major), Orange Culture in Florida, 420; Note on History of Optical Glass (Guinand), 573; The Comet, 622
- Hesse-Wartegg (Chaveller de), "Tunis; the Land and the People," 7
- Hicks (Henry), Silurian Fossils, in the North-West Highlands, 7
- Highlands, North-West, Silurian Fossils in the, Henry Hicks, 7
- High Tides, Hypothetical, Prof. J. S. Newberry, 56
- Hilaire (M. Barthelmy St.), Translation of Aristotle's History of Animals, 509
- History, Unwritten, and How to Read it, John Evans, F.R.S., 513, 531
- Hjaltelin (Dr.), Death of, 184
- Hockin, Charles, Death of, 40
- Holden, E. S., Washburn Chronograph, 368
- Holmes (T. V.), "Dene Holes," 634
- Holub (Dr.), South African Explorations, 310, 558
- Hölzel's Geographische Charakter-Bilder für Schule und Haus. Herausgegeben unter Pädagogischer und Wissenschaftlicher Leitung, Dr. Josef Chavanne &c., 476
- Hongkong, the Proposed Meteorological Observatory at, 113
- Horse in Motion as shown by Instantaneous Photography, &c., J. D. B. Stillman, 196
- Horse in Motion, Conventional Representation of, F. Galton, F.R.S., 228
- Horticulture, Utilisation of Ants in, Prof. C. V. Riley, 126
- Horticulture, Belgian, 280
- Hoskyns-Abraham (Rev. John), Meteors, 125
- Hospitalier (E.), Modern Applications of Electricity, 209, 352
- Hovgaard (Lieut. A.), "Nordenskjöld's Arctic Voyage Round Asia and Europe," 29
- "Howard Medal," Statistical Society's Prize, 584
- Howitt (A. W.), Australian Aborigines, 452
- Huddersfield Fungi Exhibition, 612
- Hufner, Diffusion Experiments with Gases on Hydrophane of Czernowitza, 309
- Huggins (W., F.R.S.), Photographic Spectrum of Comet (Wells) I, 1882, 179
- Hulme (F. E., F.S.A.), "Worked Examination Questions in Plane Geometrical Drawing, 103
- Hutton (Prof. F. W.), On Biology in an Arts' Curriculum, 209
- Human Race, Contributions to the History of the Development of the, Lazarus Geiger, 103
- Human Physiology, Treatise on, Designed for the Use of Students and Practitioners of Medicine, J. C. Dalton, Prof. J. G. McKendrick, 451
- Hungarian Association for the Advancement of Science, G. F. Rodwell, 456
- Hurricane at Manilla, 634
- Hydrates (Crystalline) of Phosphoretted and Sulphuretted Hydrogen, Ammonia, and Carbon Dioxide, 614
- Hydraulic Experiments at Roorkee, Major Allan Cunningham, 495
- Hydrocarbons, Prof. Mendeleef on Heat of Combustion of, 258
- Hydrogen and Oxygen, HéLouis' Patent for Manufacture of, 585
- "Hydrographical Surveying," Capt. W. J. L. Wharton, 195
- Hydrometer, Herr Fleischer's, 18
- Hydrophane of Czernowitza, Diffusion Experiments with Gases on, Hufner, 309
- Hydrophobia and Snake-bite, A. Stradling, 221
- Hygiene of School-children, French Commission, 634
- Hypochlorin in the Cyanophyceæ and Bacillariaceæ, Researches on the Division of the Chlorophyll-Granules, and upon the occurrence of, Prof. Schaarschmidt Gyula, 476
- Hypothetical High Tides, Prof. J. S. Newberry, 56
- Ice, Curious Formation of, H. Worth, 81
- Iceland, Meteorology of, in Winter and Spring of 1881-82, 322; "Summer Travelling in, by Coles," G. F. Rodwell, 363; Oswald's, "By Fell and Fjord," G. F. Rodwell, 363
- "Ideality in the Physical Science," Benjamin Peirce, 104
- Imperial Dictionary, 3rd Vol. of Blackie's, 258
- Incandescent Electric Light, Earliest use of, 62
- Incandescent Lamp, non-Electric, 108; F. M. Sexton, 176; British Electric Light Company's, 230; Domestic use of, 470
- Index Guide to Geological Collections in Oxford University Museum, Prof. Prestwich, 378
- India, Land and Freshwater Mollusca of, Dr. J. Gwyn Jeffreys, F.R.S., 53
- India, the Salt Supply of, Prof. V. Ball, 468
- India-rubber Plants, 237
- Indigo, change of Ornithological Propiolic Acid into, 614
- Induction, Willoughby Smith, 267
- "Ingenieurs des Arts et Manufactures," Paris Central School for, 446
- Inhambane, Discovery of Copal Forest at, 351
- Inuit Tribes on Alaska Coast, Petroff on Limit of, 257
- Insects: injurious to Forest and Shade Trees, A. S. Packard, 78; the tide of travel of noxious, 136; Scudder's Bibliography of fossil, 159; Fertilisation of Flowers by Dr. H. Müller, 307; Respiratory movements of, 454; an Insect attacking a Worm, Edwin Lawrence, 599; Prof. W. Swan, H. Rix, J. Shaw, 574
- Institute of Chemistry, First Provincial Dinner of, 634
- Institution of Civil Engineers, 71, 95
- Institution of Mechanical Engineers, 375
- Intelligence, Animal, C. Lloyd Morgan, 523
- International Polar Observatories, 294
- International Meteorology, 370
- International Hygienic Conference, Proposed, in Geneva, 67
- Intestinal Movements, Peristaltic, 43
- Invertebrate Zoology, Handbook of, W. K. Brooks, Prof. Lankester, F.R.S., 548
- Iridium, Process for Melting, 585
- Iron and Steel Institute, Annual Meeting of, 17; Autumn Meeting of, 351, 509, 530
- "Irrawaddi River, Report on," Major Allan Cunningham, 172
- Iserlohn Technical School, Exhibition at Gresham College of objects from, 257
- Isomeric and Metameric Compounds, Comparative Action of, on the Growth of Plants, 43
- Isomorphous substances, Dilatation of, M. Spring, 306; Pettersson on Spring's Researches on Expansion of, 568
- Italian Census, 258
- Italian Antaretic Expedition, Wreck of, 378
- Ivory, Artificial, 585
- Jacamars and Puff-birds, A Monograph of, or Families Galbulidae and Bucconidae, 8; Dr. P. L. Sclater, F.R.S., 499

- Jackson (Lewis D'A.), "Modern Metrology," 55
 Jackson (B. Daydon) Guide to the Literature of Botany, Jas. Britten, 417; Vegetable Technology, Jas. Britten, 417
 Jahn, Density of Bromine Vapour, 567
 Jamaica Petrel, Consul E. L. Layard, 177
 Jamieson (Jas.), Influence of Light on Development of Bacteria, 244
 Jamieson (T. F.), Oscillations of Sea Level, 319
 Jamin and Maneuvrier, Experiment on Inverse Electromotive force in voltaic arc, 308
 Janssen's Photographs of Eclipse, 88
 Japan, Seismological Literature of, 17; Earth-Tremors in, Prof. John Milne, 125; School in, 184; Handbook for Travellers in Central and Northern, Satow and Hawes, 290; Asiatic Society of, 306; Japanese Progress, Col. H. S. Palmer, R.E., 310; Meeting of Japanese Literati, 379; Storm Warning Service in, 414; Earthquake Phenomena of, Prof. J. Milne, 464; Japanese Cotton, 542; Seismology in, Prof. J. Milne; 627
 Javanese "Gamelon," 471
 Jeannette Expedition, 19, 282; Scientific Results of the, 479
 Jeffreys (Dr. J. Gwyn, F.R.S.), "Land and Freshwater Mollusca of India," 53; "Die Gasteropoden der Meeresablägerungen der Ersten und Zweiten Miocänen Mediterranstufe in der Oesterreichisch-Ungarischen Monarchie," Von B. Hornes and M. Auinger, 149
 Jenisei, "A. E. Nordenskjöld," Expedition to the, 447
 Jenkinson (Rev. T. B.), "Amazulu, the Zulus, their Past History, Manners, Customs, and Language," &c., 522
 Jevons (W. S. F.R.S.), Solar-Commercial Cycle, 226; Death of, 377; Obituary Notice of, 420
 Jewellery, Hall-marking of, Geo. E. Gee, 89
 "Johns Hopkins University, Studies from the Biological Laboratory," 70, 331; Mathematics at the, 202
 Johnson (James Yate) New and very Rare Fish from the Mediterranean, 453
 Johnson (Prof. Alex.) Newton, Wollaston and Fraunhofer's Lines, 572
 Johnson (W. H.), Proposed Bridge over the Forth, 625
 Johnston-Lavis (N.), Earthquake in Naples, 151; Diary of Vesuvius, Jan. 1 to July 16, 1882, 455
 Jointing of Rocks and the Channel Tunnel, Prof. W. King, 45
 Joubert (E.), and E. Mascart, Electricity and Magnetism, 147
 Joule (James Prescott, F.R.S.), J. T. Bottomley (*with Portrait*), 617
 "Journal de Physique," 22, 166, 312, 519
 "Journal of the Franklin Institute," 46, 94, 262, 286, 448, 519, 640
 "Journal of the Royal Microscopical Society," 70
 "Journal of Anatomy and Physiology," 70, 591
 "Journal of the Russian Chemical and Physical Society," 190, 448
 Journal of Botany, 286
 Joyeux's Plagioscope, 635
 Jupiter, Occultation of a Star by, 344
- Kabath's Electric Accumulators, 180
 Kant's (Immanuel), "Critique of Pure Reason," R. B. Haldane, 76; Life of, by Stuckenberg, R. B. Haldane, 361
 Karpathos, Earthquake at, 89
 Kastner (F.), Death of, 304; the Father of, 415
 Keane (A. H.), on the discovery of Stone Implements at Mount Pisgah, U.S.A., 160; "Unexplored Baluchistan. Survey of a Route through Mekran, Bashkurd, Persia, Turkistan, and Turkey, Ernest A. Floyer," 197; Malayo-Polynesian Linguistics, 225; Asia, Rev. A. H. Sayce, 317; Speechless Man, 341; Korean Ethnology, 344; "Six Months in Persia," Edward Stack, 500; Aino Ethnology, 524
 Kepler's Works, Cheap issue of Fisch's Edition, 88
 Kew Gardens, "Marianne North" Gallery of Paintings of "Plants and their Homes," W. Botting Hemsley, 155
 Kinahan, G. H., *Megaceros Hibernicus* in Peat, 246
 Kinch (Prof.), Soy Bean, 447
 King (Prof. W.), Jointing of Rocks and the Channel Tunnel, 45
 King's College London, Lectures on Agriculture at, 510
 Kingsford (Mrs. Anna), Vivisection, 8
 Klein (Dr. E.), Cause of Tuberculosis, 13
 Koenig's Experiments in Acoustics, 203, 275
- Kopp (Dr. Hermann), How may Clouds consisting of Liquid or of Frozen Water be distinguished? 31
 Korean Ethnology, A. H. Keane, 344
 Kösen, Electric Lighting of, 611
 Kosmic Order, Law of: An Investigation of the Physical Aspect of Time, Robert Brown, 79
 Kreuzwald (Dr.), Death of, 470
 Krichenbauer, "Theogonie und Astronomie," 341
 Kruss (G.), Spectroscopic Method for determining Chemical Action in Solution containing two or more Coloured Salts, 568
- Lacustrine Canoe (?) found, 67, 114
 Lagarde (M. de), Origin of x in Mathematics, 305
 Laibach, Earthquake shocks at, 68
 Lakanal Statue at Serres, 446
 Lake-dwellers, new Discoveries at Neuchatel, bearing on, 258
 Lake Maggiore, Protistological Analysis of, Prof. Maggi, 379
 "La Lampe Soleil" in the Royal Exchange, 208
 Lamarck, Darwin, Goethe, and Prof. Haeckel on, 533
 Lamps, Non-Electric Incandescent, 108; F. M. Sexton, 176
 "Land and Fresh-water Mollusca of India," Dr. J. Gwyn Jeffreys, F.R.S., 53
 Langley Point, Sea-Shore Alluvion, J. B. Redman, 30
 Langley (Prof.), Mount Whitney Expedition, 314
 Lankester (Prof. E. Ray, F.R.S.), Dredging in the Norwegian Fjords, 478; Brooks' Handbook of Invertebrate Zoology, 548
 Larden (W.), Recent Magnetic Storm and Aurora, 571; The Comet, 623
 Larynx, Anæsthesia of, by Carbonic Acid, Brown Séquard, 557
 Lawrie (A. P.), "Cuprous Chloride Cell," 126
 "Law of Kosmic Order: an Investigation of the Physical Aspect of Time," Robert Brown, 79
 Lawrence (Edwin), An Insect attacking a Worm, 549
 Lay of last Vortex-atom, 297
 Layard (Consul E. L.), Function of the Ears in the Perception of Direction, 176; Jamaica Petrel, 177
 Lead, Sulphate of, in Secondary Battery, Prof. O. J. Lodge, 596
 Lecky (R. I.), Cailletet's Gas condensing Lamp, 343
 Leclanché (M. Georges), Death of, 529
 Lefroy (Sir J. H.), The Comet, 623
L'Electricité on Progress of Electrical Science, 280
 Lemström (Dr.), Measurements of Terrestrial Currents, 479
 Lepidoptera, Anatomy of Diurnal, L. H. Scudder, 330
 Leslie (Alexander), Death of, 184
 Leverrier Telescope, Resilvering of Mirror of, 446
 Levy (Maurice), Electrical Units, 308
 Lévy (M.), and F. Fouqué, "Synthèse des Minéraux and des Roches," 452
 Lichtenburg Figures, 138
 Liebisch (Dr.), Geometrische Krystallographie, 266
 Light, Influence of, on Development of Bacteria, Jas. Jamieson, 245
 Light, Velocity of White and Coloured, G. Forbes, 465
 Lighthouse, Opening of New Eddystone, 89
 Lighthouses, Prof. W. Swan, 522
 Lightning Conductors, R. Anderson, 557
 Lime, "Getting" Coal by Means of Caustic, W. Galloway, 298, 365; Paget Mosley, 365
 Limit of Liquid State of Matter, J. B. Hannay, 370
 Limulus, Dr. H. A. Hagen, 126
 Lineham, (W. I.), The Recent Aurora, 548
 Linguistic, Trübner's Catalogue of Languages and Dialects of the World, 258
 Linnean Society, 118, 143, 166, 214
 Linnean Society of New South Wales, 640
 Liouville (M. Joseph), Death of, 479
 Liquid State of Matter, Limit of, J. B. Hannay, 370
 Little (Prof.), "Rotations," 447
 Liver-Fluke, Life-History of, H. P. Thomas, 606
 Liverpool Naturalist's Field Club, Proceedings of, 258
 Living (Prof. G. D., F.R.S.), Opening Address in Section B at the British Association at Southampton, 402

- Liveing and Dewar (Prof.), The Reversals of the Spectral Lines of Metals, 466
 Lizards, Existence of a Voice in, Prof. Th. Eimer, 29; C. Michie Smith, 81; S. E. Peal, 320, 343
 Lock (Rev. J. B.), Treatise on Elementary Trigonometry, 124
 Lockyer (J. Norman, F.R.S.), Eclipse Notes, 51, 100
 Lodge (Prof. O. J.), Chemistry of Planté and Faure Cells, 268; Relation between Waste and Useful Work in, Shunt-Dynamo, 311; Sulphate of Lead in Secondary Battery, 596
 Lœwy (M.), Equatorial Coudé, 414
 London, Palæolithic Gravel of N.E., W. G. Smith, 579
 Lubbock (Sir J., F.R.S.), Ants, Bees and Wasps, Dr. G. J. Romanes, F.R.S., 121; Roumanian Translation of "Fifty Years' of Science," 159
 Lucas (Joseph), Studies in Nidderdale, 291
 Ludwig (Arnold) and Opper (Drs.), Geographische Bildertafeln, 309
 Ludwig (Carl), The Discoveries of, Prof. Arthur Gamgee, 411
 Luleå, Earthquake in, 209, 231
 Lunar Disturbance of Gravity, G. H. Darwin, 458
 Lunge, (Prof.), Coal Tar Distillation, 281
 Lutke (Count), Death of, 414; Obituary Notice of, 446
 Luys (J.), "Brain and its Functions," 103
 Lyons Anthropological Society, 611

 McAlpine (D.), "Botanical Atlas; a Guide to the Practical Study of Plants," 175; Prof. T. J. Parker, 292; D. McAlpine, 386
 Macgowan (D. J.), The Recent Weather, 245
 McKendrick (Prof. J. G.), "Treatise on Human Physiology, designed for the use of Students and Practitioners of Medicine," J. C. Dalton, 451
 McLachlan (R., F.R.S.), "Insects injurious to Forest and Shade Trees," A. S. Packard, 78
 Maclay (Miklukho), his Australian Expedition, 112
 "Madeira: its Scenery, and How to See It," J. S. Gardner, 363
 Madras Government Central Museum, Report of, 557
 Maggi (Prof.), Protistological Analysis of Water of Lake Maggiore, 379
 Magnet und dynamo-elektrischen Maschinen, die Dr. H. Schellen, 318
 Magnetic Dip, Markree; Dr. W. Doberck, 418
 Magnetic Metals by act of Magnetisation, Alterations in Dimensions of, Prof. W. F. Barrett, 585; Andrew Gray, 625
 Magnetic Storms, Sun-Spots and, W. H. M. Christie, F.R.S., 55; Magnætic Storms of April, 1882, 207; William Ellis, 175; Magnetic Storm and Aurora, Recent, W. H. M. Christie, F.R.S.; G. M. Seabrooke; A. P. Smith; J. F. Watts; Anne Gifford; W. Larden; H. Mellish, 571
 Magnetism, Electricity and, E. Mascart and E. Joubert, 147
 Magneto-Electric Action, Matter and, Henry Bedford, 8
 Malaiasia, Darwin's Collections in, 305
 Malayana Rhopalocera: a Description of the Butterflies of the Malay Peninsula, W. L. Distant, 6
 Malayo-Polynesian Linguistics, A. H. Keane, 225
 Mallory (Col. G.), Gesture Speech of Man, 333
 Malta during Alexandria Bombardment, Telephonic Experiment at, 257
 Manchester Literary and Philosophical Society, 143
 Mangin's Military Signals with Captive Balloon, 634
 Mauilla, Hurricane at, 634
 Mankind, Social History of the Races of, A. Featherman, 28
 Maori and Fijian Comparative Vocabulary, Thurston and Wild, 309
 Maoris, Colour-sense of the Ancient, 578
 Marianne North Gallery of Paintings of "Plants and their Homes," Royal Gardens, Kew, W. Botting Hemsley, 155
 Mariette Bey, Unveiling of Statue of, 306
 Markham (C. K.), *Eira* Expedition, 418
 Markree Rainfall, Sunspots and, Dr. W. Doberck, 366
 Markree Magnetic Dip, Dr. W. Doberck, 418
 Mars, Recent Discoveries in the Planer, Rev. T. W. Webb, 13; Conditions of Habitability of, Flammarion, 352; Schroeter's Observations of, 344
 Marsh, G. B., Death of, 305
 Martini (Signor), Diffusion Figures, 309.
 Mascart (E.) and E. Joubert, Electricity and Magnetism, 147
 Mascart's Magnetic Observatory in the Parc St. Maur, 611
 Maskelyne's Value of the Solar Parallax, 161, 186, 210
 Mathematical Question, A Great, T. Wakelin, 29
 Mathematical Text-Books, Some Recent American, R. Tucker, 59
 Mathematical Society, 71, 166
 Mathematics, Synopsis of Elementary Results in Pure and Applied, containing Propositions Formulæ and Methods of Analysis, with Abridged Demonstration, G. S. Carr, 197
 Mathematical Fragments and Papers, W. K. Clifford, 217
 Mathematics at the Johns Hopkins University, 262
 "Mathematische und Naturwissenschaftliche Mittheilungen," 190
 Matter and Magneto-Electric Action, Henry Bedford, 8
 Mauritius and Reunion Optical Communication between, 612
 Mean Temperature of the Atmosphere at the Surface of the Earth as Determined by Observations and by Theory, O. Reichenbach, 150
 Mechow Expedition, 614
 Medicine, Dictionary of, Edited by R. Quain, F.R.S., 481
 Mediterranean Populations, Early History of, Hyde Clarke, 341
 Mediterranean, New and very Rare Fish from, James Yate Johnson, 453
 Megaceros Hibernicus in Peat, G. H. Kinahan, 246
 Mellish (H.), Recent Magnetic Storm and Aurora, 571
Mellogen, Bartoli and Papisogli, 568
 "Memoire della Società degli Spettroscopisti Italiani," 46
 "Memoires de la Société des Sciences Physiques et Naturelles de Bordeaux," 54
 Mendeleeff (Prof.), Heat of Combustion of Hydrocarbons, 258
 Mendeleeff, Thermo-chemistry, 568
 Mendenhall (Prof. T. C.), Influence of Time on Change of Resistance of Edison's Tasimeter, 309
 Mercuric Chloride, Carnelley's Experiments on Melting Point of, 567
 Mercury, Transit of, 1881, November 8, 137
 Mercury, Polarisation of, 139
 Merrifield (Mary P.), Monostroma, 284
 Metals, The Reversals of the Spectral Lines of, Profs. Liveing and Dewar, 466
 Metals, Alteration in Dimension of Magnetic, by Act of Magnetisation, Prof. W. T. Barrett, 585
 Metamorphic Rocks of Bergen, 567
 Meteoric Dust, B. A. Report on, 488
 Meteors, G. T. Tupman, 81; F. J. Stone, F.R.S., 151; Rev. S. J. Perry, F.R.S., 124; Rev. John Hoskyns-Abraham, 125; in Wyoming, 208; August, Donald Cameron, 378, 523
 Meteorology: Some Primitive Ideas on, 15; Modern, Louise D'A. Jackson, 55; Meteorological Station established by C. L. Wragge at Stafford, 88; Meteorological Society, 95, 215; Ben Nevis and Fort William Observations, 112; Proposed Meteorological Observatory at Hongkong, 113; Registration of the duration of rain, 113; in China, 136; Meteorological Service, China Coast, 414; Austrian Polar Meteorological Expedition, 231; Meteorology of Iceland in Winter and Spring of 1881-2, 322; Meteorology of the Antarctic Region, J. I. Murphy, 366; Permanent Committee of Meteorological International Congress, 352, 370; Prof. Balfour Stewart on a Similarity between Magnetical and Meteorological Weather, 488; Meteorological Spectroscope, Col. J. F. D. Donelly, F.R.S., 501; African Rivers and Meteorology, Prof. O'Reilly, 597
 Meyer (Prof. L.), on Steudell's Transpiration of Vapours, 309
 Microscope, the, Mr. Grimshaw on, 531
 Microscopical Science, Studies in, A. C. Cole, 89
 Miklukho-Maclay (Dr.) Return of, 558
 Military Engineering Visit of Society of Telegraph Engineers to School of, 257
 Military Signa's with Captive Balloon, Mangin, 634
 Milk Ferment, Caucasian, 43

- Milne (Prof. John), Earth Tremors in Japan, 125; Seismology in Japan, 627
- Mimicry, on some Difficult Cases of, Dr. Franz Müller, A. R. Wallace, 87; W. L. Distant, 105; S. E. Peal, 368
- Mimicry in the "Plume Moths," J. E. Taylor, 477
- Mindanas, Ascent of Mount Apo, by Schadenburg and Koch, 257
- Mineralogie, Tschermak Lehrbuch der, 364
- Mines for Victoria, Report of Chief Inspector of, 416
- Miort, Osaka (Japan), Report of, 231
- Mirage in Sweden, 209
- Mixer, Production of Urea, 568
- Mocenigo (A. V. G.), Il Telefono, &c., 220
- Modern Physics, the Concepts and Theories of J. B. Stallo, 521
- Molecular Physics, Contribution of Astronomy to questions of, Raoul Pictet, 310
- Mollusca, Land and Freshwater, of India, Dr. J. Gwyn Jeffreys, F.R.S., 53
- Molluscan Fauna of Moscow, 43
- Momentary Attitudes, Rapid-view Instrument for, Francis Galton, F.R.S., 249
- Monckhoven (Dr. van), Death of 583; Obituary Notice of, 601
- Monostroma, Mary P. Merrifield, 284
- Montgolfier Anniversary, 556
- Montreal, American Association at, 480
- Moore Collection of Fossils, 280
- Morgan (C. Lloyd), Animal Intelligence, 523
- "Morocco," New Edition of De Amico's, 614
- "Morphologisches Jahrbuch," 71
- Mortillet (G. de), "Le Præhistorique," 583
- Moscow, Molluscan Fauna of, 43
- Moscow, Index to Bulletins of Imperial Society of Naturalists of, E. Ballion, 557
- Mosley (Paget), "Getting" Coal by Means of Caustic Lime, 365
- Moseley (Prof. H. N., F.R.S.), Bobbers, 501; Pelagic Life, 559
- Moths, Plume, Mimicry in the, J. E. Taylor, 477
- Mott (F. T.), Comet *a* 1882, 124
- Mount Pisgah, U.S., Stone Objects Discovered at, 160, 267
- Mount Whitney Expedition, Prof. Langley, 314
- Mountain Ranges, Earthquakes and, Rev. O. Fisher, 7
- Mountain Sickness in the Andes, Note on, J. Ball, F.R.S., 477
- Movable Coils, Dr. W. H. Stone, 268
- Muir (M. M. Pattison), Atomic Weights, 271
- Müller (Dr. Fritz), On Some Difficult Cases of Mimicry, A. R. Wallace, 87
- Müller (Dr. H.), Variability of Sepals, &c. in *Myosurus Minimus*, 81; Fertilisation of Flowers by Insects, 307
- Müller (Johannes), The Researches of, Prof. Arthur Gamgee, 408
- Munich Electro-Technical Exhibition, 330, 510, 556
- Murphy (F. J.), Meteorology of the Antarctic Region, 366; Conservation of Solar Energy, 31
- Museums: Parkes, 231; Report of Trustees of Australian, 379; School Museums, Rev. A. S. Page, 386; Provincial Arrangement of, F. T. Mott, 492
- Muybridge (Edward), A Dead Heat, 81
- Myosurus Minimus*, Variability of Sepals, &c., Dr. Hermann Müller, 81
- "Myth and Science," Tito Vignoli, Geo. J. Romanes, F.R.S., 3
- Naptha Wells, Caspian, 557
- Naples, Earthquake shock at, 136; H. J. Johnston-Lavis, 151
- Nasal Cavity, course of air in, in breathing, Dr. Paulsen, 232
- "Natura," 23
- Natural Science, Dr. Haller and Cie's North German Museum for, 329
- Natural History Notes*, 556
- Naturalists, German Association of, 305
- "Naturen," 135
- Naval Education, 473
- Navigation, Electric, Prof. S. P. Thompson, 554
- Nebula in Orion, Photographs of the Spectra of the, Dr. Henry Draper, 33
- Netherlands, Fireballs in, Dr. Groneman, 245
- Neuchatel, New discoveries bearing on history of lake-dwellers, 258
- Nevill (Lady Dorothy), Domesticated Choughs, 556
- New South Wales, Transit of Venus in, 223; Geography in School Books of, 279
- New Zealand Institute, "Transactions" of the, 482, 591
- New Zealand, Science in, 510; Blind Subterranean Crustacea in, 542; University of, 635
- New Forest, Geological explorations in, 556
- Newberry (Prof. J. S.), Hypothetical High Tides, 56
- Newcomb (Dr. Simon), Astronomical Observations, 326
- Newton (Prof. Alfred, F.R.S.), The Late, Prof. Balfour, 342
- Nidderdale, Studies in, Joseph Lucas, 291
- Niederländisches Archiv für Zoologie, 616
- Noctuidæ of North America, Illustrated Essay on, with "A Colony of Butterflies," A. Radcliffe Grote, 281 500
- Non-Electric Incandescent Lamp, 108; F. M. Sexton, 176
- "Nordenskjöld's Arctic Voyage round Asia and Europe," Lieut. A. Hovgaard, 29
- Norfolk, T., British Association, 337
- Norfolk and Norwich Naturalists' Society, "Transactions," 471
- Normal School of Science, Distribution of Awards, 322
- North American Birds, Coue's Check List of, 362
- Norwegian Fjords, Dredging in the, Prof. E. Ray Lankester, F.R.S., 478
- Norwich Geological Society, Proceedings of, 557
- Notacanthus Rissoanus, Theo. Gill, 574
- "Notes from the Leyden Museum," 213
- Nova of 1848, the so-called, 18
- Nova, Anthelm's, of 1670, 42
- Nova Ophiuchi, 1848, 344
- Oats (Eugene), Birds of Burmah, 305
- Oats and Rye, Northernmost Place of Maturing of, 331
- Obach (Dr. E.), Aluminium for Movable Coils, 245
- Observatories: Observatory established at Besançon, 88; Laying first Stone of Ventoux, 88; on Ben Nevis, 279; International Polar, 294; Continental Astronomical, 331; Bulletin of Rio de Janeiro, 352; Subterranean Chamber of Paris Observatory, 378; Designs for Dome of Paris, 378; Bossekot, 378
- Ogowe, M. Brazza's Discoveries in, 209
- Oil on Rough Water, Influence of, 635
- Oliver (J. A. W.), Is the Axis of a Cyclone Vertical? 222
- Oliver (S. P.) "On and Off Duty: being Leaves from an Officer's Note Book," 54
- Ophiuchi, 70; the Binary Star, 541
- Oppel (Dr.), Luding (Arnold), Geographische Bildertafeln, 309
- Optical Purposes, Preliminary Notice of the Results accomplished in the Manufacture and Theory of Gratings for, Prof. H. A. Rowland, 211
- Optical Glass, Note on History of, 350, Major Herschel, 573
- Orange Culture in Florida, Major Herschel, 420
- Ordinance, on the Treatment of Steel for the Construction of, Sir Wm. Armstrong, 494
- O'Reilly (Prof. J. P.) *Aurora Borealis*, 344, 56
- O'Reilly (Prof.) *A Curious Halo*, 268; *The Recent Aurora*, 548; *African Rivers and Meteorology*, 597
- Organ-pipe Sonometer, L. C. Stevens, 308
- Organic Analysis, Commercial, A. H. Allen, 28
- Orion, Photographs of the Spectra of the Nebula in, Dr. Henry Draper, 33
- Ormerod (Miss) Report on Injurious Insects for 1881, 112
- Orthonitrosphenye Propiolic Acid, change of, into Indigo, 614
- Osaka Mint (Japan), Report of, 231
- Oscillations of Sea Level, T. F. Jamieson, 319
- Osterbotten, Rise of Sea-coast at, 231
- Oswald's, By Fell and Fjord, G. F. Rodwell, 363
- Otter, R. H., Winters Abroad, 219
- Oxford University Museum, Index Guide to Geological Collections in, Prof. Prestwich, 378

- Oxygen, Hélocus' Patent for Manufacture of Hydrogen, 585
 Oxygenated Water on the System, Experiments on, 511
 Ozone and the Spectroscope, 138
 Ozone, Production of Pure Liquid, 614
- Pacific Islands, Dr. O. Finsch's Exploration of, 41
 Pacific States of North America, Bancroft's History of the, 558
 Packard (A. S.), "Insects injurious to Forest and Shade Trees," R. McLachlan, F.R.S., 78
 Page (Rev. A. S.), School Museums, 386
 Palaeolithic Gravels of North East London, W. G. Smith, 579
 Palaeolithic Implements in Thames Valley, W. G. Smith, 293
 Palestine, Campaign in Eastern, Capt. Conder and Lieut. Mantell, R.E., 231
 Palmer (Col. H. S.), Japanese Progress, 310
 Panama, Earthquake at, 482, 583
 Panoramic Photography, Ariel, 482
 Paper Sized with Resin, Free Sulphuric Acid in, Prof. Feichtinger, 557
 Parallax, Maskelyne's Value of the Solar, 210
 Paralytic and Tetanic Patients, Poisonous Alkaloids in Urine of, Selmi, 568
 Parasites, the Injurious, of Egypt, Dr. Cobbold, F.R.S., 492
 Parc, St. Maur Observatory, Mascart's Magnetic Instruments, 611
 Paris: Academy of Sciences, 24, 48, 72, 96, 119, 144, 168, 192, 216, 240, 264, 288, 312, 336, 360, 384, 416, 496, 520, 544, 568, 592, 616, 640; Paris Observatory, Magnetic Observations at, 207; Subterranean Chambers in, 378; Designs for Dome of, 378; Vote of Subsidy for Photographing Paris by Captive Balloons, 231; Accidents from Electricity in, 378, 415; Central School for "Ingénieurs des Arts et Manufactures," 446; Scientific Balloon Ascents at, 585
 Parish (Sir Woodbine), Death of, 414
 Parker (Prof. T. J.), McAlpine's Atlases, 292
 Parker (Prof. W. K.), Development of Crocodilian Skull, 252
 Parkes Museum, 231; New Premises, 479
 Pasteur, Honour to M., 278
 Patagonia, Venus's Transit in, 329
 Paulsen (Dr.), Course of Air in Nasal Cavity in Breathing, 232
 Peal (S. E.), Voice in Lizards, 320; White Ants' Nests, 343; Difficult Cases of Mimicry, 368
 Peat, Megaceros Hibernicus in, G. H. Kinahan, 246
 Peirce (Benj.), "Ideality in the Physical Science," 104
 Pelagic Life, Prof. H. N. Moseley, 559
 Pengelly (W., F.R.S.), Post-Miocene Deposits of Bovey Tracey, 469
 Perception of Colour, Napier Smith, 30; J. W. Swan, 246
 Perception of Direction, Function of the Ears in the, Consul E. L. Layard, 176
 Peristaltic Intestinal Movements, 43
 Permanence and Evolution, Dr. G. J. Romanes, F.R.S., 265
 Perry (Rev. S. J., F.R.S.), Meteors, 124
 Persia, Six Months in, Edward Stack, A. H. Keane, 500
 Perspective Binocular, W. Le Conte Stevens, 68
Petermann's Mittheilungen, 635
 Petit (Ch.), *Similitravures*, 635
 Petrel, Jamaica, Consul E. L. Layard, 177
 Petroff (Joan), Limit of Inuit Tribes on Alaska Coast, 257
 Petroleum, The Legal Flashing Test for, F. A. Abel, F.R.S., 466
 Pettersson, Springs' Researches on Expansion of Isomorphous Compounds, 568
 Phonodynamograph, W. B. Cooper, 331
 Photography: Photographs of the Spectra of the Nebula in Orion, Dr. Henry Draper, 33; Instantaneous of Bird in Flight, 84, 85, 86; Photographic Spectrum of Comet (Wells) I, 1882, W. Huggins, F.R.S., 179; Vote of Subsidy for Photographing Paris by Captive Balloons, 231; Photographic Studios of Europe, H. B. Pritchard, 331; Convention of Photographers' Association of America, 378; Instruction in, Capt. Abney, 471; Aerial Panoramic Photography, 482; Photographic Exhibition, 584
 Photometer Wedge, Prof. Pickering, 259, 307
 Phylloxera, J. S. Gardner, 38; Coloured Plates of, 112; In Cantons of Neuchâtel and Geneva, Appearance of, 280; Algerian Scientific Mission to France, 305; at Bonn, 584
 Physical Society, 23, 71, 119, 166, 239, 263
 Physical Notes, 44, 138, 210
 Physical Science, Ideality in, Benj. Peirce, 104
 Physical Science, Endowment of Lectureship in, Balliol College, 279
 Physico-Chemical Lecture Experiments, Leigh Clifford, 126
 Physics, Modern, The Concepts and Theories of, J. B. Stello, 521
 Pic-du-midi, Project for Permanent Observatory, 611
 Pickering, Prof., Wedge Photometer, 259, 307
 Pictet (Raoul), Contribution of Astronomy to Question of Molecular Physics, 310
 Pictet's Corpuscular Theory of Gravitation, Prof. Herschel, 343
 Pike's Peak, Electricity on, 260
 "Pioneering in the Far East, and Journeys to California in 1849 and the White Sea in 1878," Ludwig Verner Helms, 476
 Pisgah, Mount, Stone Carvings, Charles Rau, 160; M. S. Valentine, 267
 Pitt-Rivers (Gen.), Scientific Exploration in Egypt, 364
Plagioscope, Joyeux's, 635
 Plane Geometrical Drawing, Worked Examination Questions in, F. E. Hulme, F.S.A., 103
 Planets, Small, 137
 Plant-names, Old English, James Britten, 243
 Plants, Comparative Action of Isomeric and Metamerical Compounds on the Growth of, 43; "Plants and Their Homes," Marianne North Gallery of Paintings of, in Royal Gardens, Kew, W. Botting Hemsley, 155; Indiarubber Plants, 237; John Smith's Dictionary of Popular Names of Plant-, 267; Excitability of, Prof. Burdon Sanderson, F.R.S., 353, 483
 Plantamour (Prof.), Obituary Notice of, 505
 Plantarum Novarum et minus Cognitarum, Descriptiones, Dr. Regel, 319
 Planté and Faure Cell, Chemistry of, Dr. J. H. Gladstone, F.R.S. and Dr. A. Tribe, F.R.S., 251 603; Prof. O. J. Lodge, 268; Dr. J. H. Gladstone, F.R.S., 342
 Plarr (Dr. G.), The Recent Aurora, 548
 Plâtrage of Wines in Berne, 380
 "Plume Moths," Mimicry in the, J. E. Taylor, 477
 Poitiers, Gallo-Roman Town Discovered near, 635
 "Pola," The, 481
 Polar Meteorological Expedition, Austrian, 231
 Polar Observatories, International, 294
Polyphemus, the, 151
 Polyzoa, Fossil, B. A. Report on Jurassic Species, 486
 Pon's Comet of 1812, 636
 Popular Names of Plants, H. J. Smith's Dictionary of, 267
 Porculia Salvania (Hodgson), Sir J. Fayrer, F.R.S., 80
 Port's (Prof. D.) "Atlas de anatomischen und physiologischen Botanik," 611
 Potassium Chlorate, Decomposition of, by Heat, 467
 Potts (T. H.), Aurora Australis, 126
 "Præhistorique, Le," Gabriel de Mortillet, 583
 Præsepe Cluster, 448
 Preece (W. H., F.R.S.), Recent Progress in Telephony, 516; New Arc Electric Lamp, 526
 Prestwich (Prof.), Index Guide to Geological Collection in Oxford University Museum, 378
 Preyer (W.), "Die Seele des Kindes, Beobachtungen über die geistige Entwicklung des Menschen in den ersten Lebensjahren, Dr. Geo. J. Romanes, F.R.S., 497
 "Primer of Art," John Collier, Miss L. S. Bevington, 5
 Princeton College Expedition to Dakota and Nebraska, 256
 Printing in China, 612
 Printing Press, Solar, 503
 Pritchard (H. B.), Photographic Studios of Europe, 331
 "Proceedings of the American Philosophical Society," 190
 Propellers, Water-jet, W. H. White, 246

- Protistological Analysis of Lake Maggiore, Prof. Maggi, 379
Pseudo-Glacial Phenomena, Rev. T. E. Tenison-Woods, 81
Psychological Development in Children, W. Preyer, Dr. Geo. J. Romanes, F.R.S., 497
Public Instruction, New French Minister of, 378
Pullinger (W.), *Aurora Borealis*, 81
Pump for Compressing Gases, Cailletet, 308
Pupæ, possible Sound Organs in Sphingid, C. V. Riley, 366
Pyroscopes of Noble Metal, 330
- Quain (R., F.R.S.), *Dictionary of Medicine*, 481
Qualitative Analysis (Elementary), Joseph Barnes on, 621
"Quarterly Journal of Microscopical Science," 70
Queenwood College Mutual Improvement Society, Report of, 89
- Raca, on the Presence of a Tympanum in, 494
Races of Mankind, Social History of the, A. Featherman, 28
Radcliffe Observatory, Oxford Observations of the Solar Eclipse of 1882, May 16, made at the, E. J. Stone, 109
Radiant Heat, Absorption by Gases of (Prof. Tait), 639
Railway Trains and the Transmission of Vibrations, 138
Railway, Electric, 156; Dr. Fleming, 495
Rainfall, Apparatus for Registering the Duration of, 113
Rainfall of the Globe, 206; W. J. Black, 222
Ramsay (W.), On Smell, 187
Rance (C. E. De), The Iron and Lead Measures of Tynehead, 468
Rau (Chas.), Cups and Circles, 126; Mount Pisgah Stone Carvings, 243
Ravenstein's Map of Eastern Equatorial Africa, 558
Rayleigh (Lord, F.R.S.), Opening Address in Section A at the British Association at Southampton, 400; Electrical Papers at the British Association, 465
"Reale Istituto Lombardo di Scienze e Lettere," 22, 94, 262, 287, 519
Reale Accademia dei Lincei, Atti della, 312
Red Cross Society's Prizes for Three Essays on Best Means of Affording Help to the Wounded and Sick, 330
Red Variable Stars, "Variab. Cygni (Birmingham), 1881." J. Birmingham, 8
Redman (J. B.), Sea-Shore Alluvion—Langley Point, 30; Galshot & Hurst Beaches, 104; the "Chesil," 150
Reed (Sir E. J.), Illness of, 611
Refractometer, New Form of, 138
Regel (Dr.), *Descriptiones Plantarum Novarum et minus Cognitarum*, 319
Regnard Incandescent Lamp, 177
Regulators, Temperature, J. T. Brown, 114
Reichenbach (O.), Mean Temperature of the Atmosphere at the Surface of the Earth as Determined by Observations and by Theory, 150
Remeis (Dr.), Bequest by, for Observatory, 230
Reptile House at Zoological Gardens, New, 367
Resin, Free Sulphuric Acid in Paper Sized with, Prof. Feichtinger, 557
Resistance of the Air in Guns, Prof. D. Colladon, 353
Respiratory Movements of Insects, 454
Revista da Sociedade de Instrução do Porte, 556
"Revue d'Anthropologie," 190
Revue internationale des Sciences biologiques, 615, 640
Reynolds (Prof. O.), Proposed Bridge over the Forth, 623
Rheolyser, the, 139
"Rhopalocera Malayana: A Description of the Butterflies of the Malay Peninsula," W. L. Distant, 6
Ricco, (A.), the Comet of 1882, 609
Rickets (Dr. Charles), On Subsidence as the Effect of Accumulation, 469
Ridley (Marian S.), Pocket Guide to British Ferns, 501
Riebeck Expedition, 614
Riley (Prof. C. V.), Utilisation of Ants in Horticulture, 126; Possible Sound Organs in Sphingid Pupæ, 366
Rio de Janeiro Observatory, Bulletin of, 352; Timeball at, 352
Ritter (Karl), Bust of, 584
River Pollution, Prize offered by Belgian Academy for Essay on Destruction of Fish, by, 281
"Rivers and Canals, A Treatise on," S. F. Vernon-Harcourt Major Allan Cunningham, 5
"Rivista Scientifico-Industriale e Giornale del Naturalista," 22, 262, 472
Rix (H.), An Insect attacking a Worm, 574
Roberts (Ralph A.), Collection of Examples and Problems on Tonics and some of the Higher Plane Curves, 197
Robins (E. G.), On Working Sanitary Institute, 280
Rocks, Pointing of, and the Channel Tunnel, Prof. W. King, 45
Rodwell (G. F.), Coles' Summer Travelling in Iceland, 363; Oswald's, By Fell and Fjord, 363; Hungarian Association for the Advancement of Science, 456
Rogers (Prof. W. B.), Obituary Notice of, 182
Rolleston (Prof.), Memorial to the late, 88, 135
Romanes, (Dr. Geo. J., F.R.S.), Myth and Science, Tito Vignoli, 3; Ants, Bees, and Wasps, Sir J. Lubbock, F.R.S., 121; Permanence and Evolution, 265; Animal Intelligence, T. B. Whittaker, 449; "Die Seele des Kindes, Beobachtungen über die Geistige Entwicklung des Menschen in dem ersten Lebensjahre," W. Preyer, 497
Root-Florets, On the Occurrence of, in *Catananche Lutea*, 43
Rot in Sheep, A. P. Thomas, 606
"Rotations," Prof. Little, 447
Rowbotham (F. J.), Habits of Spiders, 386
Rowland (Prof. H. A.), Preliminary Notice of the Results accomplished in the Manufacture and Theory of Gratings for Optical Purposes, 211
Royal Institution, Classified Catalogue of Library of, 306
Royal Society, 94, 117, 142, 190, 213; Proceedings of, 238; New Fellows, 16, 158
Royal Horticultural Society, 23, 47, 71, 191, 287, 360
Royal Military Academy, Prof. Bloxam, &c., 40
Royal Observatory, 140
Royal Society of Canada, 186
Rubidium. The Atomic Weight of, 467
Russell (John Scott), Death of, 159
Russia, Geography, in, 211; Very Hot Weather in, 415; Silkworm Culture in Southern, 471
Russian Physicians and Colour-Blindness, 510
Rye and Oats, Northernmost place of maturing of, 331
- St. Andrew's University, Presentation of Dr. Mackintosh to Natural History Chair in, 378
St. Gothard Tunnel, Opening of, 88; Electrical Locomotives in, 280
St. Petersburg, Medical Training of Women Discontinued at, 470
Saké-Brewing, Chemistry of, 612
Salicylic Acid in Violets, 331
Sanderson (Prof. Burdon, F.R.S.), Excitability of Plants, 353, 483
Sanford (W. A.), Halo, 320
Sanitary Institute of Great Britain, 95, 446, 528, 576; Anniversary Meeting of, 230; Institute, E. C. Robins on work of, 280
Säntis Meteorological Station, 583
Satow (E. M.) and A. G. S. Hawes' Handbook of Japan, 290
Sanier (Claudius), Watchmakers' Handbook, H. D. Gardner, 319
Sayce (Rev. A. H.), Asia by A. H. Keane, 317
Schadenburg and Koch, Ascent of Mount Apo by, 257
Schellen (Dr. H.), Die Magnet und Dynamo-Elektrischen Maschinen, 318
Schliemann (Dr.), New Excavations at Hissarlik, 258
Schmidt (Prof.), Handbuch der Vergleichendem Anatomie, 385
Schools in Japan, 184
Schools in France, First Superior Female, 585
School Museums, Rev. A. S. Page, 386
Schriften der Naturforschenden Gesellschaft in Danzig, 592
Schroeter's Observations of Mars, 344
Schuster (Prof.), On Some Matters Relating to the Sun, 465
Schuster (Prof.), and Capt. Abney on Results Obtained During the Late Total Eclipse, 465

- Schwatka's Search: Sledging in the Arctic in Quest of Franklin Records, W. H. Gilder, 7
 Schweinfurth (Dr.), Journey on Nile Above Siut, 282
 Science and Myth, Tito Vignoli, Geo. J. Romanes, F.R.S., 3
 Science, Sevres Porcelain and, 36
 Science in Bohemia, 164, 237
 Science Teaching in United States, 305
 Science in Education, Mr. Woodall on, 530
 Scientates, Men of Science Proposed to be called, 352
 Scientific Work, Prof. Sollas's Scheme for Annual Record of Published, 377
 Scilly, Disturbance of Sea at, W. Thomas, 282
 Slater (P. L., F.R.S.), "A Monograph of Jacamars and Puff-birds, or Families Galbulidae and Bucconidae," 499
 Scottish Naturalist, 286
 Scottish Meteorological Society, Meeting of, 306
 Screw Gauges, B. A. Report on, 488
 Scudder (S. H.) Bibliography of Fossil Insects, 159; Anatomy of Diurnal Lepidoptera, 330
 Seabrooke (G. M.) Recent Magnetic Storm and Aurora, 571; The Comet, 621
 Sea Fish of West Sweden, Collection of, 279
 Sea-level, Oscillations of T. F. Jamieson, 319
 Sea-shore Alluvion, Langley Point, 30; Calshot and Hurst Beaches, 140; the "Chesil," J. B. Redman, 150
 Sea-coast, Rise of Osterbotten, 231
 Seal Islands of Alaska, 199
 Secondary Battery, New Form of, 308
 Secretion, the Process of, in the Animal Kingdom, Prof. Arthur Gamgee, 407, 411
 Seeds, Influence of Temperature on Certain, 22
 Seismic Apparatus for Indication of Earthquake Motions, 208
 Seismology in Japan, Prof. John Milne, 627
 Selenium and Tellurium in Japan, 467
 Selmi, Poisonous Alkaloids in Urine of Paralytic and Tetanic Patients, 568
 Séquard (Brown) Anaesthesia of Larynx by Carbonic Acid, 557
 Serpieri (Signor) Attraction of the Sun and Moon connected with the Periodical Revival of Vulcanism, 531
 Sevres Porcelain and Science, 36
 Sexton (F. M.), Non-Electric Incandescent Lamps, 176
 Shaw (Prof. H. S. Hele), Contact Makers of Delicate Action, 490, 501
 Shaw, (J.), An Insect Attacking a Worm, 574
 Sheep, Rot in, A. P. Thomas, 606
 Shetland Island, Thunderstorm in, 306
 Shoa, Capt. Cecchi's Expedition in, 282
 Shore (T. W.), Guide to Southampton, 352
 Shunt-Dynamo, Relation between Waste and useful Work in, Prof. O. J. Lodge, 311
 Siam, Bock's Explorations in, 550
 Siberia, Beauty of Teeth of Natives of Northern, 330
 Sicily, Tea Acclimated in, 584
 Siemens' (Dr. F.R.S.) Solar Hypothesis, Prof. Geo. Fras. Fitzgerald, 80; Inaugural Address at the British Association at Southampton, 390; Siemens' Metallurgical Prize for King's College Students, 414; Conservation of Solar Radiation, 597
 Sierra Madre Mountains, Elevation of, N. T. Lupton, 633
 Silkworm Culture in Southern Russia, 471
 Silurian Fossils in the North-West Highlands, Henry Hicks, 7
 Silver-land, Cameos from the, E. W. White, 548
Simuligravure, Ch. Petit, 635
 Sinedon pisciformis, &c., Dr. Ziegler's Wax Models of Skulls of, 230
 Singer (Max.), Substances Extracted from Woody Tissue of Plants, 232
 Sitzungs-berichte und Abhandlungen der Naturwissenschaftlichen Gesellschaft Isis in Dresden, 213
 "Sitzungsberichte der Physikalisch-Medicinischen Societät zu Erlangen," 22
 Skull, Development of Crocodilian, Prof. W. K. Parker, F.R.S., 252
 Skull of Sinedon Pisciformis, &c., Dr. Ziegler's Wax Models of, 230
 Skylight at High Altitudes, Sunlight on, 586
 Slater, (J. W.), Manual of Colours and Dyewares, 89
 Smell, On, W. Ramsay, 187
 Smith (Napier), Colour Perception, 30
 Smith (Col. J. T., F.R.S.), Death of, 67
 Smith (C. Michie), Existence of Voice in Lizards, 81
 Smith (A. Percy), Comet *a*, 1882, 124; Recent Magnetic Storm and Aurora, 571
 Smith (Chas.), Elementary Treatise on Conic Sections, 124
 Smith (Hermann), Analysis of the Tuning Fork, 198
 Smith (John), Dictionary of Popular Names of Plants, 267
 Smith (Willoughby), Induction, 267
 Smith (W. G.), Palaeolithic Implements in Thames Valley, 293
 Smith (Krarup), Death of, 543
 Smith and Lowe, Experiments on Chlorine at High Temperature, 568.
 Smithsonian Institution, Report of, 208
 Smoke Abatement Committee, 208
 Smoke Abatement, A Member of Royal Institution on, 293
 Smoke Abatement Institute, 371
 Smyth (Prof. C. P.), Spectroscopic Weather Discussions, 551
 Snake-bite, Hydrophobia and, A. Stradling, 221
 "Social History of the Races of Mankind," A. Featherman, 28
 Society of Arts, Medals awarded by, 183
 Society of Chemical Industry, *Journal* of, 138
 Socotra, B.A. Report on Natural History of, 459
 Solar-Commercial Cycle, W. S. Jevons, F.R.S., 226
 Solar Eclipse, 1882, Prof. Schuster and Capt. Abney on, 465; Observations of the, made at the Radcliffe Observatory, Oxford, E. J. Stone, 109; of 1883, International Expedition to Observe, 415; of 1883 and 1885, 512
 Solar Energy, Conservation of, J. J. Murphy, 31; Prof. Pliny Earle Chase, 176
 Solar Hypothesis, Dr. Siemens, F.R.S., Prof. Geo. Fras. Fitzgerald, 80
 Solar Observers, Caution to, J. F. Campbell, 105
 Solar Parallax, Maskelyne's Value of the, 161, 186, 210; from Observations of Minor Planets, 223
 Solar Printing, &c., Apparatus, 351
 Solar Printing Press, 503
 Solar Radiation, Conservation of, G. B. S., Dr. C. W. Siemens, 597
 Sollas (Prof.), Scheme for Annual Record of published scientific work, 377
 Sonometer, Organ pipe, Le C. Stevens, 308
 Sorghum, Manufacture of Sugar from, 209
 Soroche (Mountain Sickness) in the Andes, Note on, J. Ball, F.R.S., 477
 Sound Shadows in Water, 44
 Southampton, Guide to, T. W. Shore, 352; the brown Coloration of Southampton Water, Dr. A. Angell, 493; the Artesian Well at, 469; Conference of Delegates from Scientific Societies at, 510
 Southern Hemisphere, Comet Seeking in, 308
 Soy Bean, Prof. Kinch, 447
 Spanish Cyclopædia, 612
 Spectrum Analysis: Photographs of the Spectra of the Nebula in Orion, Dr. Henry Draper, 33; Spectrum of Wells' Comet, 344; J. W. Backhouse, 356; Photographic Spectrum of, W. Huggins, F.R.S., 179; Spectrum and Light emitted by Glow-worm, Sir John Conroy, 319; John Spiller, 343; B.A. Report on the Ultra-violet Spark-spectra emitted by Metallic Elements, 458; B.A. Report on present state of, 459; Profs. Liveing and Dewar on the Reversals of the Spectral Lines of Metals, 466; Newton, Wollaston, and Fraunhofer's Lines, Prof. Alex. Johnson, 572; Meteorological Spectroscope, Col. J. F. D. Donnelly, F.R.S., 501; Spectroscopic Weather Discussions, Prof. C. P. Smyth, 551; Spectroscopic method for determining chemical action in solution containing two or more coloured salts, G. Kruss, 568; Spectroscope and Weather Forecasting, Hon. R. Abercromby, 572; Spectroscopic Study of Chlorophyll, 636
 Speechless Man, A. H. Keane, 341
 Speed Indicator, Sir F. J. Bramwell, 495
 Spelling Reform, U.S.A., 351; John Fenton, 366
 Spence (James), Death of, 159
 Sphingid Pupæ, Possible Sound Organs in, C. V. Riley, 366
 "Sphygmograph; its History and Use as an Aid to Diagnosis in Ordinary Practice," R. E. Dudgeon, M.D., 29
 Spiers, Habits of, 454; F. I. Rowbotham, 386
 Spiller (John), Spectrum of Glow-worm's Light, 343
 Spitzbergen, Swedish, Geological Expedition to, 282, 447

- Sponges, New Freshwater, 43
 Spongidae, A Monograph of the British, Dr. Bowerbank, F.R.S., 550
 Spring's Researches on Expansion of Isomorphous Compounds, 506; Pettersson, 568
 Stafford, Meteorological Station Established, by C. L. Wragge, at, 88
 Stack (Edward), Six Months in Persia, A. H. Keane, 500
 Stallo (J. B.), "The Concepts and Theories of Modern Physics," 521
 Stamens with Different Functions in One Flower, H. O. Forbes, 386
 Stanford's War Maps, 471
 Stanley (W. F.), Analysis of the Tuning Fork, 243; Fluids, 545
 Stanley's (H. F.) Return to Europe, 543
 Stars, Double, 114; Dr. W. Dobereck, 153, 177; Variable, 42; Variable U Geminorum, 114; Suspected Variable, 162; Binary, 70 Ophiuchi, 541
 Steel, on the Mutual Relations of Carbon and Iron on, Geo. Woodcock, 105; The Specific Gravity of Liquid, 138; The Treatment of, for the Construction of Ordnance, Sir William Armstrong, 494
 Stefanelli, Signor, Curious Fact Regarding *Æschna cyanea*, 89
 Steudel, Transpiration of Vapours, 309
 Stevens (W. Le Conte), Binocular Perspective, 68; Organ Pipe Sonometer, 308
 Stewart (Prof. Balfour, F.R.S.) On a Similarity between Magnetical and Meteorological Weather, 488; on a supposed Connection between the Heights of Rivers and Sun Spots, 489
 Stillman (J.D. B.) Horse in Motion as shown by Instantaneous Photography, 196
 Stone (E. J., F.R.S.), Comet (*a*), 1882, 104; Observations of the Solar Eclipse of 1882, May 16, made at the Ratcliffe Observatory, Oxford, 109; Meteor, 151; Aurora, 556
 Stone (Dr. W. H.), Dynamometer for Alternating Currents of Moderate Strength, 201; Movable Coils, 268
 Stone Carvings, Mount Pisgah, Chas. Rau, 243; M. S. Valentine, 267
 Storm, Recent Violent, Nathaniel Waterall, 56
 Storm Warning Service in Japan, 414
 Storms, Magnetic, of 1882, April, William Ellis, 175
 Stow (G. W.) Death of, 41
 Stradling, (A.), Hydrophobia and Snake bite, 221;
 Strasburger's Recent Researches, Prof. S. H. Vines, 595
 Stroh's Vibratory Experiments, 134
 Stuart (Villiers) "Funeral Tent of an Egyptian Queen," 193
 Stuckenberg's Life of Immanuel Kant, R. B. Haldane, 361
 Submarine Cables, Plan for Passing Ships Sending Messages by, 258
 Suez Canal, Fauna of the, 42
 Suez Canal, John Fowler, C.E., on, 444
 Sugar, Manufacture of, from Sorghum, 209
 Sulphate of Lead in Secondary Battery, Prof. O. J. Lodge, 596
 Sulpho-cyanates, Manufacture of, 614
 Sulphuric Acid, Free, in Paper Sized with Resin, Prof. Feichtinger, 557
 Sun, on some Matters relating to the, Prof. Schuster, F.R.S., 465
 Sun and Moon, Attraction of, connected with the Periodical Revival of Vulcanism, Signor Serpieri, 531
 Sunlight and Skylight at High Altitudes, 586
 Sun-spots and Magnetic Storms, W. H. M. Christie, F.R.S., 55; Sun-spot Period, F. B. Edmond, 292; Sun-spots in 1881, 330; the Height of Rivers and, on a Supposed Connection between, Prof. Balfour Stewart, F.R.S., 489; and Marikree Rainfall, Dr. W. Dobereck, 366
 Surveying, Hydrographical, Capt. W. J. S. Wharton, 195
 Swan (J. W.), Perception of Colour, 246; Electric Lighting by Incandescence, 356
 Swan (Prof. William), Lighthouses, 522; an Insect Attacking a Worm, 574
 Sweden: Swedish Fisheries, Gerhard von Yhle, 57; Mirage in, 209; Collection of West Swedish Sea Fish, 279; Swedish Circumpolar Expedition, 378, 447; Meeting of Swedish Herring Merchants, 447; Swedish Geological Expedition to Spitzbergen, 447; Vivisection in, 471
 Sydney: Proceedings of Royal Society, 239; Biological Station at, 480; Linnæan Society of New South Wales, 519, 544
 "Synopsis of Elementary Results in Pure and Applied Mathematics containing Propositions, Formulæ, and Methods of Analysis, with Abridged Demonstrations," G. S. Carr, 197
 "Synthèse des Minéraux et des Roches," F. Fouqué and M. Lévy, 452
 Tacchini (Prof.), Visit to London, 611
 Tait (Prof. P. G.), Absorption of Radiant Heat by Gases, 639
 Talks about Science, Thos. Dunman, 418
 Tasimeter, Influence of Time on Change of Resistance of Carbon Disk of, Prof. T. C. Mendenhall, 309
 Taylor (J. E.), Mimicry in the "Plume Moths," 477
 Tea Acclimatised in Sicily, 584
 Teachers in France, Number of Public, 281
 Technical School, Cleveland, B. Samuelson, M.P., 351
 Technological Examination of City and Guilds of London Institute, Report of, 447
 Teeth of Natives of Northern Siberia, Beauty of, 330
 Telefono II, A. V. G., Mocenigo, 220
 Teleostei, the Kidneys of, 493
 Telegraphy, Translation of Cully's Practical, Berger and Bar-donnant, 557
 Telephones, use of in Provincial Cities in France, 66; Telephonic Experiment at Malta during Alexandrian Bombardment, 257; Telephony at Havre, 352; Recent Progress in, W. H. Preece, F.R.S., 516
 Tellurium and Selenium in Japan, 467
 Temperature, Influence of on Certain Seeds, 22; Temperature Regulators, J. T. Brown, 114; Diurnal Ranges of, 209; Underground, 564
 Temple (Sir Richard), on the Central Plateau of Asia, 437
 Tenison-Woods (Rev. J. E.), Pseudo-Glacial Phenomena, 81
 Thames Tunnel, John Fowler, C.E., on, 442
 Thames Valley, Palæolithic Implements in, W. G. Smith, 293
 "Theonomie und Astronomie," Dr. Krichenbauer, 341
 Thermometers, B.A. Report on Calibrating Mercurial, 458
 Thermo-electric Phenomena, Analogy to, Bouty, 309
 Thermograph, a New, G. Morgan Eldridge, 163
 Thermo-chemistry, Mendelejeff, 568
 Thomas (A. P.), Rot in Sheep, 606
 Thomas (W.), Disturbance of Sea at Scilly, 282
 Thompson (Prof. S. P.), "Halo," Pink Rainbow, 293; Electric Navigation, 554
 Thomson (Lady Wyville), Grant to, 17
 Thomsom (Sir William), Graded Galvanometers, A. Gray, 506
 Thorpe (Prof. T. E., F.R.S.), Imitation Cheese, 172; Dr. Lunge's "Coal Tar," 620
 Thunderstorm in Shetland Island, 306
 "Thüringisch-Sächsischer Verein für Erdkunde," 615
 Thurston and Wild (Sir F. A.), Maori and Fijian Comparative Vocabulary, 309
 Thwaites (Dr.), Death of, 583; Obituary Notice of, 632
 Tidal Report for 1872, on a Misprint in, G. H. Darwin, 465
 Tides, Hypothetical High, Prof. J. S. Newberry, 56
 "Timber Line," the, and Temperature, 41
 Time-ball at Rio de Janeiro Observatory, 352
 "Timehri," 510
 Tizard and Murray, Exploration of Færoë Channel in *Knight Errant*, 331
 Tonnage Legislation, W. H. White, 1
 Tornados in the Western States of America, 184
 Torpedinidæ, Prof. Du Bois Reymond on, 492
 Total Eclipse, the, 52, 75
 Total Solar Eclipses of 1883 and 1885, 512
 Transactions of the Academy of Sciences of St. Louis, 190
 Transit of Mercury, 1881, November 8, 137
 Transit of Venus, 1882, 185, 223, 269, 307, 352, 446, 556, 584, 636
 Transpiration of Vapour, Steudel, 309
 Trees, Forest and Shade, Insects Injurious to, A. S. Packard, R. McLachlan, F.R.S., 78
 Tribe (Dr. A.) and Dr. J. H. Gladstone, Chemistry of Planté and Faure Cell, 251; Chemistry of Planté and Faure Accumulators, 603
 Trichinæ, French Vote for Microscopical Inspection of Bacon, &c., for, 352
 Trigonometry, Plane, Introduction to, Rev. T. G. Vyvyan

- Trigonometry, Treatise on Elementary, Rev. J. B. Lock, 124
 Trimen (Roland), South African Butterflies, 556
Triton, the, Deep Sea Investigations, 230
 Tromholt, Sophus, Observatory for Auroræ, 220, 230
 Tropical Agriculturist, 530
 Tschermak's Lehrbuch der Mineralogie, 364
 Tuberculosis, Cause of, Dr. E. Klein, 13; Koch's Discovery of the Bacillus of, 493
 Tucker (R.), Some Recent American Mathematical Text-Books, 59
 Tuning-fork, Analysis of the, Hermann Smith, 198; W. F. Stanley, 243; G. R. Vicars, 268
 "Tunis; the Land and the People," Chevalier de Hesse-Wartegg, 7
 Tunnel, the Channel, 229; the Thames, John Fowler, C.E., on, 442
 Tupman, G. T., Bright Meteors, 81
 Tylor (Dr. E. B.), "The Burman," G. Shway Yoe, 593
 Tynhead, the Iron and Lead Measures of, C. E. De Rance, 468
 "Typhoons of the Chinese Seas in 1881," Marc Dechrevens, 626
 Typical Races of the British Isles, Photographs of, 463
 "Uganda and the Egyptian Sudan," Rev. C. J. Wilson and R. W. Felkin, 79
 Underground Temperature, 564, 589
 Underground Waters, British Association's Report on, 460
 "Unexplored Báluchistan; Survey of a Route through Mikran, Bashkurd, Persia, Turkistan, and Turkey," Ernest A. Floyer and A. H. Keane, 197
 United States, Education in, 223; Science-teaching in, 305; Report of United States Fisheries, J. B. Ferguson, 474; United States Venus Transit Expedition, 584
 Units, Electrical, Maurice Lévy, 308; discussions on adoption of uniform system of, 308
 University and Educational Intelligence, 22, 45, 94, 116, 141, 265, 189, 213, 232, 262, 311, 471, 543, 568, 591, 615, 639
 University Calendars, 511
 Unwritten History and How to Read it, John Evans, F.R.S., 513, 531
 Uranium, the Atomic Weight of, 137
 Urea, production of, Mixer, 568
 Urine of Paralytic and Tetanic Patients, Poisonous Alkaloids in, Selmi, 568
 Valentine (M. S.), Mount Pisgah Stone Carvings, 267
 Valentin (Dr.), Jubilee, 634
 Vapours, Transpiration of, Steudel, 309
 Variable Stars, 42; Red "Variab. Cygni (Birmingham) 1881, J. Birmingham, 8; U Geminorum, 114; Suspected, 162; the Algol, 483
 Vaseline a Lubricant in presence of Mercury, Cailletet, 368
 Vegetable Technology, (Jackson's), James Britten, 417
 Ventilation of Small Houses, 597
 Ventoux, Laying First Stone of Observatory of, 88
 Venus, Transit of, 1874, December 8, Account of Observations of the, made under the Authority of the British Government, edited by Sir Geo. Biddell Airy, 102
 Venus, Transit of 1882, 185, 223, 269, 307, 446, 636; in Patagonia, 329; French Expedition, 352, 556; Stations for Observations of, 352; Departure of Danish Expedition, 584; United States Expedition, 584
 Verhandlungen der Naturhistorischen Vereins der Preussischen Rheinlande und Westfalens, 335
 "Verhandlungen der K. K. Zoologisch-botanischen Gesellschaft in Wien," 70, 615
 Vernon-Harcourt (L. F.), "Treatise on Rivers and Canals," Major Allan Cunningham, 5
 Verona, Earthquake at, 634
 Vesuvius, Diary of, Jan. 1 to July 16, 1882, H. J. Johnstone-Lavis, 455
 Vicar (G. R.), Analysis of Tuning Fork, 268
 Victoria (Philosophical) Institute, 23, 71, 192
 Victoria, Gold raised at, 306
 Victoria, Report of Chief Inspector of Mines for, 416
 Victoria Hall, Science at, 366; Science Lectures, 626
 Vienna: Imperial Institute of Geology, 96; Imperial Academy of Sciences, 12, 168, 240, 336, 383, 544
 Vignoli (Tito), "Myth and Science," Geo. J. Romanes, F.R.S., 3
 Vines (S. H.), Prof. Strasburger's Recent Researches, 595
 Vinter (A.), Notes on Chemical Calculations with Examples, 501
 Violets, Salicylic Acid in, 331
 Vivisection, Mrs. Anna Kingsford, 8; B.Sc., Student of Medicine, 8; in Sweden, 471
 Volta Pile, Prize offered for Invention of Application of, 184
 Voltaic Arc, Inverse Electromotive Force in, Experiment of Jamin and Maneuvrier, 308
 Vortex-Atom, Lay of the Lost, 297
 Vyvyan (Rev. T. G.), "Introduction to Plane Trigonometry," 124
 Wakelin (J.), "A Great Mathematical Question," 29
 Wallace (Alfred R.), "Studies in the Theory of Descent," Dr. Aug. Weissmann, 52; Dr. Fritz Müller on Some Difficult Cases of Mimicry, 87; "Wanderings South and East," Walter Coote, 47
 War in Lower Egypt, Maps of Seat of, 378, 471
 Worth (H.), Curious Formation of Ice, 81
 Washburn Chronograph, E.S. Holden, 368
 Watchmaker's Handbook, by Claudius Sannier, H. D. Gardner, 319
 Water-Jet Propellers, W. H. White, 246
 Waterall (Nathaniel), Recent Violent Storm, 56
 Watson Memorial Scholarship at University College, 330
 Watts (J. K.), Recent Magnetic Storm and Aurora, 571
 Waves, "Combing" of A. M. Worthington, 198
 Weather of the Week ending June 10, 158; Recent Unseasonable, E. Douglas Archibald, 197; D. Cunningham, 222; D. J. Macgowan, 245; in Russia, 415; Spectroscopic Weather Discussions, Prof. C. P. Smyth, 551; Spectroscopic Weather Forecasting, Hon. R. Abercromby, 572
 Webb (Rev. J. W.) Recent Discoveries in the Planet Mars, 13
 Wedge Photometer, Prof. Pickering, 259, 307
 Weights and Measures, the French Standards of, 42; Summary of Works of International Commission of, Dumas, 583
 Weissmann (Dr. Aug.), "Studies in the Theory of Descent," Alf. R. Wallace, 52
 Wells' Comet, 161, 308; Spectrum of, T. W. Backhouse, 56; Daylight Observation of, 281; Spectrum of, 344
 Wharton (Capt. W. J. L.), "Hydrographical Surveying," 195
 White (E. W.), Cameos from the Silver-land, 548
 White (W. H.), Tonnage Legislation, 1; Water-jet Propeller, 246
 White Ants' Nests, S. C. Peal, 343; Surgeon-Major Bidie, 549
 Whitmell (C. T.), "Natural" Experiment in Complementary Colour, 573
 Whittaker (J.), Animal Intelligence, Geo. J. Romanes, 449
 Wiedersheim (Prof.), Lehrbuch der vergleichendem Anatomie der Wirbelthiere, 385
 Wild (Sir F. A.) and Dunston, Maori and Fijian comparative Vocabulary, 309
 Williams (C. J. B.), The Comet, 622
 Wilson (Rev. C. J.) and R. W. Felkin, "Uganda and the Egyptian Sudan," 79
 Wind Pressure, B. H. Report, 488
 Wines, *Plâtirage* of, in Berne, 380
 Winter of 1881-2, 35; Dr. A. Woeikof, 150
 Winters Abroad, R. H. Otter, 219
 Wöhler (Prof.), Address by M. Dumason, on death of, 556; Obituary notice of, 578
 Women Students at University College, London, &c., Hall of Residence, 446
 Woodall (Mr.) on Science in Education, 530
 Woodcock, American, Carrying its Young, 542
 Woodcock (Geo.), On the Mutual Relations of Carbon and Iron in Steel, 105
 Woody Tissue of Plants, Substances Extracted from, Max Singer, 232

- Worm, an Insect Attacking a, Edwin Lawrence, 549; Prof W. Swan, H. Rix, J. Shaw, 574
- Worthington (A. M.), "Combing" of Waves, 198
- Wragge (C. L.), Meteorological Station Established at Stafford by, 88; On Damage to Meteorological Instruments on Ben Nevis, 330
- Wyoming, Meteor at, 208
- X in Mathematics, Origin of, M. de Lagarde, 305
- Yale College Observatory, 307
- Yblez (Gerhard von), Swedish Fisheries, 57
- Yorkshire College, Acceptance by Lord Ripon of Presidency of, 415
- "Zeitschrift für Wissenschaftliche Zoologie," 213, 615
- Zellhäute Strasburger's *Bau und Wachstum der*, S. H. Vines, 595
- Zemzem Water, 585
- Ziegler (Dr.), Wax Models of Skulls of *Sinedon pisciformis*, &c. 230
- Zöllner (Prof.), death of, 17; Obituary Notice of, 87
- Zones, Cordoba, 137
- Zoological Gardens, Additions to, 18, 42, 68, 89, 114, 137, 161, 185, 210, 232, 258, 281, 307, 331, 353, 380, 416, 448, 471, 482, 511, 531, 557, 585, 613, 635; New Reptile House at, 367
- Zoological Laboratory, Another, on the Shores of the Mediterranean, 40
- Zoological Society, 23, 46, 119, 191, 262; Illustrations of New or Rare Animals in the Zoological Society's Living Collection, 131, 603
- Zoological Stations, the Scottish, 464
- Zoology, Handbook of Invertebrate (W. K. Brooks), Prof. Lankester, F.R.S., 548



NATURE

A WEEKLY ILLUSTRATED JOURNAL OF SCIENCE

*"To the solid ground
Of Nature trusts the mind which builds for aye."*—WORDSWORTH

THURSDAY, MAY 4, 1882

TONNAGE LEGISLATION

WHEN it was announced, towards the close of the year 1880, that a Royal Commission had been appointed to consider the operation of the Tonnage Law, the action taken by the Government occasioned no surprise amongst persons interested in shipping. Disputes and differences of opinion, between the officials of the Board of Trade on the one side, and shipbuilders or shipowners on the other, had been growing more and more frequent in recent years; the rapid development of shipbuilding and the introduction of new types of ships or new systems of construction making difficult the application of the Law of 1854. When that Law was passed its language was clear and unmistakable, strictly applying to the ships then built. Wood still held the first place as the material for construction, and the technical terms used by Moorsom bore special reference to wood ships, although they were not inapplicable to the existing iron ships. Ships were then of moderate size and simple construction; ocean steam-navigation was comparatively in its infancy; and the marvellous growth in dimensions, speeds, and diversity of type which has taken place in the last quarter of a century could not have been foreseen—much less provided for in framing the Tonnage Law. It will readily be seen, therefore, that controversies of opinion were unavoidable when the Act of 1854 had to be extended to modern steamships, every clause being subjected to the closest scrutiny, and a strict legal interpretation being given to phrases which were originally clear enough, but of which the modern readings were doubtful or obscure. Shipowners naturally desired to secure the minimum nominal tonnage for their ships, since dues and taxes were assessed thereon; the Board of Trade surveyors, on the other hand, while acting with perfect fairness, might be expected to adopt an interpretation of the law which tended towards a tonnage exceeding that admitted by the owner. In some notable instances of recent occurrence the Board of Trade has either had to yield to these claims for reduced tonnage-measurement, or has been beaten in an appeal to the Law Courts; and

it was natural, under these circumstances, that an attempt should be made to secure such an amendment of the Act of 1854 as was needed to prevent further controversy.

Nor was this the only reason for revision. Ever since the present tonnage law has been in force for British ships there has been a tendency on the part of other maritime nations to approximate to our system of measurement. The International arrangements made in connection with the Danube navigation and the Suez Canal have been based on the Moorsom system; and at the present time there is a closer approach to a uniform system of tonnage than has ever been reached before. This desirable result has been produced to a large extent by the action of the Board of Trade, whose successive Acts for the Amendment of the Law of 1854 have been adopted in foreign countries, although they have failed to secure Parliamentary approval at home. Consequently we stand, at present, in the curious position of still having in force the earliest and confessedly imperfect edition of the Moorsom system, whereas English experience and suggestion have given to other countries amended editions. On this ground, therefore, it was desirable to revise the tonnage law, even if the system remained unchanged in principle.

Further reasons for revision of a more thorough and sweeping kind were not wanting. It was admitted that the Law of 1854 was a great improvement upon its predecessors: more scientific in its mode of measurement, and having a sounder basis as applied to the ships built when it was framed, and to the then existing conditions of trade. On the other hand, it was alleged that subsequent changes in trade and shipping rendered the operation of the Tonnage Law injurious, hampering the skill of the shipbuilder, fostering certain inferior types of ships, and favouring heavy loading. In short, it was asserted that a change of system was needed on the grounds of greater safety to life and property, and greater fairness and freedom as between different types of ships.

All these reasons for inquiry are recognised in the Instructions issued to the Royal Commission. No one can fairly complain that the field of investigation is unduly limited; and a perusal of the evidence taken by, or the documents submitted to the Commission, will show that the exponents of every shade of opinion had the greatest

freedom allowed them in illustrating their views. If no other purpose had been served, the inquiry would have been justified by the very valuable summary of facts and opinions which it has been the means of putting on record. All that it is necessary to read for the full understanding of the past history of British tonnage laws can be found in the Minutes of Evidence or the Appendices; and much valuable information respecting foreign tonnage laws can also be found therein. Valuable as this feature of the work may be, however, it does not represent the purpose for which the Commission was primarily appointed, and when one turns to that aspect of the subject the results are not nearly so satisfactory.

In NATURE, vol. xxv. pp. 585-7, it was stated that the Commission did not make a unanimous Report. Three of its members dissented from the majority, and each of them produced a separate Report. This is not a matter for surprise; in fact it would not have been surprising had the Commission simply followed the precedent of the Parliamentary Committee of 1874, and submitted the evidence without making a Report. The majority consisted of nine gentlemen whose opinions are entitled to the greatest respect, including shipowners, shipbuilders, dock-proprietors, and representatives of the Board of Trade. As explained in vol. xxv. pp. 585-7, they recommend the retention of the principle of the existing law—viz. measurement of internal capacity—but propose certain amendments in detail. Some of these amendments are reasonable enough, but others are of questionable character; it is, however, of greater importance for our present purpose to consider whether the arguments advanced against a change in the principle of measurement are sufficiently weighty to prevent any change. Of all these arguments the most important are those relating to international obligation and convenience. Bearing in mind what was said above respecting the action of this country in leading up to a system of international tonnage, on the basis of internal measurement, it will be seen that an abandonment of that basis ought not to be lightly undertaken. But this fact need not bar the inquiry as to the advantages to be gained by such a change; for obviously the most thorough and exhaustive investigation would be needed, on other grounds, before the change could be made. And if after due investigation British shipowners were convinced that the change was desirable, the evidence which would convince them could scarcely fail to induce foreign maritime nations to follow our lead. The matter might well form the subject of an International Conference before final action was taken; much as was done in 1873 when the Suez Canal Regulations were framed.

Turning to the other side much more forcible arguments can be urged against a continuance of the present system. Moorsom took great pains to explain his reasons for using internal capacity as the basis of tonnage measurement; these may be summed up in the statement that internal capacity was the fairest measure of the possible earnings of most ships. This was probably the case in 1854; but is no longer true. In most ships the limit of freight-earning is now found in their "dead-weight capability"; that is to say, the prevalent cargoes of commerce do not now fill the whole space, when the weight taken on board has reached the limit of draught which

can be accepted with a due regard to the safety of the ships. This is not true of all ships, but of most. Passenger ships, for instance, do not come under this condition; in them space is of the greatest value. Other types of ships, always engaged in carrying light cargoes still come under the condition which in 1854 was thought to be nearly universal. Still these cases are now the minority; and in the majority dead weight capability is the more important condition. This being so it is obviously unfair to assess the tonnage of all ships on the basis of internal capacity. In certain special classes, such as the "awning decked" class, it is alleged that the whole space available can never be filled with cargo; and on these classes the existing law bears heavily, although they are acknowledged to be eminently safe and seaworthy.

On other grounds the retention of internal capacity as the basis for tonnage is to be deprecated. Even with the amendments suggested in the Report of the Majority, there can be no hope that the disputes hitherto so frequent will cease, when a decision has to be arrived at respecting the spaces to be included in or excluded from the gross tonnage; and the deductions to be made therefrom in estimating the register tonnage. The Majority evidently realise this difficulty and attempt to meet it by more precise definitions; but the ingenuity which has been displayed in dealing with the phraseology of the Act of 1854 is not likely to fail in finding loopholes in the barriers now proposed. Nor can it be admitted that some of the proposals of the Majority are fair or foreseeing, having regard to the obvious tendencies and the possibilities of progress in shipbuilding and engineering. Into this discussion, however, it is not possible to enter here.

The three dissentient Reports contain much sharper criticism of the Majority Report than appears in the foregoing remarks. Exception has been taken to the tone of these Reports by some members of the Majority, but apparently not with much justice. Mr. Glover represents the shipowners who desire to be "let alone," and think the present Tonnage Law needs little or no change. Mr. Weymouth, accepting the view that "dead-weight capability" now rules the freight-earning of most ships, proposes to make dead-weight capability the basis of tonnage. Mr. Rothery advocates the "displacement," or total weight of the laden ship, as the fairest basis. Respecting Mr. Glover's views nothing need be said additional to what has already been stated respecting the working of the present system; but it is desirable to glance at the other proposals.

Mr. Weymouth has revived the oldest system of tonnage. "Keels" and other coal vessels were so measured time out of mind; and various empirical rules were framed for the "dead-weight capability" of other classes of ships. Being empirical they were easily evaded; Mr. Weymouth favours a well-known system of measurement, which takes account of the true form of the ship and renders evasion impossible. His system demands a fixed load-line; this is one of its difficulties. In order to overcome this objection to his scheme Mr. Weymouth favours the appointment of some central authority by which the load-line will be fixed. It is known that the Board of Trade is now taking preliminary action and ascertaining the

feeling of shipowners on the subject of establishing such a central authority. If it should be formed, then the load-line question might be dealt with more satisfactorily than it has been hitherto, and one difficulty in dead-weight measurement would disappear. But others, and probably fatal ones, would remain; more particularly in dealing with passenger steamers or vessels built to carry light cargoes. In such cases Mr. Waymouth proposes to fix, for tonnage purposes only, a deep load-line; this is not merely objectionable, but would probably be impracticable in many vessels. The dead-weight system has much to recommend it for consideration on the grounds of simplicity and exactness, as well as freedom from the difficulties incidental to internal measurement. But it is not likely to come into use.

Mr. Waymouth, it will be noted, agrees with the majority in proposing to continue the immemorial practice of basing tonnage measurement upon earnings or earning-power. This principle, although long accepted, has always been held open to question, on the ground that the accommodation provided for a ship in harbours, docks, canals, &c., should regulate the dues paid by her, and not her earnings. The "service rendered," and not the earnings, does appear the fairest basis of assessment, and has a considerable weight of authority to support it; but to adopt this basis would clearly necessitate a settlement of the mode of appraising service rendered. Mr. Rothery proposes to take the displacement, or volume of water displaced by a ship to a fixed load-line, as the measure of this service. The load-line, he suggests, might be fixed by the owner or some central authority. To this proposal many objections have been raised; but that which seems to have most force is found in the statement that the volume of water displaced does not measure the accommodation required, since various degrees of fineness of form under water might be associated with the same extreme dimensions—length, breadth, and draught. Two ships agreeing in these dimensions and requiring practically the same accommodation might differ in displacement by as much as 50 to 60 per cent. of the smaller.

Mr. Rothery's proposal has, however, done good in recalling attention to the principle of taxation on *service rendered*. In further investigations this is not likely to be overlooked; and it must be possible to frame some scheme which is not open to the objection to displacement above mentioned. The proposal to take the product of the three extreme dimensions of a ship as a basis for tonnage has been considered, and has much to recommend it, if associated with a fixed load-line. It cannot be said that any of these alternative schemes have received the full consideration they require before being brought forward for adoption. The investigation would necessarily be laborious, and the issues dependent upon it are so important that it should be intrusted only to competent and impartial hands. Certain conclusions are necessarily forced upon every person who makes a study of this subject. First, it is impossible in any revision of tonnage law to ignore the question of the load-line legislation. The majority of the Commission, in their final Report, propose to keep the two questions distinct; but it has been stated publicly by Mr. Waymouth that up to the very last draft Report, the majority made recom-

mendations in the opposite direction; and if this is the case the less weight attaches to the recommendation which actually appears. Second: in considering future legislation, both for tonnage and for load-line, greater regard must be had to the provision of stability for merchant ships than has been had heretofore. Rough "rules of thumb" for free-board, in relation to depth of hold, are out of date. Third: the work to be done must be largely dependent upon the calculations made by competent naval architects for various types of ships, and various conditions of loading. Such calculations applied to vessels which have been thoroughly tested at sea under known conditions of lading must be the foundation for future rules for load-lines. Lastly, it is much to be desired that the proposed Shipping Council should be constituted, and that it should be a central body, including all classes interested in shipping, and having behind it a staff of skilled naval architects. The Marine Department of the Board of Trade has been much abused, and probably unfairly criticised in many cases. Its action, both as regards tonnage legislation and the load-line of ships, may not have been all that could be desired, yet it must be admitted to have been well intentioned. But it cannot be supposed that the Department as now constituted is capable of dealing with the questions pressing for solution. Neither its nautical, technical, nor administrative staff is competent for this task. And it may be supposed that the necessary reinforcement of that staff, the valuable assistance and advice of a Council of Shipping, and the more scientific investigation of matters relating to the safety and good behaviour of merchant ships by naval architects, will be welcomed by the Board of Trade as warmly as by the shipping community. Until these further investigations are completed, amended legislation scarcely seems practicable. It is clearly impossible on the lines laid down in the Report of the majority of the Royal Commission of 1881.

W. H. WHITE

MYTH AND SCIENCE

Myth and Science. An Essay. By Tito Vignoli. International Science Series. (London: Kegan Paul, Trench, and Co., 1882.)

THIS work is devoted to a theory of myths and myth-formation, which is to some extent novel. Looking to the general, if not universal, tendency of all races of mankind to create myths, the author contends that the propensity must point to some feature of human psychology of more than a merely superficial character, and without disputing previous theories as to the origin and growth of myths, he seeks to explain the *raison d'être* of the myth-forming faculty. Thus, for instance, he says:—

"The worship of the dead is undoubtedly one of the most abundant sources of myth, and Spencer, with his profound knowledge and keen discernment, was able to discuss the hypothesis as it deserves. . . . Yet even if the truth of his doctrine should be in great measure proved, the question must still be asked how it happens that man vivifies and personifies his own image in duplicate, or else the apparitions of dreams or their reflections, and the echoes of nature, and ultimately the spirits of the dead."

And, speaking of Tylor, he adds:—

"He admits that there are in mankind various normal

and abnormal sources of myth, but he comes to the ultimate conclusion that they all depend on man's peculiar and spontaneous tendency to *animate* all things, whence his general principle has taken the name of *animism*. . . . But, while assenting to this general principle, which remains as the sole ultimate source of all mythical representation, I repeat the usual inquiry; what causes man to animate all the objects which surrounds him, and what is the cause of this established and universal fact?"

And elsewhere the author states this problem thus:—

"To attain our object, it is necessary that the direct personification of natural phenomena, as well as the indirect personification of metaphor; the infusion of life into man's own shadow, into reflex images and dreams; the belief in the reality of normal illusions, as well as of the abnormal hallucinations of delirium, of madness, and of all forms of nervous affections; all these things must be resolved into a single generating act which explains and includes them."

Such being the problem with which the work is mainly concerned, its solution is attempted by the following theory:—Assuming the fundamental identity of human and brute psychology, it is argued *a priori* that, seeing the tendency to personify inanimate objects is so universal among primitive men, we might expect to find a similar tendency in animals, and this, according to the author, we do find:—

"Animals are accustomed to show such indifference towards numerous objects, that it might be supposed that they have an accurate conception of what is inanimate; but this arises from habit, from long experience, and partly also from the hereditary disposition of the organism towards this habit. But if the object should act in any unusual way, then the animating process which, as we have just said, was rendered static by its habitual exercise, again becomes dynamic, and the special and permanent character of the act is at once revealed."

And he proceeds to describe many experiments of his own, in frightening or surprising animals by making inanimate objects perform unusual movements. From these considerations and experiments he concludes that every object of perception is "implicitly assumed" by an animal to be "a living, conscious, and acting subject;" that the animal transfuses into all things, "in proportion to the effects which result from them, his own nature, and modifies them in accordance with intrinsic form of his consciousness, his emotions, and his instincts."

This being taken as true of animals, the theory proceeds to the consideration that if we superimpose on the animal faculties of sensation and perception, the distinctively human faculties of reflection and symbolic thought, we should obtain a full explanation of the psychology of myth-formation.

We have said that this theory is to some extent novel, and it will now be seen that the extent to which it is so consists in its relegating to the domain of animal psychology that tendency to animism which has already been recognised as the feature in human psychology which is largely concerned in the formation of myth. But even thus far the theory is not wholly novel, for Comte supposed that animals possessed some crude ideas of fetishism, and Spencer, in his "Principles of Sociology," says:—

"Holding, as I have given reasons for doing, that fetishism is not original but derived, I cannot, of course,

coincide in this view; nevertheless I think the behaviour of intelligent animals elucidates the genesis of it;"

And he proceeds to detail cases which he has himself observed of "the idea of voluntary action being made nascent" in animals upon their seeing or feeling inanimate objects moving in unaccustomed ways. This, we think, is the whole extent to which the observed facts of animal intelligence entitle us to go. Uniformity of experience generates in animals, as in young children, organised knowledge of animate and inanimate objects, so that they are always more or less prepared with some antecedent expectation of the manner in which this or that object will behave. When, therefore, an inanimate object begins to move in some unaccustomed manner, the animal becomes alarmed, and no doubt "the idea of voluntary action becomes nascent."¹ But to argue from this fact that "every object, every phenomenon is for him a liberating power, a living subject, in which consciousness and will act as they do in himself," and consequently that to animals the whole world "appears to be a vast and confused dramatic company, in which the subjects, with or without organic form, are always active, working in and through themselves, with benign or malignant, pleasing or hurtful influence"—to argue thus is surely to go far beyond anything that the facts either warrant or suggest. The very consideration that an animal shows alarm and horror when an inanimate object begins to behave like an animate one, points to the conclusion that he has made a pretty definite mental classification of objects as animate or inanimate. Therefore, without going further into the matter, it seems to us that the attempt made by this writer to argue for an universal animism as a feature of brute psychology, is a failure.

Of more interest and sounder theory is the part of his work which treats of the connection between Myth and Science. He says:—

Man, by means of his reduplicative faculty, retains a mental image of the personified subject, which is only transitory in the case of animals, and it thus becomes an inward fetish, by the same law, and consisting of the same elements, as that which is only extrinsic. These phantasms are, moreover, personified by the classifying process of types, they are transformed into human images, and arranged in hierarchy, and to this the various religions and mythologies of the world owe their origin. Since such a process is also the condition and form of knowledge, the source of myth and science is fundamentally the same, for they are generated by the same psychological fact"—i.e. that of ideally classifying objects of perception—"the historical source of the two great streams of the intellect, the mythical and the scientific, is found in the primitive act of *entifying* the phenomena presented to the senses"—in the one case with the conception of personality, and in the other with that of natural order.

This idea of myth and science having a common root in the rational faculty of man is not, of course, a profound one, seeing it is obvious that myth, like science, arises from the need or desire of reason to *explain* the facts of nature which are everywhere obtruded upon the observation of "the thinking animal"; but it is perhaps well that this truth should be clearly stated, as it is in the work before us. We think, however, that here, as indeed throughout, the work is needlessly protracted.

GEORGE J. ROMANES

¹ See NATURE, vol. xvii. p. 168 *et seq.*, where this subject is treated at more length.

A PRIMER OF ART

A Primer of Art. By John Collier. (London: Macmillan and Co., 1882.)

IN this admirable little work Mr. Collier has succeeded in bringing clearly into view the helpful relation in which science may stand to the Arts of Design—sculpture, drawing, and pre-eminently painting. The aim of the primer is to give the outlines of such knowledge of the artistic field of vision, of the visual powers, and of the means of delineation, as may best aid the student to acquire that power of strict imitation of natural objects which is the artist's first qualification.

The notion hitherto prevailing and perhaps somewhat superciliously held to on the part of art—that because the primary functions of science and of art respectively are widely different, therefore no legitimate help can be rendered by one to the other—is practically discredited in every page of Mr. Collier's little work. Throughout, his object is to pioneer the student to an artistic goal; throughout, the means employed have all the security of clear scientific principle. The theory of the Primer is that by knowing with scientific accuracy how some things are, the task of exhibiting artistically how other things appear may be greatly simplified.

After devoting a few charming pages to the latest suppositions concerning the origin of sculpture and drawing—pages illustrated by specimens of prehistoric and even palæolithic art—Mr. Collier quits "debateable ground" for that on which surer scientific light can be shed for the guidance of the student in the practice of art.

And here nothing is overlooked. Boundaries, Light and Shade, Texture, Perspective, Colour, and Contrast are the headings of so many terse and luminous little chapters, through each of which comes some word to the learner from the invisible world where science works, warning him how, unless he gives heed to certain hidden actualities within and without him, he may and probably will go many times wrong before he lights on the best way of rendering the natural objects before him.

Accurate seeing is necessary to ensure accurate delineation. The facts of simple appearance are what the art student needs to lay hold of. Science, whose constant business is with facts of every order, aids him here with suggestions how to discriminate between sight and inference—between that actual aspect of an object which is due to its present relation to the sight of the observer, and that compound mental view of it which is due to the mixed memory of many previous aspects. A perusal of Mr. Collier's pages on the nature of perspective, on the undulatory theory of light, on the action of a lens, on the structure and nervous mechanism of the eye, and on the physiological rationale of the phenomena of colour show how much scientific information can be given without the use of a single technical phrase.

Having learnt to see, the art student must further learn to delineate. Here again, in discussing the painter's media, it is still with the authority of science the teacher speaks. The chapter on "Turbid Media" clears up the difficulty respecting the varying behaviour of pigments as used on different "grounds." Here, too, as elsewhere, each practical suggestion is accompanied by a scientific reason why the means advocated should be adopted, such

reason being always backed by some absolutely lucid explanation of the nature of the difficulty to be surmounted, or of the effect to be aimed at.

With the subject of landscape painting comes up the question of aerial perspective; and thereupon follow some admirable pages on the constitution of the atmosphere and the refraction of light. In dealing later with certain necessary discrepancies between natural appearances and their painted imitations, Mr. Collier clears out of the way, by a simple scientific consideration, an insidious problem with which the artistic beginner is apt needlessly to perplex himself—namely, how correctly to represent effects of light and shade within the very limited range of luminosity afforded by his materials. The solution lies within the sphere of optics. The eye takes next to no heed of the degree of total illumination; the absolute luminosity of the picture therefore does not signify. All that is needful is to render the relative proportions of light and shade in the object or scene depicted; the effect will then be accurate, since sight adapts itself readily and unconsciously to any scale of illumination that may be visible at one time.

For the rest, this little work of Mr. Collier possesses all the attributes of a first-rate primer. As we have observed, it is terse, clear, simple, instructive, and alluring. While the student receives aid from various departments of knowledge, calculated at once to forward his progress in painting, and to enrich his ideas of the world in which he works, there is nothing attempted to which the finished artist—aware as he is of the part played by imagination and by an incommunicable sense of harmony in the production of the finest art-work—can yet take any exception. Mr. Collier frankly admits the limitations of science with regard to these points, and leaves untouched all vexed questions concerning harmony of line and colour, on the ground that, important though they are, too little is known about them to make discussion profitable.

Yet that there is no real antagonism between accurate knowledge wherever it can be had, and the loftiest artistic imagination, and further, that science may help to free that imagination by giving it mastery over its means of expression, are truths borne witness to throughout the eighty-eight pages of the primer. The scientific reader will recognise in Mr. Collier's successful endeavour to link the rival sisters (Art and Science) in friendly partnership for the better portrayal of that Nature of which both are students, a welcome sign of the times, and an indication of the direction in which we may look for firmer ground than has hitherto been found for fruitful artistic discussion.

L. S. BEVINGTON

OUR BOOK SHELF

A Treatise on Rivers and Canals. By L. F. Vernon-Harcourt, M.A. Vol. I. Text, 352 pp.; Vol. II. Plates, 21 Pl. (Oxford: Clarendon Press, 1882.)

THIS work was intended (see Preface) to present "in a simple and concise form descriptions of the principal and most recent works on rivers and canals, and the principles on which they are based." It appears to have had its origin in a course of lectures delivered at the School of Military Engineering, Chatham, in 1880, but has been so carefully revised as to be free from the defects of a mere

reprint of a lecture course, and may be fairly said to fulfil well the object proposed in the preface. Great pains have evidently been taken to obtain data of actual examples of important works within the above scope; the series of twenty-one well-executed large plates of these is a most valuable feature of the work. The get-up of the work, being issued from the Clarendon Press, is of course excellent; the number of folds in the plates is an inconvenience (few have less than six, and one has ten folds), which might have been obviated by placing fewer diagrams on each plate. A very useful feature is the addition at the end of each chapter of a short summary of its matter, with many good practical remarks.

The work opens with a chapter on the physics of the subject, followed by one on discharge-measurement, then by one on general principles. Then come seven chapters on various appliances and details, viz., dredgers, piling, foundations, locks, inclines, lifts, fixed and movable weirs, dams, and movable bridges. Then follow one chapter on inland canals, one on great ship canals, one on protection from floods, four on improvement of tidal rivers, and lastly, one on the improvement of the mouths of tideless rivers.

From the great variety of subjects treated of in a compass of 322 pages, the treatment is sometimes unequal. The descriptions of the newest forms of the various appliances are, together with their illustrative plates, very interesting and instructive. But perhaps the most valuable part of the whole work is the last five chapters on the difficult and important subject of the improvement of river mouths; the few guiding principles that can be said to be known about so obscure a question are well brought out from the study of grand examples. The subject of discharge-measurement is not adequately treated: a reference to the recently-published (1881) "Roorkee Hydraulic Experiments" would probably have materially influenced this chapter in giving less importance to current-meters, and more to floats (especially tube-rods), and in the entire rejection of the old Chézy formula, $V=C\sqrt{RS}$, with a constant value of C . The chapter on inland canals is also (perhaps unavoidably) sketchy: thus the description of Indian canals covers only two pages, many of them being simply named.

ALLAN CUNNINGHAM

Galenī Pergamensis de Temperamentis et de Inæquali Intemperie Libri tres, Thoma Linacro Anglo Interprete, 1521. Reproduced in exact Facsimile. With an Introduction by Joseph Frank Payne, M.D. (Cambridge: Macmillan and Bowes.)

THE book before us is one of a series of facsimile reprints of eight books, published in the years 1521-22, by John Siberch, at the first press established at Cambridge; and it would appear, that after the issue of this series, no other works were published there until the year 1585, when a law was passed, limiting the printing of books to London and the Universities.

The revival of classical literature which swept over Europe towards the close of the fifteenth century, effected a complete revolution in the theory of medicine, as well as in philosophy. English scholars of that period were, as a rule, unacquainted with Greek, the few exceptions being men who had studied at the Italian Universities; among these was Thomas Linacre, a Fellow of All Souls, Oxford, who, about the year 1495, visited Italy in the suite of Selling, when the latter was appointed envoy to the Pope, and, after being a fellow student with the sons of Lorenzo de Medici, under Politiano and Chalcondylas, proceeded to his degree of Doctor of Medicine at Padua. On his return to England, he brought with him the reputation of being one of the most elegant and accurate scholars of the day. Shortly afterwards he was appointed tutor to Prince Arthur, and became Court physician on the accession of Henry VIII. to the throne. The physicians of

the day were mostly ecclesiastics, but no restriction was placed on the practice of medicine by persons, however ignorant of its principles; and Linacre, with the view of remedying the abuses that prevailed, devoted his fortune, amassed by the sale of the clerical livings to which he had been presented, to the foundation, in the year 1518, of the Royal College of Physicians, which, under its charter, had power to regulate the practice of medicine in the neighbourhood of London. It is interesting to know, that according to Linacre, a physician should be "a grave and learned person, well read in Galen, respecting but not bowing down to the prestige of the Universities; claiming for his own science a dignity apart from, but not conflicting with that of theology; looking upon surgeons and apothecaries with charity, and not without a sense of his own superiority."

The Galenical theories of humours and temperaments formed the groundwork on which the Greeks based their practice of medicine, and Linacre to bring these theories within the reach of all students of medicine translated into Latin six of Galen's works, among which were the "De Temperamentis" and "De Inæquali Intemperie," now before us, thus helping to replace the mysticism and empiricism of the Arabians by the accumulated observations recorded by Hippocrates and Galen. In these works it is assumed that to the four humours, blood, pituite, yellow bile, and black bile, there are the corresponding properties, moist-heat, moist-cold, dry-heat, and dry-cold; and that between health and disease there are four temperaments, characterised by an excess of either one or two of the cardinal qualities, heat, cold, moisture, and dryness. These were the only external influences acting on the body the ancients could recognise, as they were ignorant of the chemical processes of respiration, of the constitution of the atmosphere, and of electricity, of which we now take account. These theories are elaborated, and further, it is indicated that medicines may be classified according to their heating, drying, cooling, or moistening qualities, and should be administered so as to temper the errors of the humours in disease; and though the work has ceased to have a practical value for physicians, it yet remains of interest to the student of humoral pathology, and of the philosophy of the middle ages.

Students are indebted to the enterprise of Messrs. Macmillan and Bowes for the reprint of this scarce work, which was the first book containing Greek characters printed in England, and we are glad to learn that the same publishers propose shortly to issue the remainder of the series. The book is edited by Dr. J. F. Payne, and is prefaced by a portrait and an admirable life of Linacre.

Rhopalocera Malayana: a Description of the Butterflies of the Malay Peninsula. By W. L. Distant. (London: W. L. Distant, care of West, Newman and Co., 54, Hatton Garden, E.C.)

WE have received the first part of this handsome work, in which it is proposed to describe and figure all the species of butterflies which inhabit the Malay Peninsula and the islands of Penang and Singapore. Forty-four coloured figures of butterflies are given in this part, occupying four plates of large quarto size; and they are most admirably executed in chromo-lithography. Some of the figures, indeed, are hardly to be distinguished from good hand-colouring. The descriptions are full and careful, and much judgment is shown in using, as far as possible, old and well-established names, and in rejecting needless sub-divisions of the genera. It is expected that the work will be completed in six or seven parts, forming a handsome quarto volume; and we trust that the author may obtain numerous subscribers in our wealthy colonies of Singapore and Penang, as well as at home, to encourage him to complete the work in the same full and careful manner as he has commenced it.

As most of the butterflies of the larger Malay Islands

must be studied in comparison with those of the Malay Peninsula for the purposes of his work, we would suggest to Mr. Distant that he would add greatly to its value to all European collectors if he would give, in a supplementary part, a complete synopsis of the known species of butterflies inhabiting the Indo-Malayan region. Having figured all the continental Malayan species, the descriptions of those of the islands might be, in most cases, by comparative characters, aided occasionally, perhaps, by outline woodcuts. We believe that such an extension of the scope of the work would double its value, and add largely to the list of subscribers; while the increased expenditure would be comparatively unimportant.

A. R. W.

Conic Sections Treated Geometrically. By S. H. Haslam, M.A., and J. Edwards, M.A. (London: Longmans, 1881.)

THIS is a neat little treatise on the conic sections, containing—what appears to be a novelty—a method of *plane projection*, to which the authors give the name of *Focal Projection*. The remarkable feature of the book is, that the authors, who are evidently well up in these curves, should not be acquainted with the writings of the present master of St. John's College, on the same subject. No one who has looked into Dr. Taylor's recent works, could be unacquainted with what he has said upon the contributions of Boscovich and G. Walker, and would hardly use the "generating circle" of a conic in the same fashion as Boscovich does, and write, after the definition, "which we have called the *auxiliary circle of a point*."

Schwatka's Search: Sledging in the Arctic in Quest of the Franklin Records. By W. H. Gilder. Maps and Illustrations. (London: Sampson Low and Co.)

THIS is the complete record of the expedition sent out by private subscription, in 1878, under Lieut. Schwatka, to endeavour to find the records of the Franklin expedition, which were reported to be in possession of the Nechelli Eskimo. With the general results of the expedition, our readers have already been made acquainted. The reported records, as might have been expected, were never found. But in and around the Fish River, and in King William Land and neighbourhood, several relics were obtained, and several graves and cairns found. The expedition, indeed, completed the story of the sad disaster of the *Erebus* and *Terror*. During the search, sledge-journeys of upwards of 3000 miles were made, and thus much welcome additional information was obtained concerning the country between Hudson's Bay and King William Sound. The expedition came a good deal into contact with the Eskimo, concerning whom Mr. Gilder has much to tell us. The narrative is interesting, and is welcome as throwing additional light on an Arctic expedition in which Englishmen have always continued to be interested. There are a number of good illustrations.

Chambers's Etymological Dictionary of the English Language. A new and thoroughly revised edition. Edited by Andrew Findlater, M.A., LL.D. (Edinburgh: W. and R. Chambers, 1882.)

THIS little work, since the publication of the first edition, edited by the late Mr. James Donald, has had deservedly a very extensive circulation. It is just the book to have at one's elbow for constant reference, handy, clearly printed, fairly full, and thoroughly trustworthy. This new edition has evidently been so thoroughly revised by Dr. Findlater, as to be virtually a new work. The selection of words has been made with great discrimination, the definitions are clear and comprehensive, and the etymologies up to the latest results of linguistic research. The dictionary contains a large number of scientific terms, though there are one or two others that we think ought to have found a place. The dictionary is the best

of its class; the appendix contains much useful information, including a table of the Metric System.

Tunis; The Land and the People. By the Chevalier de Hesse-Wartegg. (London: Chatto and Windus, 1882.)

HERR VON HESSE-WARTEGG spent some months in Tunis last year, and has made a readable book out of his notes. He has also drawn largely on other sources of information, so that those who know little about a country which has been so much before the public recently, will find some useful information in this volume. The author spent a good deal of time about Tunis and its environs, but seems also to have visited several other places in the Regency, including, apparently, Kairwan. He tells us a good deal about the people and their customs, about the government, the Bishas, antiquities, &c. There are several good illustrations, but no map.

LETTERS TO THE EDITOR

[The Editor does not hold himself responsible for opinions expressed by his correspondents. Neither can he undertake to return, or to correspond with the writers of, rejected manuscripts. No notice is taken of anonymous communications.]

[The Editor urgently requests correspondents to keep their letters as short as possible. The pressure on his space is so great that it is impossible otherwise to ensure the appearance even of communications containing interesting and novel facts.]

Silurian Fossils in the North-west Highlands

ON my return to-day from a geological tour in the North-west Highlands, I read with much interest the letters of Mr. Huddleston and Prof. Bonney on the above subject. The question as to the geological position of the limestone series in West Ross-shire, correlated by Murchison with the Durness limestone, is one to which I devoted special attention during my late visit to the neighbourhoods of Lochs Carron, Doule, Kishorn, and Maree. The general appearance of the limestone in these areas is sufficiently like that of Durness to lead to the supposition that it is of the same age, but this of course can only be proved by fossil evidence. The conclusion at which I have arrived, however, in regard to the geological position of the limestone, and as to its relation to the so-called Upper Gneiss rocks of the central parts of Ross-shire, is in direct opposition to the views of Murchison, and accords in the main with that of Prof. Nicol. The great triangular patch at the head of Loch Kishorn consists of a series of thick beds of grey limestone, with a few bands of sandstone in an unaltered condition, and is undoubtedly dropped by faults amongst much older strata, as maintained by Prof. Nicol. Between Lochs Carron and Doule the same series is seen to rest unconformably upon much higher beds than those which it is supposed by Murchison and others to underlie at Loch Kishorn. As I purpose shortly to give a full account of these researches, I will not venture now to trespass further on your space.

HENRY HICKS

Hendon, N.W., April 29

Earthquakes and Mountain Ranges

IN NATURE of the 27th ult., in a note on a recent meeting of the Seismological Society of Japan, it is mentioned that the observations of Prof. Milne "as far as they have at present gone, show in a remarkable manner how a large mountain range absorbs earthquake energy." It may be worth while to mention, as an exception to this, that the Swiss earthquake at 1 p.m. on July 25, 1855, which apparently had its origin among the mountains on the south side of the Valais, between Visp and S. Nicholas, both of which places were seriously damaged, travelled through the Bernese Oberland, across the great valley of Switzerland, and then through the Jura. I was at the time in a small inn, at a place called Belle Rive in the Munster Thal, on the north side of the Jura. The house was severely shaken, so that some plaster fell from the ceiling. This was about seventy-five miles from the place of origin, and the wave in that interval had passed through two mountain ranges. It is probable that this earthquake was caused by a disturbance of a quite different kind from the volcanic disturbances of Japan, and that may account for a difference in the result.

O. FISHER

Vivisection

THE editor of NATURE has no room for proofs; I must, therefore, confine myself to statements of facts which "A Student of Medicine" can verify by consulting the books I shall name.

Prof. Schiff is the author of several works detailing an enormous number of vivisections. Some six years ago the "Gazetta d'Italia" calculated that, of dogs alone, he had used in his laboratory 14,000—supplied to him gratuitously by the municipality of Florence—besides great numbers of other animals otherwise procured. Afterwards he received only about eight dogs a week from the police, and, in consequence, posted up an advertisement offering a franc for every dog brought to him, and a bonus upon ten dogs brought by one person. In the "Physiologie de la Digestion" he says: "I am forced to cut the vocal cords of the greater number of my dogs, lest their nightly howlings should compromise my physiological pursuits."

In Prof. Schiff's "Lezioni di Fisiologia Sperimentale" will be found ample justification of my statements with regard to the character of the vivisections performed by him. I regret much that there is no room to quote examples here. It will be observed by the reader of these "Lessons of experimental physiology," that the nature and duration of the majority of the experiments render the administration of chloroform either impossible, or at the best, utterly inadequate to hinder suffering. The animal is either *distinctly sensible* throughout the experiment, or has been already operated on some days previously, being preserved in a mangled and paralysed condition for further experiment.

As regards the "anaesthesia," I have to-day questioned a medical graduate, who resided seven years in Florence while Prof. Schiff lived there, and was constantly in his laboratory. He says that, although chloroform was commonly administered on tying down the animals (he believes, for the convenience of the operator), no pretence was made of keeping them under the influence of the anaesthetic after the preliminary incision, and that—as in fact is conclusively proved in Prof. Schiff's own works—mutilated animals were reserved from day to day, and from week to week, for further investigation.

If since leaving Florence and publishing his "Lessons" Prof. Schiff has mended his ways, I am sincerely glad to hear it. Should such, indeed, prove to be the case, public opinion at Florence—which ran high against him and his doings—must be credited with some share in the reformation.

In conclusion, let me say in regard to the discourteous charges of "error," "ignorance," and disregard of "facts" so freely brought against me by your correspondent, that if in this case any person is amenable to them, it is certainly not one who, being perfectly acquainted with the works both of Prof. Mantegazza and of Prof. Schiff, bases her estimate of their performances on *their own explicit statements*.

ANNA KINGSFORD

11, Chapel Street, Park Lane, W., April 14

[MRS. KINGSFORD'S letter was forwarded to our correspondent in Geneva, who sends the following reply:—]

In reply to Mrs. Kingsford's letter, I have the following remarks to offer:—

1. If Mrs. Kingsford is "perfectly acquainted" with the works of Prof. Schiff, she must know that there exists a small book in which he has explained in detail his methods of vivisection, &c. The title is: "Sofra il metodo seguito negli esperimenti sugli animali viventi nel laboratorio di fisiologia di Firenze." It first appeared in 1864; the second enlarged edition bears the date 1874. The book is written in a popular style, so as to render it easy even for the uninitiated to understand what vivisection is, and how it is practised by Prof. Schiff; it should be read by every person desirous of forming an unbiased judgment on the subject.

2. My letter was a reply to the accusation brought against Prof. Schiff of perpetrating "horrible tortures," "atrocities," &c. The number of dogs used for experiments (which number is erroneously stated), and the price supposed to have been paid for them are evidently irrelevant to the question. Moreover, you will find stated on p. 53 of the above pamphlet, that Prof. Schiff never accepted a dog unless its owner assured him that he would otherwise kill it himself; and I can corroborate from personal recent experience here in Geneva the further statement in the same passage, that if a person likely to be a kind master offers to take one of his dogs, he is always ready to give it away.

3. I regret to find that Mrs. Kingsford allows herself to

mi-quote. The passage in the "Physiologie de la Digestion" referred to is on p. 291 of vol. i.: "Je suis obligé de faire subir la section des nerfs laryngés à beaucoup de nos chiens." The section of the vocal cords is a dreadful operation, that of the nerves in question so slight, that if performed on dogs whilst at their meals, they do not leave off eating! To this I can testify. Moreover, you will notice that Schiff says, "Je suis obligé," and the fact is he was forced by the police in Florence to cut the nerves in question; not indeed on most of his dogs, but on those which were not used for vivisection properly so called, but were kept during long periods for other (and perfectly painless) observations, such as those detailed regarding the very dog mentioned in that lecture (see the 13th lesson, p. 325).

4. People not versed in physiology are not competent to draw conclusions from a work such as the "Lezioni di Fisiologia sperimentale." Mrs. Kingsford herself offers an example of how gross the errors are into which they may fall when she declares that in the majority of experiments the administration of anaesthetics is either "impossible or inadequate." On p. 70 of the pamphlet "Sofra il metodo," &c., Schiff says: "Nello stato attuale delle nostre conoscenze non esisto un solo esperimento praticato nell'animale vivente, al quale non si possa, e quindi non si debba, togliere il carattere di crudeltà mediante l'uso degli anestetici;" and lower down: "Da 25 anni non mi sono neppure una volta veduto nella necessità di escludere l'uso degli anestetici." On p. 52 he writes: "Brediamo dover aspettare finchè ogni traccia di sensibilità, e l'effetto meccanico delle sensazioni sia scomparso."

5. To the medical graduate's statement and insinuations I oppose Prof. Schiff's affirmation and my own knowledge of his character and scientific habits. It is curious that this gentleman, after having spent seven years in Prof. Schiff's laboratory, should be ignorant that *chloroform* is never used by him (see p. 49).

6. That many animals which have been operated upon are kept alive for ulterior observations is expressly stated in my first letter, and any person, however ignorant of science, can understand that whole branches of physiology can only be studied under the condition of this being so. They are kept not only as Mrs. Kingsford so pathetically exclaims, "from day to day, and from week to week," but sometimes from year to year." The question at issue is whether they suffer or not, a question easy to decide by their appearance, appetite, and demeanour. And the fact is they do not suffer, a statement any one can corroborate who chooses to come and look at the dogs in the School of Medicine here. Why they do not suffer is explained in detail in the pamphlet referred to above.

7. Prof. Schiff has not, alas, "mended his ways in deference to public opinion;" he tells me that never since the year 1847 has he departed from the methods detailed in the book quoted at the beginning of this letter.

Geneva, April 23

B.Sc., STUDENT OF MEDICINE

Red Variable Stars—"Variab. Cygni (Birmingham), 1881," &c.

THE above star, so called by Schmidt in the *Astr. Nach.*, No. 2421, is now a striking object of 8 magnitude. On December 21, last year, it was certainly not over 12, and, probably, it was less. This appeared about its minimum, and its maximum seemed to have been attained on June 6, when it was 8 mag., as at present. On May 22, when I first found it, it was about 9. If it is now at maximum, there must be a striking inequality in its periods of decrease and increase, but perhaps it will go on to a greater magnitude this time than before.

U Cygni (No. 553 in my Red Star Catalogue) seemed last night (April 28) to be smaller than I ever saw it previously, and under 11 mag. Its colour was, however, very marked. The blue star near it (Arg. +47° 3078), which I have long considered to be slightly variable (see Catalogue), seems now at a maximum of 8 magnitude, though contrast with its diminished neighbour, may have some effect on its apparent size.

No. 448, in which I have also detected variability, is now about 8.5, and as deeply coloured as when I first found it in April, 1876.

J. BIRMINGHAM

Millbrook, Tuam, April 29

Matter and Magneto-electric Action

THE very interesting lecture by Mr. Spottiswoode on the above subject incidentally throws light upon a phenomenon which probably has puzzled some other of your readers besides myself.

When a somewhat weak current is passing between the knobs of a Becker-Voss electro-induction machine, its passage can be altogether stopped by simply blowing across the path of the current. The handle is turned in vain; and even when the blowing has ceased, a short time is required before the current is able to pursue its old path. When the instrument has been warmed, and the current becomes stronger, the blowing, although now unable to stop the current altogether, drives it into irregularly curved paths, which are determined by the force exerted. I do not remember to have seen the experiment mentioned in any book. It is as curious as it is simple.

We now see why the air requires to be at rest for the weak current to force a passage through it, and to keep that passage open for the succeeding sparks to follow; while the stronger current leaps from point to point, as though in pursuit of the warmed and opened passage which has been driven by the wind out of its former position.

HENRY BEDFORD

All Hallow's College, Dublin, April 15

CYCLONES¹

SINCE it first became known that a considerable proportion of the storms which visit this part of Europe come from the middle and northern parts of North America, the meteorology of that country has been invested with a peculiar and increasing interest for the inhabitants of Western Europe, and though, according to Hoffmeyer, the chance that a depression in the United States will subsequently cause a storm somewhere in our own islands is only one in four, it is a ratio quite substantial enough to make us regard with attention warnings such as those transmitted to us through the medium of the *New York Herald*.

While America is thus from her enormous size and westerly position enabled to act the part of our weather prophetic, she bids fair in addition to leave us far behind in the more theoretical branches of weather-science, and though to admit this may be somewhat wounding to our national *amour propre*, it is nevertheless an idea which is openly entertained by some of our leading meteorologists. For our comfort it may be reasonably ascribed, in part at least, to our small size and unfavourable geographical position having afforded but little encouragement to really able men to devote their attention to a science whose operations are conducted on a scale compared with which our area of observation is indeed microscopic, so that until within quite recent times the succession of fair and foul weather in these islands was regarded merely as a series of irregular, eccentric, and totally unpredictable changes. The work before us, entitled "Methods and Results," by Prof. William Ferrel, of the American Coast Survey, and prepared for the use of the coast pilot, forms the second part of a series of meteorological researches undertaken by the author, which comprise an elaborate theoretical investigation into the general and local mechanics of the atmosphere. In Part I., which appeared in 1877, the general motions of the atmosphere are more particularly dealt with, and conclusions are arrived at which have appeared in part in the *Mathematical Monthly* for 1860 and the *American Journal* for November, 1874.²

In both these publications the author lays great stress upon the important part played by the deflecting force to the right of its path, to which a current of air is subjected by virtue of the earth's rotation in whatever direction it may be blowing. This deflecting force is measured by the acceleration $2n \cos \psi$, where n represents the angular velocity of terrestrial rotation, and ψ is the co-latitude (see NATURE, vol. v. p. 384).

With the assistance of this element he theoretically deduces in Part I. the general motions of the atmosphere, which agree with what is known from observation. He

¹ "Methods and Results of Meteorological Researches for the use of the Coast Pilot." Part II.—On Cyclones, Waterspouts, and Tornadoes. By William Ferrel. (Washington, 1880.)

² "Relation between the Barometric Gradient and the Velocity of the Wind," by W. Ferrel, Assistant U.S. Coast Survey.

also makes considerable use of this same principle, which he was the first to enunciate correctly, when dealing with the theory of cyclones in Part II. As we propose just now to confine our attention to Part II., which treats mainly of cyclones, we shall not refer to Part I. except incidentally. Part II. is sub-divided into three chapters, the first of which deals with the mechanical theory of cyclones, and deductions therefrom. In Chapter II. the results of the theory are compared with those of observation, and Chapter III. treats of tornadoes, hailstorms, and waterspouts. The chief elements considered in the theory of cyclones are (1) the earth's rotation, (2) the gyrotory velocity round the low centre, (3) the friction, (4) the inertia, and (5) the temperature and humidity of the air.

These elements are all discussed in turn, and many important conclusions drawn from the resulting equations. Some of these conclusions have already been either directly deduced by the employment of analogous methods, or inductively inferred from an examination of data, by Guldberg and Mohn, Colding, Peslin, Sprung,¹ Clement Ley, Hildebrandsson, Meldrum, Loomis, and Toynbee. Some however are quite new, especially those which are derived from a consideration of the temperature term.

The general theory of the cyclone, according to Ferrel, may be briefly stated thus:—

If from any initial cause interchanging motions are set up between the air in a certain district and another surrounding it, the air in the first district tends to gyrate round its centre by virtue of the deflective force of the earth's rotation, and in the same direction as that of the component of terrestrial rotation, which acts in the plane of its horizon. In the northern hemisphere this would mean gyration contrary to watch-hands, and in the southern hemisphere gyration with watch-hands. In the outer district the gyrations of the air, by the principle of the preservation of areas (or moments), are contrary to those of the interior district. These two systems of contrary gyrations tend to draw the air from the centre of the inner district and the exterior limit of the outer district, and heap it up in the place where the gyrotory velocity vanishes and changes sign, thus causing a maximum barometric pressure there, with corresponding minima at the centre and outer limit respectively.

In addition to this, when the gyrations have once commenced they give rise to a centrifugal force which tends to drive the air still more from the centre of the inner district, and so increase the barometric depression there; but which in the outer district, partly owing to its distance from the centre, and partly to the small velocity of the gyrations, has but little effect on the distribution of pressure. The gyrations, especially near the centre and exterior limit, would be very rapid, were it not for the friction between the air and the earth's surface, which retards the motion, but does not entirely prevent it, since, as the author very pointedly remarks, "without some such motion frictional resistance would not be brought into action." So far we have only considered the gyrotory component of motion, and as in the imaginary case of no friction, this would be the only kind of motion, the gyrations might then be entirely circular. When, however, as actually happens in the atmosphere, friction acts, a radical component becomes necessary, since the deflecting force is now partly employed in counteracting the frictional resistance to the gyrations, and the magnitude of this radial component (on which depends the inclination of the wind to the isobar), varies *ceteris paribus* directly with the amount of friction.² As a result of the two

¹ "Die Trägheits-curven auf rotirenden Oberflächen," *Zeitschrift für Meteorologie*, Band xv., January Heft, 1880.

² This result is best seen in the following expression for the angle of

$$\text{inclination of the wind to the isobar } \tan i = \frac{f}{2(n \cos \psi + \frac{s \cos i}{r})}, \text{ where } f$$

is the coefficient of friction, s the velocity of the wind, and r the distance from the low centre.

tendencies—gyration and inflow, or outflow according as the air is in the interior or exterior part—the air near the surface takes a middle course, and flows spirally around and toward the centre from the zone of maximum pressure on the one side, and on the other in a contrary spiral outwards from the centre to the outer limit of the anticyclone.

It is important to observe that the author explains the accumulation of air with its maximum at the dividing line between the interior and exterior districts (cyclone and anticyclone, as they are termed elsewhere throughout this work) as “due at the start mostly to the gyrations in the upper part of the atmosphere,” which, being less influenced by friction, are in consequence more circular than those below; the pressure from this accumulation tending to force the air near the earth's surface out from beneath it on the one side toward the centre of the cyclone, and on the other toward the outer limit of the anticyclone.

The difference of pressures or gradient between the regions of high and low pressure in a cyclone, is thus shown to be, not so much the cause of the wind, as the mechanical result of the deflecting force of the earth's rotation and the centrifugal force engendered by the gyrations.

It should, however, be borne in mind, that the forces just mentioned, are by no means to be regarded as causing the cyclone in the sense of being independent sources of energy. They can only arise in consequence of some initial motion of the air, which must itself be due to a small difference of pressure, and unless such primary disturbing cause be continually maintained by external influences, the entire system of motion will shortly come to rest.

The preceding view of cyclone generation has already made some way since Ferrel first enunciated its leading characteristics in his previous writings. It lies midway between what is sometimes called the in-blowing or ascension-current theory of Rey and Espy, which regards the central depression as the main cause of the wind, and that held by Thom, Meldrum, Willson, and Loomis, according to which the central depression is mainly due to the centrifugal force generated by two pre-existing currents passing one another in opposite directions. A third theory, held by Blanford and Eliot, and evolved chiefly from a study of the cyclones in the Bay of Bengal, makes the condensation of vapour the primary cause of disturbance, but allows the greater part of the subsequent depression of the barometer to be due to the causes adduced by Ferrel. This latter theory, in fact, only differs from that put forward by the author in the part played by condensation of vapour in giving rise to the initial motion of the air, which Ferrel considers to be considerably less than that exercised by a difference of temperature. Among the conclusions arrived at by the author, and which are generally confirmed by the results of observation, may be noticed the following; but these, it must be remarked, are only strictly true for a regular, symmetrical, and stationary cyclone:—

(a) “The wind inclines towards the centre from the direction of the tangent, and the amount of inclination is nearly in proportion to the friction (mainly of the air against the earth's surface).”

(b) “The inclination diminishes with the altitude, and therefore at some distance from the earth's surface the gyrations are more circular than near it.”

(c) “Toward the centre of a cyclone, where the gyration velocity is greater, the inclination is less, and therefore the path more nearly circular.”

(d) “The inclination increases with decrease of latitude, attaining its greatest value at the equator, where the air should flow directly towards or from the centre, and there should be no gyrations.”

(e) “As the motion of the air below in cyclones is toward the centre, in the upper regions of the atmosphere it must

be nearly circular, but inclined to the tangential from the centre.”¹

Inertia comes into play where a cyclone is increasing or diminishing in violence, and its effect is to increase the inclination in the former case and diminish it in the latter, but in general the amount is found to be insignificant.

It was stated in the above brief sketch of the theory, that outside the annulus of high pressure surrounding a cyclone the air should move outwards anticyclonically. Ferrel subsequently puts the matter thus: “Every cyclone is accompanied by a corresponding anticyclone, and the former cannot exist without the latter.”

The words cyclone and anticyclone are here used quite apart from the question of barometric pressure, and simply mean districts in which the motion of the air is spirally in towards the centre, or out from the centre respectively. Guldberg and Mohn likewise adopt this definition, which is obviously far more scientific than the too common habit of referring to them as regions of low and high pressure.

Mr. Ferrel, however, differs from all previous investigators in thus linking together the cyclone and anticyclone as mutually dependent parts of the same phenomenon. They have hitherto been treated separately, at least in practice, and though the author's conclusion sounds like a simplification, because it makes one out of two, we scarcely think he has proved the converse to his proposition, viz. that every anticyclone is accompanied by a corresponding cyclone, and cannot exist without it.

For example, in the case of such an anticyclone as every winter forms over Central Asia it would be difficult to point out exactly its corresponding cyclone or cyclones, though it is possible, as the author says, that it may be partly due to the overlapping of the anticyclones, which should surround the permanent North Atlantic and Pacific cyclones at this season.

The relation between the barometric gradient and the velocity of the wind in a symmetrical cyclone is given by the following equation:—

$$G = \frac{1076 \cdot 4 (2n \cos \psi + \nu) s P}{\cos i (1 + \cdot 004 t) P'}$$

where $\nu = \frac{s \cos i}{r}$, and G is the gradient in millimetres

per sixty geographical miles, s the velocity of the wind in metres per second, n the earth's angular velocity of rotation per second, ψ the co-latitude, i the inclination of the path of the wind to the isobar, P the barometric pressure at the given elevation and at the earth's surface respectively, t the temperature in degrees Centigrade, and r the distance from the low centre in kilometres. Where the gradient is given, the velocity of the wind can be conveniently found from the equation

$$S = -\frac{1}{2} a \pm \sqrt{\frac{1}{4} a^2 + b G}$$

where, if the ordinary English units of space and time are used, viz. a mile and an hour, and the gradient is expressed in inches per sixty geographical miles, we have—

$$\begin{cases} a = \frac{0 \cdot 52505 r \cos \psi}{\cos i} \\ b = \frac{r (1 + \cdot 004 t) P}{\cdot 005262 P'} \end{cases}$$

The equation for the gradient in terms of the wind's velocity is substantially the same as that already given by the author in *Silliman's Journal* for 1874, with the exception of the temperature correction, which was there simply referred to in the text.

As the whole question of the author's formula for the gradient has been thoroughly ventilated in his previous

¹ This conclusion only applies to districts within a moderate distance from the centre. At great distances from the centre the radial component predominates, and the air flows nearly directly towards the centre below, and from it above.

works and in the *Zeitschrift für Meteorologie* (Band x.), we need not notice it here except to point out that, assuming the correctness of the formula, the gradient, *ceteris paribus*, should vary (1) directly with the latitude, (2) inversely with the distance from the centre, (3) inversely as the temperature, (4) directly with the amount of inclination.

The foregoing results have all been obtained without considering the term depending on temperature and humidity, and which expresses the effect of the disturbing force necessary to start and maintain the interchanging motions between the interior and exterior portions of the air over a given area. That such a disturbing function is necessary, is evident both from preliminary considerations, and also from the form of the general equations of motion, since they would otherwise be satisfied by the conditions for a state of *rest*. The author enunciates this principle in Part I. Chap. III. where he says: "There can be no winds then without a disturbance of the static equilibrium by means of a difference of temperature or of aqueous vapour in different parts of the atmosphere." And it is important to bear it in mind, if only because we are too often apt to overlook it in the multitude of secondary causes brought to light by a study of atmospheric mechanics. A consideration of this term, in which temperature and humidity are treated jointly, and the former is assumed to vary with the distance from the centre, leads to the remarkable conclusion that there are two species of cyclones, one with relatively *warm* centres, the more common case, and the other with relatively *cold* ones.

These cyclones differ specifically from each other chiefly in the way in which the pressure is distributed and the gyrations directed at different altitudes.

In a cyclone with a relatively warm centre the air at the earth's surface moves in a cyclonic spiral round and towards the centre, but as we ascend the gyratory velocity diminishes with the altitude, and the annulus of high pressure approaches the centre, until at a very high elevation the highest pressure of that stratum might even be at the centre, and the air gyrate anticyclonically from it over the whole area at that level. In brief, the cyclonic area becomes smaller, and the anticyclonic larger, as we ascend.

In a cyclone with a cold centre the reverse occurs. At the surface of the earth the initial tendency of the air is to move outwards, and this may be so strong near the surface that there may be only anticyclonic gyrations at this level, with the maximum pressure of the *lowest* stratum at the centre. As we ascend, however, the gyrations round the centre become more and more cyclonic, while the annulus of maximum pressure gradually retreats further and further from it.

There is, besides, according to the theory, an *ascending* motion of the air in the interior part of a warm-centred cyclone, and a descending motion in the exterior part, both generally *small* in comparison with the horizontal motions toward and from the centre. In the case of a cold-centred cyclone these motions are reversed.

Now as a barometer at the earth's surface records simply the integrated effect of what happens in all the strata up to the top of the atmosphere, this might obviously vary in the *same* way for both kinds of cyclones, and so tell us absolutely nothing of such remarkably diverse conditions prevailing at higher altitudes. The behaviour of the air in the warm centred cyclone is what we are accustomed to observe in the case of *most* cyclones, and as they are as often found with relatively *cold* centres as with *warm* ones, the former occurring more frequently in *summer* and the latter in *winter*, it is difficult to understand why the characteristics of the cold-centred cyclone have never yet been found to prevail, at least in moving cyclones. The author indeed offers an explanation of this circumstance, and endeavours also to account for the

absence of stationary cold-centred cyclones in regions like Central and Eastern Asia and North America in winter, where the temperature gradient would be remarkably favourable to their production. The fact, however, that in the centres of these regions at this season there is not only no cyclonic tendency of the winds or depression of the barometer, but, on the contrary, a pressure greatly above the normal, seems strangely at variance with what we should expect according to the theory of the cold-centred cyclone, and is hardly satisfactorily explained away as the result of the irregularity and size of the area, combined with the excessive *cold*, which latter is supposed to increase the density and pressure more than the cyclonic tendency diminishes them. The only two cases of cyclones with cold centres which the author seems able to find are the two general wind systems of the northern and southern hemispheres respectively, which "are simply two great cyclonic systems with a cold centre, having the cold poles of the earth for their centres. The motion of the air eastward around and toward the poles in the middle latitudes, giving rise in those latitudes to the normal south-west winds in the northern, and north-west winds in the southern hemisphere, form the cyclones, and the trade-wind region the corresponding anticyclones, with the equatorial calm-belt for the common limit of the two systems. The tropical calm belt and corresponding maxima of barometric pressure near the parallels of 30°, correspond to the similar calm and dividing line between the cyclone and anticyclone in the ordinary and smaller cyclonic systems."

The primary cause of cyclones, according to Ferrel, is a *horizontal temperature gradient*, so that if a portion of the atmosphere is heated or cooled more than the surrounding parts, and the isotherms are approximately circular, we have the initial conditions for a cyclone; but after the disturbances due to such primary causes have set in, secondary causes depending on loss of heat by expansion in ascent, and gain of heat by compression in descent, as well as retardation of cooling where aqueous vapour is being condensed, come into play, which *on the whole* tend to counteract the initial motions.

The condition of the atmosphere *vertically* with respect to temperature and humidity, is thus of great importance in regard to the duration of a cyclone when it has once started.

The author investigates this point at some length, and works out the conditions for cyclone generation in quite a novel manner, from a consideration of both vertical and horizontal temperature gradients. Generally speaking, the condition most favourable to the maintenance of an ordinary cyclone is that the vertical temperature decrement in the interior should be less than in the surrounding regions. This condition is found to be more easily sustained where the air is charged with aqueous vapour, since under these circumstances it cools less rapidly in ascending than when dry. He further points out that where the decrement of temperature in the interior is less than outside, especially when this condition occurs throughout the entire atmosphere, a cyclone may arise without any horizontal temperature gradient (provided only a small instantaneous impulse be given), and that such a state of *unstable equilibrium* more readily occurs when the air is warm and saturated with vapour. While, however, he thus admits the important rôle played by vapour in maintaining cyclonic action when once started, he distinctly denies its claim to be considered "either a *primary* or *principal* cause of cyclones."

As these islands in all probability seldom, if ever, form the birthplace of a cyclone, but we are rather accustomed to experience them either fully developed or else in the condition of being "filled up," the circumstances which attend their generation do not practically very much concern us. Still it must not be overlooked that conditions which would tend to create and maintain a cyclone in our midst, must of necessity tend to augment the

violence of a storm arriving on our coasts, so that if meteorology, or that branch of it termed weather forecasting, is ever to become an exact science, we must endeavour to find out, by captive balloons or otherwise, what can never be determined by registration at the earth's surface alone, viz. the condition of the atmosphere *vertically* as regards temperature and humidity.

The author concludes his theoretical investigation into the mechanics of cyclones by a discussion of the causes of their motion over the earth's surface. He first of all shows that every cyclone possesses an inherent force tending to urge it towards the pole of the hemisphere in which it has been formed. This follows immediately from the fact that the deflecting force due to the earth's rotation varies with the cosine of the colatitude, and is therefore greater on the polar than on the equatorial side of a cyclone, a residual poleward component of force being thus brought to bear upon every portion of the cyclone. In addition to this, a cyclone, as soon as it is generated, must partake of the general motions of the atmosphere, which the author more especially deals with in his "Meteorological Researches," Part I., to which we have already made allusion; and since the general motions of the atmosphere are there considered to form two great cyclonic systems round the poles, all ordinary cyclones are simply cyclones within a cyclone, so that their general motion of translation is partly the result of the actual motion of the air in these large and perpetual, though perpetually changing, cyclones, and partly that of their inherent tendency to *press polewards*.

For example, as the author says, "in the trade-wind latitudes the wind at the earth's surface is westward . . . and hence the cyclones in these latitudes are carried westward, . . . and having a tendency towards the Pole, the resultant of the two is a westward motion, inclined a little towards the poles, or in the northern hemisphere a motion about west-north-west. After having arrived at the parallel of 30° or 35° in the tropical calm-belt, where there is no westward motion, the progressive motion is a Polar one mostly, but after progressing still nearer the Pole, into the middle and higher latitudes, the general eastward motion of the atmosphere here, which is great in the upper regions, carries now the cyclone toward the east, and the direction of the progressive motion, which is usually about east-north-east, is the resultant of this eastward motion and the motion round the Pole. All well-developed cyclones, therefore, having their origin near the equator, have mostly a progressive motion represented by a curve somewhat in the form of a parabola, having its vertex in the tropical calm belt at the parallel of 30° or 35°."

It is moreover shown that the general motions of the atmosphere must not only cause the cyclone to travel more or less with them, but also affect the inclination of the wind to the isobars, decreasing it in the front, and increasing it in the rear part.

With regard to further modifying causes, the author favours the views of Clement Ley regarding the effect of the distribution of aqueous vapour in determining the direction in which a cyclone propagates itself.

He does not indeed attempt to explain how they sometimes wander off on an entirely unlooked-for course, or else remain stationary for some considerable period; otherwise he might claim to have at least attempted a solution of the entire problem on which weather science depends. Clement Ley himself, in his admirable little work,¹ recently published by authority of the Meteorological Council, tells us that the reason why the course of a cyclone cannot be exactly foretold is because "in the first place the causes which determine the course of depressions are not fully known; in the second, place so far

as they are known, it is certain that the course of depressions is generally related to the distribution of pressure over a very large area." In fine before we know how the small cyclones are going to behave, we must in every case know the form of the larger cyclones round whose centres they travel.

E. DOUGLAS ARCHIBALD

(To be continued.)

THE GIZZARD-CONTENTS OF SOME OCEANIC BIRDS

THE following results of the examination of the gizzards of twenty sea-birds, which were caught by the officers of this ship in the South Atlantic and Southern Indian Oceans during the last quarter of 1881, may be of interest to some of the readers of NATURE.

With one exception all the birds belonged to the Petrel family—the Procellariidæ—and fifteen of them were of the well-known species—the Cape-pigeon or Cape-petrel (*Diapton capensis*). The most frequent of the gizzard-contents of these twenty birds were the mandibles of a cephalopod, which were found in eighteen instances; the otoliths of some small osseous fishes occurred in five instances; and some curious stony masses, varying in weight from half a grain to five grains, were obtained also in five instances. The other substances, which were observed less frequently, were the vertebræ of a fish, feathers, Velellæ, the horny rings probably of some crustacean, and a small hard seed.

With reference to the seed just mentioned, I should observe that it was taken from the gizzard of a Cape-pigeon, about 550 miles to the east of Tristan d'Acunha, in the South Atlantic. The wide range of this species of petrel is well known; we ourselves first observed this bird rather to the southward of the island of Trinidad, which lies about 600 miles off the coast of Brazil; and thence we traced it as far as the island of Amsterdam, in the southern portion of the Indian Ocean. From our own observation, therefore, it is quite possible that a seed might be transported from Trinidad to Amsterdam, notwithstanding that these islands are from five to six thousand miles apart; and Mr. Mosely's surmise (*vide* a footnote in Mr. Wallace's "Island Life," p. 250) that various species of Procellaria and Puffinus may have played a great part in the distribution of plants, and may to some degree explain the similarity in the mountain floras of widely distant islands, would appear to receive some support from the single instance of this seed. With regard to the kind of plants to which the seed belongs, Mr. Moore, director of the Botanic Gardens, Sydney, kindly informed me that it possessed no character sufficiently distinctive to enable him to decide as to its probable source.

The stony masses found in the gizzards of five of the birds, all of which were caught in the South Atlantic, were of two kinds: one of the masses was of a dark colour and homogeneous texture, and rather porous; when heated it gave off black fumes with a smell of burnt organic matter, and was fusible with soda into a black glass; the other masses had the appearance of greasy quartz, scratching glass with ease; but when heated in a closed tube they blackened and evolved black fumes with a powerful odour of burnt animal matter; after the incineration they became white, and with the blowpipe were fused into a white glass after the addition of soda; no effervescence was exhibited on the application of an acid. The behaviour of these masses under heat is very similar to that described by Mr. Darwin in his "Geological Observations," in the case of a stony incrustation on St. Paul's Rocks, deposited, as he considered, from water draining through birds' dung.

H. B. GUPPY


H.M.S. *Lark*, Auckland, February 28

¹ "Aids to the Study and Forecast of the Weather," by W. Clement Ley, M.A., 1880.

RECENT DISCOVERIES IN THE PLANET
MARS

AN intended article, of which an announcement appeared in NATURE a few weeks back, on the topography of Mars as delineated for the second time by Prof. Schiaparelli at Milan during the opposition of 1879-80, has been anticipated and in part superseded by information which has been received relative to the more recent discoveries made by him in the beginning of the present year. Pending the preparation of a fuller and more detailed memoir, he has published a preliminary notice, read before the *Accademia dei Lincei* on March 5, and accompanied by a photographed drawing of the planet's surface. The results are of a very remarkable and unexpected character; and as through the courtesy of this distinguished observer, the notice and photograph have been placed in my hands, I am induced to reproduce the latter, which, though not pretending to minute accuracy (the original, in fact, is only a provisional sketch), will give a sufficient idea of the marvellous duplication of the so-called "canals," which, between

January 19 and February 24, in about twenty instances, unfolded itself progressively under the observer's eye. The discussion which took place at the late meeting of the *Astronomical Society*, so far as my information extends, substantiated strongly by independent evidence the existence of these long, narrow streaks, some of them even in positions where they have not been delineated by Schiaparelli; but their duplication by similar and parallel lines does not seem to have been elsewhere noticed. Some difference of opinion may possibly be expected concerning these strange appearances; and the consequent enfeebling (to say the least of it) of the long-admitted terrestrial analogy may be, to some minds, unacceptable; but the established reputation of the observer demands at any rate a respectful attention to his statements. It may be preferable to suspend a more detailed account till we receive a full elucidation of the subject in the memoir, of which we possess only a preliminary notice; for the present it may suffice to mention that he found the atmosphere of Mars apparently clearer than in 1877, and was thus enabled to recover the markings then detected more satisfactorily



even than in 1879-80, and to confirm the general accuracy of his two earlier charts; while the concise, but very clear intimations that he has given, as to the variable brightness of some great regions, the progressive enlargement on one side since 1879 of the "Kaiser Sea" (his *Syrtis Magna*), the brightening of certain supposed continents or islands towards the limbs, the confirmed existence of oblique white streaks, the unfolding of minute labyrinthine detail, and the continuous development already mentioned, day after day, of the collateral lines which double the so-called "canals," and extend with them ordinarily along great circles of the sphere—all these and similar announcements make us anxiously desire a more extended and detailed communication. For some of these most remarkable appearances parallels may be to a certain extent produced from the results of earlier observers; but, so far as at present appears, the duplication stands alone. The discoverer is disposed to infer a connection between these progressive developments and the seasons of the planet, and on that account hopes that, owing to the position of the axis at the ensuing opposition at the opening of 1884, notwithstanding the diminished diameter (only 12"9), confirmation of his announcements may be obtained from

other observers. We sincerely trust that a report which has reached us may be verified as to the erection of a much larger telescope in the *Royal Observatory at Milan*, and that the extraordinary talent and diligence of the director may be richly rewarded, not only by the confirmation but the extension of results which must so materially influence our conclusions as to the physical condition of this peculiarly interesting planet. T. W. WEBB

THE CAUSE OF TUBERCULOSIS

THE first step in the rational treatment of every malady is obviously the recognition of its cause, and it is this recognition which enables medical men to do battle against disease. It is a truism to say that as regards infectious maladies the knowledge of their cause is an essential step in preventing their spread and arresting their ravages. The malady known as tuberculosis, and generally characterised by constitutional disturbance associated with the production of minute nodular new-growths in the various organs, especially the lungs, spleen, lymphatic glands, serous membranes, the membranes of the brain, liver, &c.—[at first greyish and transparent, but

afterwards becoming opac and degenerating into a yellowish-looking *débris*, and hereby implicating and destroying the organs in which they are located]—has been shown to be an infectious malady communicable from one human being to another, from man to animal, and from animal to animal.

The successful experiments of inoculating with, feeding on, and causing to inhale human tubercular matter, carried out on the lower animals, such as guinea-pigs, rabbits, dogs, pigs, &c., by Villemain, Dr. Wilson Fox, Mr. John Simon, and Dr. Burdon Sanderson, but especially by Cohnheim and Salomonsen, Tappeiner, and Baumgarten are conclusive in these respects. Similarly it has been shown that the tuberculosis of cattle or *Perlsucht* is communicable not only within the species but also to other animals. Whether *Perlsucht* is also communicable to man, especially through meat and milk, as is maintained by some observers (Semmer, Baumgarten, and others), is as yet an open question, and, as must be obvious to every one, one to which fearful importance is attached, considering how great the distribution of this disease is in the bovine species. What the cause of the malady is, has until now been undetermined, although it has been at various times surmised that, like other infectious diseases, it is of a parasitic origin. Thus Schüller, and especially Klebs, have tried to prove that owing to the presence of micrococci in the tubercular deposits, these micrococci were the *materies morbi*. And indeed Klebs maintains to have succeeded in cultivating outside the body of an animal, *i.e.* artificially the "*monas tuberculosum*," as he calls the said micrococcus, and to have again produced the tubercular disease by inoculating animals with this purified micrococcus. Klebs' observations and conclusions have not been accepted as reliable, and it has been reserved for Dr. Koch to discover the real cause of the disease, in identifying it with a specific bacillus. In a weighty paper, "*The Etiology of Tuberculosis*," published in the *Berlin Klin. Wochenschr.*, 1882, No. 15, Dr. Koch sets forth the whole course of his investigation, the methods and experiments, all his observations and definite conclusions on this question, and anyone who peruses carefully this paper will come to the conclusion that Koch's results are to be accepted with unconditional faith, and I have no manner of doubt will be considered by all pathologists as of the very highest importance. To those who are familiar with Dr. Koch's previous work, especially that on the etiology of splenic fever or Anthrax, and his observations on pathogenic Bacteria, this last work of his, on the Etiology of Tuberculosis, will be an additional and brilliant testimony to his ingenious and successful method of research.

The first step in the inquiry was to ascertain whether any definite form of microphyte is constantly present in the tubercular deposits. This question could not be solved by the ordinary methods of research, but with new methods; it was decided in the affirmative. For the demonstration of the presence of the specific bacillus—which Koch calls the tubercle-bacillus—the following method proved successful: Tubercular deposit fresh, or after hardening with reagents, is stained for twenty to twenty-four hours—at a temperature of 40 Centigrades, only half to one hour is required—with a half per cent. solution of methylene blue, to which a small quantity of a 10 per cent. solution of caustic potash is added. After this, the tubercular material is stained for a minute or two in a concentrated watery solution of vesuvin, and then washed in distilled water. When examined under the microscope, all elements of the tubercular deposit, such as cells, nuclei, fibres, and granules, appear of a brownish colour, while the tubercle-bacilli alone stand out very conspicuously in a beautiful blue tint.

By this method Koch ascertained the constant presence of the specific bacillus in the tubercular eruption in man and animals, including the *Perlsucht* of cattle, both in

spontaneous tuberculosis, as well as artificially produced, *i.e.* by inoculation. These bacilli differ from all other micro-organisms by characteristic properties.

The next step in the inquiry was one of essential importance in determining the nature of the bacillus as the *materies morbi*, viz. to isolate by successive cultivations outside the animal body, the tubercle-bacilli, and having thus completely freed them of all parts of tissue of the tubercular deposit to introduce them into the system of suitable animals. If these animals became afflicted with typical tuberculosis, and if at the same time similar animals kept under precisely the same conditions, but not infected with the bacilli, remained perfectly normal, it will be admitted that the exact proof has been given that the bacilli constitute the cause of the tubercular malady.

All these conditions have been fulfilled by Dr. Koch in an eminent degree.

The tubercle-bacilli were successfully cultivated outside the body of an animal. Pure serum of blood of sheep or cattle is sterilised by keeping it exposed in test-tubes plugged with cotton wool, for six days daily for one hour, to a temperature of 58 centigrades. After this the serum is heated for several hours up to a temperature of 65 centigrades; by this it is transformed into a solid perfectly transparent mass, well adapted for the cultivation of the tubercle-bacilli. Such serum inoculated on its surface under special precautions with tubercular matter of any source—tuberculosis of man or animal, spontaneous or artificially produced, and kept at a temperature of 37 or 38 centigrades (*i.e.* about blood-heat) for over a week, becomes gradually covered with peculiar dry scaly masses; these masses are the colonies of the specific tubercle-bacillus.

A minute particle of this crop is used for establishing a second similar cultivation, this again for a third, and so on. Tubercle-bacilli obtained in this manner, after several successive generations, prove as effective in inoculating animals with typical tuberculosis as fresh tubercular matter.

All animals susceptible to the malady that Koch inoculated with these artificially cultivated bacilli, became invariably affected with the disease; not one escaped; while other similar animals kept under precisely the same conditions, except that they did not receive any tubercle-bacilli, remained perfectly healthy.

It is important to notice that the tubercle-bacilli require for their growth and multiplication a temperature of at least 30 centigrades, and, consequently, they are limited to the animal body, unlike the bacillus that produces splenic fever or anthrax, which is capable of multiplication at ordinary temperatures, as low as 20 centigrades, and even less.

The expectorated matter of tubercular patients is generally charged with tubercle-bacilli, and these often contain spores. And it is probably through the presence of such spores that that matter retains for a long time its infective properties. Koch made experiments on guinea-pigs with such sputa after having been kept dry for fourteen days, for four weeks, and for eight weeks, and he found that in all instances the sputa had retained their full virulence. It is therefore just to assume that such sputa, even when dried on linen, clothes, or even distributed with the dust of the room, may be a source of infection.

The practical importance of the discoveries of Koch must be patent to everybody. In the recognition of the tubercle-bacilli as the *fons et origo* of this terrible pest of the human race—according to statistics quoted by Koch one-seventh of all deaths being caused by tuberculosis—in the recognition of the presence of these bacilli in the sputa of tubercular patients, and in the tubercular deposits of cattle afflicted with *Perlsucht*, we have at once become supplied with the knowledge of the most common manner of how tuberculosis may and probably is spread, as well

as with the weapon of combating the most fertile sources of infection. In preventing the distribution—either by proper disinfection, or by destruction—of the expectorations of tubercular persons, and further, in superintending and restricting the use of tubercular animals of the bovine species, we possess the means of preventing the spread of this deadly and terrible plague, and hereby saving a vast amount of human life. These discoveries of Dr. Koch were made entirely through experiments on living animals.

E. KLEIN

DEEP-SEA EXPLORATION

IN NATURE, vol. xviii. p. 348, we described Negretti and Zambra's Patent Deep-Sea Standard Thermometer. Some uncertainty as to the accuracy of its indications in deep sea service led to a re-arrangement of the instrument, which now greatly increases its reliability. The improvement is chiefly due to suggestions furnished by Commander Magraghi (see NATURE, vol. xxiv. p. 505)




FIG. 1.

FIG. 2.

FIG. 3.

(of the Royal Italian Navy) to Negretti and Zambra. Several of these improved thermometers may now be fastened on one line, and serial temperatures at any required depth obtained with certainty.

The woodcuts exhibit the apparatus, Fig. 1, as prepared for lowering down into the Sea, and Fig. 2 after the hauling up has commenced—the thermometer having reversed and registered the temperature at the moment of turning over. Fig. 3 shows the peculiar construction of Negretti and Zambra's inverted thermometer used in their improved deep-sea apparatus. The apparatus will be understood by reference to figures (Nos. 1 and 2). A is a metal frame, in which B, the thermometer, is pivoted upon an axis, H, but not balanced upon it. C is a screw-

fan attached to a spindle, one end of which works in a socket, D, and at the other end is a screw, E, about half an inch long, and just above it is a small pin, F. On the spindle G, is a sliding stop-piece, against which the pin, F, impinges when the thermometer is adjusted for use. The screw, E, works into the end of the case, B, the length of play to which it is adjusted. The number of turns of the screw entering the case is regulated by means of the pin, F, and stop-piece, G. The thermometer and its case is held in position by the screw, E, and descends into the sea in this position—as Fig. 1; the fan, C, not acting during the descent, because it is checked by the stop, F. When the ascent commences, the fan revolves, raises the screw, E, and releases the thermometer, which then turns over and registers the temperature at that spot. When the hauling-up has caused the thermometer to turn over, a spring at K forces the pin, L, into a slot in the case B, and clamps it (as seen in Fig. 2) until it is received on board, so that no change of position can occur during the ascent from any cause. The case, B, is cut open to expose the scale of the thermometer, and also perforated to allow free passage of the water.

SOME PRIMITIVE IDEAS ON METEOROLOGY

IN an article published in NATURE (vol. xxv. p. 82) on the opinions of the Chinese Emperor Khang-hi on certain natural phenomena, it will be remembered that the *yang* and *yin*, or the male and female principles of Chinese philosophy, played a conspicuous part. Japan, it is well known, adopted at a very early period in its history the law, polity, science, philosophy, and writing of the Chinese, and with them the *yang* and *yin*; and it may not be uninteresting to our readers to see how the doctrine of these dual forces, mutually repellent as well as attractive, has been employed to explain the facts of meteorology. A recent issue of the *Japan Gazette* newspaper of Yokohama contains the translation of a work written in 1821 by a certain Arai Yoshinari, called the "*Ten-chi-ji*;" or, Ideas about Heaven and Earth." The heavens, the writer says, are very high, the earth is very thick; we cannot ascend to the one or go down into the other; consequently man was unable for many generations to comprehend the phenomena of either; but now the opinions of all philosophers on this subject are based on the action and reaction of the male and female, the active and passive principles of nature upon each other. The rain is a changed form of the male, and the vapour under the earth of the female principle. When the male principle sinks into the earth it pursues the female. The earth is the mother of all things and the heaven is the air or wind where the sun, the moon, and the stars hang shining. There are two kinds of air—the heaven-air and the earth-air. The motion of the heavens is contrary to that of running water. The heavens move from east to west, while water runs from west to east. In some districts, indeed, water in the earth runs towards the north, but meets the earth-air which obstructs its flow, causes much agitation, and finally its complete evaporation from the surface of the earth. The vapour thus formed ascends and becomes clouds, which are again turned into rain by the action of the wind. The water has periods of increase and decrease according to the male and female seasons; thus in summer, which is the male season, water increases, while in winter, or the female season, it diminishes. Again, the earth-air is changed into rain when it moves from east to west; and therefore, previous to rain, we see a white vapour in the morning ascending in the east. "This is a clear proof of the earth's growing hot." For the same reason mountains become somewhat darker just before rain.

Thunder is produced by the mingling of the male and female principles. Sounds are often heard in the earth in the neighbourhood of volcanoes. This is due to the

irritation of the earth-air, which sometimes sends out flames. It is said that a kind of beast accompanies the thunder, and it moves about in the air. This is nothing strange, because at a certain island called Ampon, which is about 3900 *ri* (1 *ri* = $2\frac{1}{2}$ miles) from Japan, there is a bird called the *Kasubara*, which is covered with fur instead of feathers, and which eats fire. Other birds live on wind. As this world is unlimitedly great and extensive there may have lived strange beasts and birds, like the thunder beast which the Japanese talk about. The volume of sound given out by thunder depends on the number of water-clouds in the air. When the latter is small, the sound of the thunder is not loud and appears far off. On the other hand when the clouds are piled up in the heavens, the sound is loud and is simultaneous with the lightning. The sound is caused by the passage of fire through the water. The ancients regarded thunder as the report of the battle between fire and water—the male and female elements. If this were the case there is no reason for the interval between the flash and the sound. Earthquakes are subterranean thunder; the noise is caused by the rush of water which has long been kept confined by the earth-air. Snow is the vapour which rises from the earth; when it ascends high enough it becomes frozen and falls as snow. Fog is also this vapour. Haze is the vapour mixed with smoke from some volcano. The writer concludes by expressing his intention of making the actions of nature, such as rain, wind, &c.—difficult as they are to explain—quite clear on a future occasion.

These ideas may be taken as representing those of most educated Japanese of half a century ago, with the exception perhaps of a few who had been taught by the Dutch. What the Japanese peasant thought, and still thinks of thunder, earthquakes, storms, and other striking natural phenomena will be found in a deeply interesting chapter of Mr. Griffis's "Mikado's Empire." One of the principal Japanese artists, Hokusai, some of whose works have recently been given to the English public, did not think it beneath his genius to endeavour to picture the extraordinary creatures that form the zoological mythology of Japan. There the astonished student of Japanese pictorial art can behold Futen, the wind demon, Raiden, the creator of thunder, the fish whose movements cause earthquakes, the *kappa*, or demon of the deep, and dragons of sufficient variety of form to satisfy the weirdest imagination.

NOTES

RARELY has so distinguished and representative an assembly been seen in Westminster Abbey as that which met to pay the last honours to Mr. Darwin, on Wednesday last week. The Abbey indeed was crowded. The character of the long line of distinguished men who followed the honoured remains to the grave, may be seen from the list of pall-bearers:—The Duke of Devonshire, the Duke of Argyll, the Earl of Derby, Mr. J. Russell Lowell, the American Minister, Dr. W. Spottiswoode, P.R.S., Sir Joseph Hooker, Mr. A. R. Wallace, Prof. Huxley, Sir John Lubbock, and the Rev. Canon Farrar. Mr. Darwin has been buried close beside the grave of Sir John Herschel, and within two paces of that of Sir Isaac Newton. At the Royal Academy dinner on Saturday, Mr. Spottiswoode, in replying for science, could not but refer to the loss "of our greatest philosopher and noblest spirit." "I know not," he said, "whether, in the presence of statesmen and leaders of thought, of commanders both by sea and land, of artists, of preachers, of poets and men of letters of every kind, it is fitting that I should speak of greatness; but if patience and perseverance in good work, if a firm determination to turn neither to the right hand nor to the left, either for glory or for gain, if a continual overcoming of evil with good in any way constitute

elements of greatness, then the man of whom I speak—Charles Darwin—was truly great. He lived, indeed, to a good age; he lived to complete the great work of his life; he lived to witness a revolution in public opinion on matters with which he was concerned such as few had seen before—a revolution from opposition to concurrence, a revolution from antipathy to sympathy, or whatever else may better express a complete change of front. And so having at the beginning been somewhat rudely pushed aside as an intruder and disturber of accepted opinions, he was in the end not only borne on the shoulders of his comrades to his last resting-place, but was welcomed at the threshold by the custodians of an ancient fabric and of an ancient faith as a fitting companion of Newton and of Herschel, and of the other great men who from time to time have been gathered there."

M. JAMIN, president of the Academy of Sciences, having summoned M. Quatrefages to deliver an *loge* on the late Mr. Charles Darwin on Monday last, the eminent zoologist read a long and eloquent oration, which was received with unanimous plaudits, and will be printed in the next *Comptes Rendus*.

WE take the following from the *Times*:—The Council of the Royal Society have selected the following fifteen from the fifty-two candidates for the Fellowship who have presented themselves during the present session. The election, which rests with the Fellows of the Society, will take place on Thursday, June 8, at 4 p.m. The names are—Prof. V. Ball, Dr. G. S. Brady, Dr. G. Buchanan, C. Baron Clarke, Francis Darwin, Prof. W. Dittmar, Dr. W. H. Gaskell, Mr. R. T. Glazebrook, Mr. F. Ducane Godman, Mr. J. Hutchinson, Prof. A. Liversidge, Prof. I. Malet, Mr. W. D. Niven, Mr. R. H. Inglis Palgrave, and Mr. W. Weldon.

THE fifty-second Annual Meeting of the British Association for the Advancement of Science will commence in Southampton on Wednesday, Aug. 23. The President-Elect is C. W. Siemens, D.C.L., F.R.S. Vice-Presidents-Elect: The Right Hon. the Lord Mount-Temple, Capt. Sir F. J. Evans, K.C.B., F.R.S., Hydrographer to the Admiralty, F. A. Abel, C.B., F.R.S., Prof. de Chaumont, M.D., F.R.S., Col. A. C. Cooke, R.E., C.B., Director-General of the Ordnance Survey, Wyndham S. Portal, Prof. Prestwich, M.A., F.R.S., Philip Lutley Selater, F.R.S. General Treasurer: Prof. A. W. Williamson, F.R.S., University College, London, W.C. General Secretaries: Capt. Douglas Galton, C.B., D.C.L., F.R.S., Francis Maitland Balfour, F.R.S. Secretary, Prof. T. G. Bonney, F.R.S. Local Secretaries: C. W. A. Jellicoe, John E. Le Feuvre, Morris Miles. Local Treasurer, J. Blount Thomas. The Sections are the following: A—Mathematical and Physical Science—President, Right Hon. Prof. Lord Rayleigh, F.R.S. Vice-Presidents: G. H. Darwin, F.R.S., Prof. G. C. Foster, F.R.S. Secretaries: W. M. Hicks, M.A., Prof. O. J. Lodge, D.Sc., D. McAlister, M.A., B.Sc. (Recorder), Rev. G. Richardson. B—Chemical Science—President, Prof. G. D. Liveing, F.R.S. Vice-Presidents: A. G. Vernon Harcourt, F.R.S., Prof. H. E. Roscoe, F.R.S. Secretaries: P. Phillips Bedson, D.Sc. (Recorder) H. B. Dixon, F.C.S., J. L. Nottter. C—Geology—President, R. Etheridge, F.R.S. Vice-Presidents: Prof. T. Rupert Jones, F.R.S., Prof. J. Prestwich, F.R.S. Secretaries: T. W. Shore, F.G.S., W. Topley, F.G.S. (Recorder), E. Westlake, F.G.S., W. Whitaker, F.G.S. D—Biology—President, Prof. A. Gamgee, M.D., F.R.S. Vice-Presidents: Prof. W. Boyd Dawkins, F.R.S., G. E. Dobson, F.L.S., Prof. M. A. Lawson, F.L.S., Prof. J. D. Macdonald, F.R.S. Department of Anatomy and Physiology:—Prof. A. Gamgee, M.D., F.R.S. (President), will preside. Secretaries: W. Heape, A. Sedgwick, B.A. (Recorder). Department of Zoology and Botany:—Prof. M. A. Lawson, F.L.S. (Vice-President), will preside. Secretaries: W. A. Forbes, F.Z.S. (Re-

order), J. B. Nias. Department of Anthropology:—Prof. W. Boyd Dawkins, M.A., F.R.S., F.S.A., F.G.S. (Vice-President), will preside. Secretaries: G. W. Bloxam, M.A., F.L.S. (Recorder), T. W. Shore, jun., B.Sc. E—Geography:—President: Sir R. Temple, Bart, G.C.S.I. Vice-Presidents: H. W. Bates, F.R.S., Lieut.-Col. H. H. Godwin-Austen, F.R.S. Secretaries: E. G. Ravenstein, F.R.G.S., E. C. Rye, F.Z.S. (Recorder). B—Economic Science and Statistics:—President: Right Hon. G. Selater-Booth, M.P., F.R.S. Vice-Presidents: W. E. Darwin, F.G.S., R. H. Inglis Palgrave, F.S.S. Secretaries: G. S. Baden-Powell, F.S.S., Prof. H. S. Foxwell, F.S.S., A. Milnes, M.A., F.S.S., Constantine Molloy (Recorder). G—Mechanical Science:—President: John Fowler, C.E., F.G.S. Vice-Presidents: A. Giles, C.E., W. H. Preece, C.E., F.R.S. Secretaries: A. T. Atchison, M.A., F. Churton, H. T. Wood, B.A. (Recorder). The First General Meeting will be held on Wednesday, August 23, at 8 p.m. precisely, when Sir John Lubbock, Bart., M.P., F.R.S., will resign the Chair, and C. W. Siemens, D.C.L., F.R.S., President elect, will assume the Presidency, and deliver an address. On Thursday evening, August 24, at 8 p.m., a *soirée*; on Friday evening, August 25, at 8.30 p.m., a Discourse on Pelagic Life, by Prof. H. N. Moseley, F.R.S.; on Tuesday evening, August 29, at 8 p.m., a *soirée*; on Wednesday, August 30, the concluding General Meeting will be held at 2.30 p.m.

It may be useful for some of our readers to be informed that the following arrangements have been made by the American Association for the Advancement of Science for reduced fares from Europe to Montreal, for those attending the meeting on August 23 next:—The Allan Line will grant ten tickets at \$100 each from Liverpool to Quebec and return; the Dominion Line will grant twenty-five tickets at \$80 each from Liverpool to Quebec and return; the Beaver Line will grant tickets from Liverpool to Quebec and return at \$80 each.

THE eleventh meeting of the French Association for the Advancement of Science will take place at Rochelle, commencing August 24. The General Secretary is Prof. Gariel, 4, rue Antoine Dubois, Paris.

THE honorary degree of LL.D. has been conferred on Mr. J. R. Hind, F.R.S., by the University of Glasgow.

THE death is announced, at the age of forty-eight, of the well-known physicist Prof. Zöllner, of Leipsic.

LADY THOMSON, widow of Sir Wyville Thomson, is to receive a grant of 400*l.* from the Royal Bounty Fund.

THE French Eclipse Expedition has arrived at Alexandria.

ON April 27 the French Academy received M. Pasteur, who has been nominated to fill the chair vacated by the recent death of M. Littré. The ceremony attracted an immense concourse of people, including the *élite* among French *savans* and politicians. M. Pasteur delivered an eloquent address against the opinions of his predecessor, who was partly defended by M. Renan. The two speeches are among the most interesting and elaborate that have been delivered under such circumstances.

WE have received, as specimens of the seismological literature of Japan, reprints of certain translations which have appeared in the *Japan Gazette* newspaper. The first is the narrative of an earthquake shock at Osaka, accompanied by a high wave, in 1707; the second, a similar narrative of a great earthquake in the province of Echigo in 1829; and the third an earthquake chronology. The editor, Prof. Milne, speaks of the first as little more than a series of anecdotes of various events which took place at the time of the disaster; and although the seismologist may not be able to glean many facts of value, the paper will at

least give him a specimen of the kind of literature through which he will have to wade in searching for facts of scientific importance. He adds that he is acquainted with sixty-five Japanese works on the subject, and that in Japan there is a literature on earthquakes comparable with that of any other country, and although much of it may be of interest only to the general reader, much of it has a value scientifically. The second monograph is interesting, on account of the many references it contains to popular beliefs respecting the connection between earthquakes and other natural phenomena. Thus, an unusual warmth in the weather, a change in the colour of the moon, mirage, falling stars, &c., are all referred to as being connected with the approach of an earthquake. The third paper is a translation of an earthquake Calendar, commencing at 295 B.C. and ending with the widespread and destructive earthquakes of 1854. This work shows that, notwithstanding the frequency of these phenomena in Japan, the native chroniclers have always carefully recorded them. Probably nowhere else in the literature of the world can we find so long and complete a record of the recurrence of various natural phenomena—for eclipses, great waves, volcanic eruptions, &c., are also noted—than in this work.

A SERIES of three excursions has been arranged by the Geologists' Association, to afford members an opportunity of becoming acquainted with the physiography and geological character of the Weald. The first excursion, on May 6, will be to Redhill and Crawley; the second, May 30, to Tilgate Forest, Cuckfield, and Hayward's Heath; and the third, May 29 and 30, to the Isle of Purbeck.

THE annual general meeting of the Iron and Steel Institute will take place on May 10, 11, and 12. The papers to be read are:—On certain physical properties of iron and steel, by Mr. Edward Richards, Hematite Steel Works, Barrow-in-Furness; On the use of brown coal in the blast furnace, by Prof. Ritter Peter von Tunner, Leoben, Austria; On the Bilbao iron ore district, by Mr. William Gill, M.I.C.E., Luchana, Bilbao, Spain; On a new method of getting coal, by Mr. Paget Mosley, London; On the compression of fluid steel, by Mr. William Annable, Govan, Glasgow; On the chemical composition and testing of steel rails, by Mr. G. J. Snelus, F.C.S., A.R.S.M., Workington; On the consumption and economy of fuel in iron and steel manufacture, by Mr. J. S. Jeans, London; On the tin plate manufacture, by Mr. Ernest Trubshaw and Mr. E. S. Morris; On the relations of carbon and iron, by Mr. Geo. E. Woodcock, Atlas Works, Sheffield; On a new centre crane for Bessemer plant, by Mr. Thomas Wrightson, M.I.C.E., Stockton-on-Tees.

ON April 30 M. Carlier, one of the most active members of the Académie d'Aërostation Météorologique, made an ascent at the La Villette gasworks, Paris, in order to try if it is possible to steer a balloon by using in the car a large oar composed of a plane fixed perpendicularly to a solid handle worked with two hands. The dimensions of the plane are one metre by two, and the handle is about three metres long. The weight of the sails is counterpoised when worked, and the weight of the whole system is about 10 kilograms. It is the second time that M. Carlier has ascended with this apparatus. Although the air was in a state of great agitation the motions of the balloon were easily seen from the ground. M. Carlier intends to make a series of ascents in order to learn how to make the best of this system, which is to be used only for partial direction, as in the case of Thames barges, which, although they must follow the run of the tides, can be directed to some extent by means of the oars.

THE May number of the *Proceedings* of the Royal Geographical Society contains a paper of much interest by Mr. L. K. Rankin, B.A., on "The Elephant Experiment in Africa." Mr. Rankin

accompanied Capt. Carter on his journey with the three Indian elephants in 1879, meant for the use of one of the Belgian expeditions. In his paper Mr. Rankin gives full details of the conduct of the elephants up to Mpwapwa, where their troubles began. Although they were severely attacked by the Tsetse, no permanent evil effect seems to have followed. At Mpwapwa, indeed, a report was sent to the King of the Belgians, in which it was stated that the elephant experiment was a complete success, on account of their immunity against Tsetse, their ability to live on the uncultivated food of the country, and to march over all kinds of ground. A few days after the report, however, the largest elephant suddenly died. Mr. Rankin attributed its death to insufficient food and over-work. In India it had been stall-fed; in Africa it never seems to have had enough to eat—the back-bones of all these stood six or seven inches from their flanks at Mpwapu. It is clear also that their loads were far beyond what they had been accustomed to. As is known, the other elephants subsequently died. This experiment cannot be considered a fair one, though the lessons it taught will be of service in any future attempt to utilise the animal as a beast of burden in Africa.

A HYDROMOTOR recently invented by Herr Fleischer of Kiel, for propulsion and steering of vessels, acts (we learn from Wiedemann's *Beiblätter*, 3) by pressure of steam on water, in a cylinder, forcing out the water as a jet below. A float on the water in the cylinder works, in a simple way, the opening and closure of the valves for admission and escape of the steam, and the vacuum produced by condensation of steam in a condenser opens valves for readmission of water. The hot water layer, which forms on the liquid surface, and the wooden lining of the cylinder, reduce the condensation during expulsion of the water to a minimum. A comparison of the working of the author's vessel with that of the *Water-witch* and *Rival* (also propelled by hydraulic reaction) showed that while the kinetic energy of the expelled water was in the *Water-witch* 31.5 per cent. of the indicated quantity of steam, and in the *Rival* 26.3 per cent. in the (so-called) "hydromotor" it was 89 per cent. Herr Flischer, in a recent *brochure*, investigates the physics of his motor.

IF those members of the Quekett Microscopical Club who intend to be present on the occasion of the opening of Epping Forest by Her Majesty on Saturday next, the 6th inst., will communicate with the Hon. Sec. of the Quekett Microscopical Club, 7, The Hill, Putney, S.W., he will do his best to find places for their accommodation.

WITH reference to our notice of "Through Siberia" (vol. xxv. p. 582), the Rev. H. Lansdell writes that in the List of Illustrations at the commencement of vol. i. he acknowledges the sources whence they are taken; and with reference to the photograph of a "Buriat girl" he states that he bought the photograph, in the Buriat country, of the man who took it, that the girl was known even by name to his local friends, and that he has every reason to believe she was a pure Buriat and not a metis.

THE additions to the Zoological Society's Gardens during the past week include a Rhesus Monkey (*Macacus erythraeus* ♂) from India, presented by Mrs. Lamprey; a Chinese Tiger (*Felis tigris* ♂) from China, presented by Mr. G. Brown; two Bauer's Parrakeets (*Platyercus zonarius*) from Australia, presented respectively by Mr. J. Charlton Parr, F.Z.S., and Miss Eva Maitland; a Mississippi Alligator (*Alligator mississippiensis*) from Florida, U.S.A., presented by Master Bennett; a Slow-worm (*Anguis fragilis*), British, presented by Mr. Poyer Poyer; two Axolotls (*Sireoides mexicanus*) from Mexico, three European Pond Tortoises (*Emys europaea*), five Carpathian Scorpions (*Scorpio carpathicus*) from Italy, presented by Mr. T. D. G.

Carmichael; a Black-backed Piping Crow (*Gymnorhina tibicen*) from Australia, deposited; two Common Squirrels (*Sciurus vulgaris*), British, two Green-horned Parrakeets (*Nymphicus uvaeensis*) from the Island of Uvea, Loyalty group, purchased; a Black-backed Kaleege (*Euplocamus melanotis*) from Sikkim, received in exchange; a Hybrid Paradoxure (between *Paradoxurus larvatus* and *Paradoxurus leucomystax*), two Variegated Sheldrakes (*Tadorna variegata*), bred in the Gardens. The following insects have been exhibited in the Insect House during the past month:—Butterflies: *Papilio podalirius*, *Anthocharis cardamines*, *Araschnia levana*, *Thais polyxena*. Moths: *Deilephila euphorbia*, *Charocampa dpenor*, *Sphinx pinastri*, *Saturnia pyri*, *S. carpini*. Silk Moths: *Attacus roylei*, *Actias selene*, *A. luna*, *Telea polyphemus*. The insects have, with few exceptions, been very good specimens.

OUR ASTRONOMICAL COLUMN

THE PRESENT COMET.—The following orbit of the comet discovered by Mr. Wells on March 17 has been calculated by Mr. Hind from the Harvard College and Albany observations on March 17, and observations by Prof. Tacchini at the Collegio Romano in Rome on April 6 and 21; the small corrections were taken into account:—

Perihelion passage, June 10.69852 M.T. at Greenwich.

Longitude of perihelion ...	53 47 46.3	} From mean
" ascending node ...	205 8 2.6	
Inclination ...	73 57 47.2	} 1882°.0
Logarithm of perihelion distance	8.796420	

Motion—direct.

Hence the positions for Greenwich midnight will be—

	R.A.	Decl.	Log. distance from Earth.	Log. distance from Sun.
	h. m. s.			
May 4 ...	21 19 11 ...	+71 31' 3" ...	9.9870 ...	0.0670
5 ...	21 36 12 ...	72 19 0 ...		
6 ...	21 54 57 ...	73 1' 5" ...	9.9793 ...	0.0502
7 ...	22 15 27 ...	73 37' 7" ...		
8 ...	22 37 35 ...	74 6' 4" ...	9.9724 ...	0.0324
9 ...	23 1 9 ...	74 26' 4" ...		
10 ...	23 25 49 ...	74 36' 9" ...	9.9664 ...	0.0134
11 ...	23 51 6 ...	74 37' 1" ...		
12 ...	0 16 22 ...	+74 26' 4" ...	9.9612 ...	9.9932

If the intensity of light on March 19 be taken as unity, the intensity on May 12 is 15.6.

The perihelion distance is given by different computers as follows:—

Kreutz—observations to April 7 ...	0.06343
Lamp " " 9 ...	0.06123
Oppenheim " " 11 ...	0.06459
Hind " " 21 ...	0.06258

From the above elements it will be found that at the ascending node the comet makes a close approach to the earth's orbit, the distance being only 0.0048, or, assuming 8".848 for the solar parallax, 443,500 miles, roughly twice the distance of the moon. The ascending node is passed on July 11, but the earth will be far from that point of her orbit.

THE SO-CALLED *Nova* of 1848.—There does not appear to be any recent notice of the magnitude of this object, though the last published observations by Dr. Julius Schmidt in 1868 showed that it had not sensibly changed for some years. It was slightly over 13m. Its position for 1880.0 is in R.A. 16h. 52m. 46.5s., N.P.D. 102° 42' 26". Webb in the last edition of his "Celestial Objects for Common Telescopes," p. 356, says: "colour very fine, 1875," but this note must surely refer to some other object, the *Nova Ophiuchi* of 1848, having been too faint for years past to show striking colour. Perhaps some reader of NATURE may be able to state what is its present degree of brightness. There are two stars having the following positions with reference to *Nova* which may assist its identification.

11m. ...	Angle 249°.4 ...	Distance 7' 55"
10.11m. ...	" 144°.5 ...	" 8' 51"

It follows a gm. Lalande-star 14.7s., and is 18' 22" north of it. In 1874 it was below the twelfth magnitude.

GEOGRAPHICAL NOTES

LIEUT. DANENHAUER and two of the crew of the ill-fated *Jeannette* have arrived at St. Petersburg, where they were met with a hearty reception. Lieut. Danenhauer has little hope that Capt. De Long and those with him can have survived, though Engineer Melville is searching for them. He speaks of the unsatisfactory nature of the charts of the Lena mouths and that part of the Siberian coast, and states that Baron Nordenskjöld has added little to our knowledge in this respect. But the Baron did not profess to do so, and indeed could not, seeing that his aim was to get over the ground as quickly as possible. The Lieutenant also is not sanguine as to the possibility of opening up trade by the mouth of the Siberian rivers, forgetting apparently that the time of his arrival at the Lena mouth was past the time most favourable for navigation, and the conditions of his arrival were certainly unfortunate.

WRITING on Chinese maps, the *North China Herald* says that the present dynasty has made greater efforts at map-making than any former one, and appears to have been the first to introduce into them lines of latitude and longitude. The old maps of China are very vague and inaccurate, and are not ancient in any sense. *Ssu-ma-Chien* when compiling his history did not judge it needful to illustrate it with maps, but his commentators have supplied this deficiency, and recent editions of his work contain maps poorly done of China at successive periods. The geographical works of the Han dynasty do not contain maps. The first maps that have been retained in modern editions of ancient books are those of the Sung dynasty, and they seem to be connected with the invention of printing, which dates from A.D. 932. It was the influence of foreign countries that caused the Chinese to enter rigorously into the work of map-making at this period. The Buddhists began to compile works with maps of India and the countries through which lay the routes to India. One of their larger works at this time contains a map of China, of Persia and Rome, according to the geography of the Han dynasty, and a map of India as known to the Buddhists. The Mahomedans followed the latter in teaching their notions of map-making to the Chinese. But all through the Sung dynasty till the 13th century, when the Mongols established their Empire, Chinese scholars possessed but imperfect views of geography, and failed to obtain clear ideas either of foreign countries or of their own in regard to topography. During the Mongol domination many Europeans visited China and brought with them a certain portion of geographical knowledge. No steps, however, were taken by the Government to improve maps and common geographical books, which remained as bad as before. The Chinese had junks in the Indian Ocean from the 5th century, yet in the 16th century we find in maps of that time that Cambodia and Siam are islands; that Java lies west of Siam, that the Greek empire (Fulin), Arabia, and Medina are three small islands a little to the west of Java, and that an immense southern continent fringes the map from a little south of Ceylon to a point not far south of Java, and again farther east. Good maps have only existed since the Jesuit missionaries came to China, and they belong only to the present dynasty. The Emperors *Khang-hi* and *Kien-lung* encouraged the survey of their dominions and the construction of good maps. *Danville's Atlas Chinois* is the result in French of the surveys made under *Khang-hi* by *Gerbillon* and his companions. All European maps of China rest mainly on those surveys. Among the atlases of the empire, that made by a former governor of Honan province deserves special praise. It is on a large scale. Each square of 200 *li* represents a square degree. Two inches and a half represent 200 *li*. This affords ample space for names, which are freely inserted on the most frequented roads. As a specimen of engraving it is rough, and of course being on wood and done by provincial workmen it cannot equal the copperplate maps which were issued last century from the Government workshops in Peking. But it is in comparison with past times a great advantage to the people to have a map on a large scale for four or five dollars, on which both degrees and miles are marked by a system of chess-board squares with quite sufficient accuracy for ordinary use. For this they are indebted to *Khang-hi* and the Jesuits.

MR. C. R. MARKHAM has presented to the Geographical Society a long and careful report on the instruction at present supplied to this country in practical astronomy, navigation, route-surveying, and mapping. Although much improvement has taken place since nautical astronomy was placed in the South Kensington programme, still Mr. Markham shows that

much remains to be done ere practical instruction in these important subjects is on the footing on which it ought to be in a country whose interests are so dependent on good seamanship. The Council, on the basis of Mr. Markham's report, have made a series of recommendations to the Board of Trade and the Lord-President of the Council; the former are recommended to raise their standard, and the latter to place navigation and nautical astronomy among the science subjects in the New Code. The report and the recommendations deserve serious consideration.

THE last two parts of the *Deutsche geographische Blätter* contains detailed accounts, by the Brothers Krause, of their researches in the Chukchi Peninsula, accompanied by maps and illustrations; this forms a valuable addition to the information obtained by the *Vega* Expedition. Nos. 2 and 3 of the *Mittheilungen* of the Vienna Geographical Society contains a paper by Herr Ferd. Blumentrit, on the Ancestor-Worship and Religious beliefs of the Malays of the Philippine Islands.

M. MASCART is delivering daily lectures to the naval officers who are to leave on June 1, on the Antarctic Expedition now fitting out at the expense of the French Government. These lectures are delivered at the Parc St. Maur, where instruments have been established. The lecture will be published by Gauthier Villars, after having been revised.

IN the April number of *Petermann's Mittheilungen* M. Ernest Marno gives an interesting account of the barriers of the Bahr-el-Gazal, and their removal from April to June, 1881. Dr. Fera Loiol of Prag contributes a long paper of great interest, with numerous illustrations, on the formation of terraces in the Alpine valleys. Dr. Oscar Drude writes on the botanical exploration of North Africa from Morocco to Barca.

"A VISIT to Madeira in the Winter 1880 '81" is the title of two lectures by Dr. Denis Embleton, of Newcastle-on-Tyne, published by Messrs. Churchill. Dr. Embleton, besides giving his own experience, has brought together much information on the islands in all their aspects.

THE Dutch Polar Expedition, which participates in the great International undertaking, will start for Port Dickson on July 1 next. Half the cost is borne by the Dutch Government, the other half having been raised by public subscription. The expedition will return in 1884 if all is well. At the same time the annual Dutch Polar Expedition to the Novaya Zemlya region—the fifth—will start early in May from Amsterdam, commanded by Lieut. Hoffmann. They hope to return in October.

SOME OF THE DANGEROUS PROPERTIES OF DUSTS¹

THE lecturer pointed out that the dangerous properties of dust with which he proposed to deal were altogether distinct from the subtle, invidious dangers of microscopic dust-motes which pervade the air—dangers the existence and nature of which had been fully revealed by the classical researches of Pasteur, Tyndall, &c.

Compared to those, the dangers which he would discuss were as palpable as are the comparatively gross dust-particles which give rise to them, and yet, although their existence and, to a great extent at any rate, their causes have been known and demonstrated for many years, those who are most directly interested in them and should be most keenly alive to them appear either to have ignored their serious import or to have undervalued the teachings of practical experience and scientific research regarding their causes and effects.

Seven years ago Mr. Abel, in a lecture on Accidental Explosions, delivered at the Royal Institution, directed attention to the fact that solid combustible and especially inflammable substances, if sufficiently light and finely divided to allow of their remaining for a time thickly suspended in air, may on application of sufficient flame to them while so suspended, produce explosive effects; behaving, in fact, similarly to mixtures of inflammable gases or vapours with air, with this difference, that the mobility of the molecules of these insures the ready production of complete mixtures of them with the air, so that combustion, when once established, proceeds almost instantaneously throughout such mixtures, whereas, in the case of a mixture of solid dust particles and air, the rapidity with which combustion spreads

¹ Abstract of Lecture at the Royal Institution, April 28, 1882, by Prof. F. A. Abel, C.B., F.R.S.

through it depends upon the state of division of the solid, and the abundance of its distribution through the air. Under the most favourable circumstances, the rapid combustion or explosion of such a mixture is of a comparatively moderate kind, as it has to spread from one isolated particle to another. With highly inflammable solids, the rapidity of combustion under such conditions is greatest, because, as each particle burns it also evolves inflammable vapour, and is enveloped in flame which produces corresponding effects upon the immediately adjacent particles. In order to ensure rapid and complete transmission of flame through a mixture of inflammable dust and air, it is essential that the former should be present in great abundance, for the foregoing reasons, and that it should therefore be considerably in excess over the supply of oxygen in the air. The facility with which, under these conditions, flame may be transmitted by a dust-and-air-mixture, with a rapidity calculated to produce more or less violently destructive effects, according to the scale upon which the combustion occurs and the degree of confinement of the burning mixture, has been abundantly demonstrated by accidents, many of them very disastrous, which have occurred in works where large quantities of inflammable dust are unavoidably produced. Thus, in the grinding of sulphur, the inflammation of dust of that substance, consequent upon the over-heating of a shaft-bearing, has produced an explosion sufficiently violent to destroy the chambers within which the operation was conducted. In cotton mills, the accidental ignition of finely divided cotton fibre floating in the air has led to the very rapid spread of conflagrations throughout extensive buildings. Even in a factory where the spent madder, or guaracine, is ground, whereby a much less inflammable dust than that of cotton is produced, an important explosion occurred a few years ago. But the most numerous and extensive calamities of this kind have taken place, and are still of frequent occurrence, in flour and rice mills. Many such explosions, or very rapidly spreading conflagrations, occurring in different parts of the continent and here, prior to 1872, appeared enveloped in mystery, until their probable cause was indicated by an Austrian observer, and soon afterwards made clear by Dr. Watson Smith, and especially by the careful inquiry which Messrs. Rankin and Macadam instituted into the very serious and fatal explosion which occurred at the Tradeston Flour Mills, in Glasgow, in 1872. The origin of this explosion was conclusively traced to the striking of fire by a pair of millstones, through a stoppage in the feed of grain, the results being the ignition of the mixture of flour-dust and air by which the mills, inclosed in a chamber, were surrounded, and the rapid spread of flame to the mixture of dust and air which filled the conduits leading to the exhaust box, which communicated with the several other mills and with the stive-room. In this way flame was so quickly transmitted through and to various channels and confined spaces in different parts of the building as to produce violently explosive effects almost simultaneously in different parts of the buildings. Messrs. Rankin and Macadam ascertained that accidents of this nature had increased in frequency since exhaust arrangements (for collection of the fine flour) had been adopted in the more extensive mills. The precautionary measures suggested by them were, the adoption of efficient precautions for preventing the stoppage of the feed to the millstones, the exclusion of naked flames from the vicinity of these and the dust passages, and the construction of the exhaust boxes and stive-rooms as lightly as possible, and their location outside the main buildings.

The liability to the development of fire or of heat sufficient to char or inflame portions of flour by the stoppage of the feed of grain, appears from all accounts to be extremely difficult to guard against, and to have been the cause of many serious calamities even since the Tradeston explosion, examples of which are the great explosion of six mills at Minnesota in 1878, when eighteen lives were lost and much property was destroyed; and the fatal and destructive explosion of a flour mill at Macclesfield in September last, which has been made the subject of a Report to the Home Office by Mr. Richards, of the Board of Trade. It appears to be the opinion of experienced men in the trade that, although special attention to the feed arrangements may reduce the number of explosions, this cause of accident is almost impossible to guard against; while on the other hand, many fires or explosions, ascribed to it, have been due to the employment of naked lights in mills near localities where the air is laden with flour-dust. Considering that flour- and rice-mill-owners have to bear the the burden of very heavy rates of insurance, it is to their interest, independently of their responsibilities

as the guardians of the lives of their workmen, to adopt most stringent regulations and efficient precautionary measures for abolishing this source of danger, and to devote their energies to the application of improved arrangements for reducing the quantity of dust which passes away from the millstones and from other parts of a flour mill.

The important part played by coal-dust, which exists in greater or less abundance in coal-mines, in aggravating and extending the injurious effects of fire-damp explosions, was originally pointed out early in 1845 by Faraday and Lyell, when they reported to the Home Secretary the results of their inquiry into an explosion which occurred at Haswell Collieries in September, 1844. That Report, which was published in the *Philosophical Magazine* for January, 1845, dealt exhaustively with the cause of the explosion, and the means by which a recurrence of such a calamity might be guarded against, and the latter subject was again discussed by Faraday in a lecture delivered at the Royal Institution in February, 1845, and in a letter published directly afterwards in the *Philosophical Magazine*. It is pointed out in Faraday and Lyell's Report, that in considering the extent of the fire from the moment of the explosion, fire-damp must not be supposed to be the only fuel, for that the coal-dust swept up by the rush of wind and flame from the floor, roof, and walls of the working would instantly take fire, and, in support of this statement, they refer to considerable deposits of dust in a partially coked condition which they found adhering to the faces of pillars, props, and walls where the explosion had occurred and the fire had extended. An examination of these deposits showed that the coal was deprived more or less completely of its bituminous constituents, and they concluded from this that the exposure of the dust to the flame of the exploding gas-mixture gave rise to the generation of much coal-gas from it, the carbon, or coke, remaining unburnt only for want of air.

Ten years after the publication of Faraday and Lyell's Report, M. de Souich, an eminent French mining engineer, published, as original, some very similar observations made by him on examining the effects of a coal-mine explosion at Firminy; he noticed, moreover, that men near the pit's mouth had received burns, while others who were in the workings near the seat of the explosion, but out of the main air current, escaped unhurt, and he ascribed this to the action of coal-dust in carrying flame along the principal air-way. Later on, De Souich extended his inquiries into the part played by coal-dust in explosions, and the subject was afterwards pursued from time to time in France by Verpillieux and other authorities in mining engineering, and especially by M. Vital in 1875, when an explosion occurred at Campagnac, the destructive effects of which appeared to him in a great measure ascribable to coal-dust. Vital made experiments upon a very small scale for the purpose of ascertaining whether flame, such as that projected into the air of a mine by the firing of a charge of powder, in a very strong blast-hole, was increased in size by the presence of suspended coal-dust; and soon afterwards Mr. W. Galloway commenced a series of experiments of a similar nature, but upon a larger scale, which he has continued from time to time up to the present date; while Messrs. Marreco and Morison, in connection with the North of England Institute of Mining Engineers, and a committee of the Chesterfield and Derby Institute of Engineers, have also contributed valuable experimental data bearing upon the influence exerted by coal-dust, not merely in increasing the magnitude of explosions resulting from the ignition of mixtures of fire damp and air, but also in propagating or even actually developing explosions, when only small quantities of fire-damp are present in the air of a mine, or where fire-damp is believed to be entirely absent. The conclusion to which Mr. Galloway was led by his earlier experiments was to the effect that coal-dust, when thickly suspended in air, had not the power to originate an explosion, or to carry on to any distance the flame from a blown-out shot, but that the presence in the air of such small quantities of fire-damp (2 per cent. and under) as an experienced miner would fail to detect by means of his Davy lamp, with which the gas is generally searched for, would impart to a mixture of coal-dust and air the property of burning and carrying flame. But he held the view at the same time, that a fire-damp explosion in one part of a mine might be propagated to some extent by coal-dust raised by the effects of the explosion in parts of the mine where no fire-damp existed. Marreco, on the other hand, considered that the results of certain experiments made in the entire absence of coal-dust, by firing shots in air travelling at some considerable velocity, and containing coal-dust thickly suspended

in it, warranted the conclusion that coal-dust also might, under certain conditions, originate an explosion as well as carry it on to some considerable extent. The results obtained by the corresponding experiments of the Chesterfield Committee appear to support this view, and Mr. Galloway has also, by his later experimental results, been led to the same conclusion, and considers that the results of his examination into the effects produced by some of the most serious of recent coal-mine explosions (at Penygraig, Risca, and Seaham) demonstrate that those explosions were chiefly, if not entirely attributable to coal-dust.

Notwithstanding the considerable light that was thrown on this subject so far back as 1845 by Faraday and Lyell, and the accumulation of experimental and other observations relating to the action and effect of coal-dust in colliery explosions, these have not until quite recently received the attention which they merit at the hands of mine owners, and many of those in authority connected with coal-mines. Evidence collected by the Royal Commission on Accidents in Mines, from mine inspectors and leading mining engineers (and published with the preliminary Report of the Commission), show the preponderance of opinion to be against the view that explosions could originate, or be to any great extent propagated, by coal-dust, in the absence of fire-damp, though the belief is entertained by many that the coal-dust may be credited with an extension or aggravation of explosions caused by fire-damp. On the other hand, there is a great tendency exhibited always to ascribe explosions which do not admit of satisfactory explanation, by an accidental failure of ventilation or other evident causes, to a sudden disengagement, or outburst, of fire-damp, such as is of no uncommon occurrence in fiery mines, and is sometimes very serious in its magnitude and duration. That such outbursts, following upon falls of roof and the firing of blast holes, have been the cause of many disastrous explosions, there can be no doubt, but, in some instances, the conclusion that an explosion had been due to this cause, is based upon assumptions and upon very doubtful evidence. Under any circumstances, it is extremely difficult to realise how sufficient gas to produce an explosive atmosphere, can be conveyed, even by the most powerful currents, from the seat of such a sudden outburst to far distant portions of the mine, to which the burning effects of an explosion have been found to extend, within the period believed to have elapsed between the first outburst of gas and the ignition of an explosive atmosphere formed in its vicinity. On the other hand, the evidence of severe burning, after an explosion, such as could not be produced by the rapid explosion of a gas-mixture alone, and the deposition of partially burned coal-dust in distinct parts of a mine, distant from each other and from the point to which the origin of the explosion has been traced, seem to leave no doubt that coal-dust has played an important part in many of the explosions which have of late been subjected to rigorous investigation.

The strong impression entertained by many, during the inquiry into the great explosion at Seaham Collieries, in September, 1880, that coal-dust might have had much to do with the accident, and that the explosion was possibly even entirely due to the ignition of coal-dust by a blown-out shot, in the absence of any fire-damp, led to Mr. Abel's being requested by the Home Secretary to make experiments with samples of dust collected in the mine, and to an extension of these experiments to dust collected from collieries in different parts of the kingdom where explosions had occurred.

The results of experiments conducted with great care and on an extensive scale at a colliery in Lancashire, where a constant supply of fire-damp was brought to the pit's mouth from a so-called blower, confirmed the fact demonstrated by M. Vital and Mr. Galloway, that the propagation of fire by coal-dust, when thickly suspended in air, is established or greatly promoted by the existence, in the air, of a proportion of fire-damp, which may be so small as to escape detection by the means ordinarily employed (such for example as exists in the return-air of a well ventilated mine).

It was also established that a mixture of fire-damp and air approaching in proportion those required to be explosive, would be ignited by a flame if only a small proportion of dust were floating in it. Further, it was demonstrated that, although those dusts which were richest in inflammable matter, and most finely divided, were the most prone to inflame and to carry on flame, in the presence of small quantities of fire-damp, some dusts which contain coal only in comparatively small proportions were as sensitive as others much richer in inflammable matter,

and that even certain perfectly non-combustible dusts possessed the property of establishing the ignition of air- and gas-mixtures which, in the absence of dust, were not ignited by a naked flame. This action of non-combustible dusts appeared to be due to physical peculiarities of the finely-divided matter, and to be perhaps analogous to the contact-action well known to be possessed by platinum and some other bodies, whereby these bring about the rapid oxidation of gases which, in their absence, may exist intact in admixture with oxygen or air.

Many experiments were tried with sensitive coal-dust from Seaham and other collieries, for the purpose of ascertaining whether results could be obtained supporting the view that coal-dust, in the complete absence of fire-damp, is susceptible of originating explosions and of carrying them on indefinitely, as suggested by some observers, but, although decided evidence was obtained that coal-dust, when thickly suspended in air, will be inflamed in the immediate vicinity of a large body of flame projected into it, and will sometimes carry on the flame to some small extent, no experimental results furnished by these experiments warranted the conclusion that a coal-mine explosion could be *originated* and carried on to any considerable distance in the *complete absence* of fire-damp. Some experiments made in a large military gallery at Chatham showed that the flame of a blown-out shot of 1½ lb. or 2 lb. of powder might extend to a maximum distance of 20 feet, while in a very narrow gallery, similar to a drift-way in a mine, the flame from corresponding charges extended to a maximum distance of 35 feet. These distances are considerably inferior to those which flame from blown-out shots has been known to extend, with destructive results, in coal-mines, and there appears no doubt that, in the latter cases, of which the lecturer gave examples, the flame was enlarged and prolonged by the dust raised by the concussion of the explosion. But, in these examples (with charges of 1 lb. of powder), the flame did not extend much beyond a distance of 100 feet, and therefore the power of the dust to carry an explosion or flame in these cases was limited. It was found, in experiments with the large Chatham gallery, in which the flame from a blown-out shot reached, in the absence of dust, to a maximum distance of 20 feet, that, when the atmosphere was thickly laden with a highly inflammable coal-dust, from Seaham Collieries, the flame was carried on to nearly double, and in one case a little more than double, the distance.

Although it may be very doubtful whether coal-dust, in the *complete absence* of fire-damp, can be credited with the production of extensive explosions, as has been recently maintained by some, there can be no question that, in the presence of only very small quantities of fire-damp, it may establish and propagate violent explosions; and that, in the case of a fire-damp explosion, the dust not only, in most instances, greatly aggravates the burning action and increases the amount of after-damp, but that it may also, by being raised and swept along by the blast of an explosion, carry the fire into workings where no fire-damp exists, and thus add considerably to the magnitude of the disaster. The supposition that extensive coal-mine explosions may be produced by coal-dust alone, in the complete absence of gas, necessitates the fulfilment of conditions which cannot but be at any rate very exceptional, but its acceptance is unnecessary to add to the formidable character of coal-dust as a source of danger and an agent of destruction in mines. The possibility of dealing with the dangerous dust in mines should therefore be as much an object of earnest work as has been the improvement of ventilating arrangements in mines.

The actual removal of dust-accumulations being in most instances impracticable, the laying of the dust by an efficient system of watering the mine ways, is a matter deserving serious attention. Although in some instances such a measure is not readily applicable, without injury to the workings, it has been already proved in some districts to be unobjectionable and susceptible of very beneficial application. The employment of deliquescent substances (calcium chloride, sea-salt, &c.), in conjunction with watering, has also been advocated and tried to some extent with success.

The elaboration of really safe and sufficient methods of getting coal where blasting by powder is now resorted to, and of removing the harder rock in the working of drifts, &c., where fire-damp may exist, must most importantly contribute towards the diminution of danger arising from the accumulation of dust in mines, both by avoiding the projection of flame into the air, and by avoiding powerful concussions, whereby dust is raised; and the lecturer referred in conclusion to the various plans, in

addition to coal-cutting machines, which had been devised to dispense with powder, or render its employment safe. The use of compressed air had been attended by some measure of success, and the dispersion of water, used as tamping, by the explosion of a powder charge in the form of a spray, had been shown to have frequently, though not reliably, the effect of drowning the flame developed by the explosion. The employment of water-columns, by which the force developed by the detonation of dynamite was uniformly transmitted throughout the entire length of the hole, had been proved, by experiments in coal-mines in Lancashire, and special test-experiments at Cardiff, to render that material very suitable for coal-getting, and at the same time to render blasting possible without liberation of flame. Lastly, the employment of cylinders or cartridges of compressed quicklime, according to a simple system elaborated by Professors Smith and Moore, was referred to as ranking before all other methods of getting coal, yet proposed, in point of simplicity, cost, and above all, safety, and the lecturer described operations witnessed by himself with this system of coal-getting at Shipley Collieries. In concluding, Mr. Abel exhorted those interested in, or entrusted with the working of coal-mines, to spare no pains to test rigorously and fairly the merits of any processes or methods of affording promise of dispensing with the employment of powder in the ordinary way, and thus of securing protection to the miner against combined dangers of fire-damp and dust.

THE INFLUENCE OF TEMPERATURE ON CERTAIN SEEDS

ON regarding seeds of our hardy trees which are sown in autumn, and which do not germinate before the return of spring, we feel forced to admit that however the other conditions may vary, the cause which causes the germination in the commencement of the fine weather is the rise in the temperature, and one is equally tempted to think that the higher the temperature, as long as this rise does not equal that which would destroy the seeds, the more active and pronounced would be the germination. Nevertheless this is not by any means always the case, at any rate in the seeds of the walnut and almond trees. Anxious to germinate some of these seeds in winter, Prof. H. Baillon thought to obtain a more rapid development in a warm house, in which the temperature varied within the twenty-four hours from 15° to 25° (59–77 F.), than in a cool house in which during the same time the temperature varied between 5° and 15° (41–59 F.), but the trial proved a failure. In the cool-house, in the course of six weeks, the walnuts had stems of about two decimetres in height, whereas the most advanced of those in the warm house had only stems of from two to three centimetres in the fully developed leaves. The experiment was several times repeated. The same quality of earth, and the same quantity of water was used, and the results were the same. After a space of two and a half months the greater part of the nuts sown in the warm house had only roots occasionally well developed, but little or no caulome outside the fruit. Moreover, the greater part of the walnuts which germinated in a house, where there was good bottom-heat, had roots which did not behave like those of walnuts, germinating in the cool house and without bottom heat, the tap root of the latter grew well in length before any egress of the plumule, whereas the tap-roots of those grown in the warm house were early arrested in their development, and this through growing in a very friable soil, consisting of moist sawdust, much less resisting than the sand or the earth of the cool-house, in which the tap-roots developed so well. This was very nearly the same with the almonds, and would seem to point to the fact that in the case of some seeds there is no advantage to be gained by forcing them. Some, like *Eranthis hiemalis*, at whatever period they are sown in the open air, will develop themselves at a fixed time, as it does in January (H. Baillon in No. 39 of the *Bulletin Periodique de la Soc. Linn. de Paris*, January, 1882.)

UNIVERSITY AND EDUCATIONAL INTELLIGENCE

PROF. HENRY ALLEYNE NICHOLSON has been appointed to the chair of Natural History in Aberdeen, vacant by the removal of Prof. Cossar Ewart to Edinburgh.

DR. SORBY, F.R.S., has been elected president of Firth College, Sheffield.

THE Nottingham University College Committee have appointed Mr. Wm. Garnett, of St. John's College, Cambridge, to the Professorship of Mathematics and Physics, at the College, vacant by the resignation of Prof. Fleming.

SCIENTIFIC SERIALS

American Journal of Science, April.—The wings of pterodactyles, by O. C. Marsh.—Sandstones having the grains in part quartz crystals, by A. A. Young.—Notes on American earthquakes, No. 11, by C. J. Rockwood.—Notes on the electromagnetic theory of light, No. 1, by J. W. Gibbs.—The "timber line," by H. Gannett.—Simple method for calibrating thermometers, by S. W. Holman.—Notice of Fisher's "Physics of the Earth's Crust," by C. Dutton.—Physiological optics, No. III., by W. L. Stevens.—Great dyke of Foyaité or Elcœolite-yenite in North-Western New Jersey, by B. K. Emerson.—Notice of the remarkable marine fauna occupying the outer bank of the southern coast of New England, No. 51, by A. E. Verrill.—Determination of phosphorus in iron, by J. L. Smith.

Journal de Physique, March.—On the electro-chemical equivalent of water, by M. Mascart.—Studies on the psychrometer, by M. Angot.—Electric Lighting (concluded), by M. Fousseureau. Determination of the ventral segments of sonorous tubes by means of manometric flames, by M. Hurion.—Compensator for measuring electromotive forces, by M. Slouguinoff.—On photographs of the solar spectrum, by M. Becquerel.

April.—On a simple law relative to natural magnetic double circular refraction, by M. Cornu.—Determination of the illuminating power of simple radiations, by MM. Crova and Lagarde.—Measurement of potentials corresponding to determinate explosive distances, by M. Baille.—Study on the combustion of explosive gaseous mixtures, by MM. Mallard and Le Chatelier.—New dry sensitive thermometer, by M. Michelson.

Sitzungsberichte der physikalisch-medizinischen Societät zu Erlangen, 13 Heft, November, 1880, to August, 1881.—On the action of the milk-juice of *Ficus carica*, by A. Hansen.—On the artificial production of double-formations in chickens, by L. Gerlach.—On intra-thoracic pressure, by J. Rosenthal.—On the law of dispersion, by E. Lommel.—A polarisation apparatus from platincyanide of magnesium, by the same.—The germinal plates of Planaria, by E. Selenka.—Contributions to the theory of binary forms, by M. Noether.—Observations on the composition and exchange of material of the electrical organ in the torpedo, by T. Weyl.—On a new way of permanently fixing small anatomical objects for the purposes of demonstration, and preserving them without use of alcohol, by L. Gerlach.—On the compression of drugs, by J. Rosenthal.—On the influence of chemical agents on the amount of assimilation of green plants, by T. Weyl.

Rivista Scientifico-Industriale e Giornale del Naturalista, January 31.—Mode of rendering the Holtz machine more active, by C. Marangoni.—The radiometer and school experiments, by C. Rovelli.—On a *Querquedula* new to Italy, by A. Fiori.—New applications of the pneumatic method for rapid desiccation of large Orthoptera, &c., by P. Stefanelli.—Preparation of Hemiptera, by G. Cavanna.—Contribution to the study of anthropology of the Southern Provinces, by M. del Lupo.

February 28.—Nephoscope of P. F. Cecchi.—On the synthesis of various organic acids, by Drs. Bartoli and Papisogli, through electrolysis of water and of acid on alkaline, &c., solutions with carbon-electrodes, by P. Guasti.—Differential apparatus for determining the ozone in air, by D. Tommasi.—Observations on the habits and the development of *Aeschna cyanea*, Müll., by P. Stefanelli.

March 15.—On *Lebia turcica*, Fab., by F. Piccioli.—Lombard palæontology; fossil fauna of Lombardy, by A. Stoppani.

Reale Istituto Lombardo di Scienze e Lettere. Rendiconti, vol. xv. fasc. iv.—On some fossil insects of Lombardy, by F. Sordelli.—Some theorems on the degenerate forms of ellipsoid of Culmann, by G. Jung.—The double quadratic transformation of space (continued), by F. Aschieri.—Geometrical construction of the universal transformation of the third order, by E. Bertini.

Fasc. v.—Reduction of integrals of algebraic functions to integrals of rational functions, by C. Formenti.—What are the most simple and sure means of radical cure of hemorrhoidal varices? by A. Scarenzio.—Aberrations of the sexual sentiment

in a gynæcomastic maniac, by A. Raggi.—On varied systems of forces, by G. Bardelli.

Fasc. vi.—Origin of the *Tractus olfactorius* and structure of the olfactory lobes of man and of other mammalia, by C. Golgi.—Some theorems on the development in series by analytic functions, by S. Pincherle.

Atti della R. Accademia dei Lincei, vol. vi., fasc. 7.—On the tombs and dwellings of Iberian families existing in Italy, by L. Pigorini.

Natura, March.—A heat-electrometer, by G. Gandini.—On the origin of electricity of thunderclouds (concluded), by F. G. Nachs.—Alpine meteorology, by P. F. Denza.

SOCIETIES AND ACADEMIES

LONDON

Zoological Society, April 29.—Anniversary Meeting.—Prof. W. H. Flower, F.R.S., president, in the chair.—After the preliminary business the report of the council on the proceedings of the Society during the past year was read by Mr. Slater, the secretary. It stated that the number of fellows on December 31, 1881, was 3213, against 3309 at the same time of the previous year. The total receipts for 1881 had amounted to 25,810*l.*, against 27,388*l.* for 1880. The ordinary expenditure for 1881 had been 24,651*l.*, against 24,753*l.* for 1880; and the extraordinary expenditure 1036*l.*, against 1825*l.* for the preceding year. The sum of 1000*l.* had been devoted to the repayment of the mortgage debt on the Society's freehold premises, which had thus been reduced to 6000*l.* This expenditure had left a balance at the bankers of 1203*l.* to be carried forward for the benefit of the present year. The assets of the Society on December 31 last, after payment of all liabilities, were estimated to amount to nearly 20,000*l.*, exclusive of the value of the library and collection of living animals. As regards the gardens in the Regent's Park, little has been done in the way of special works during 1881, but the buildings and walks had been kept in good repair, and several of the former had been thoroughly repaired and painted. The number of visitors to the Society's Gardens in 1881 had been 648,604, against 675,979 in 1880. The zoological lectures having been well attended during the past year, would be continued during the present season. The number of animals in the Society's collection on December 31 last was 2294, of which 617 were mammals, 1389 birds, and 258 reptiles. Eleven mammals, 17 birds, and 11 reptiles belonging to species new to the collection had been exhibited in 1881, and during the same year a considerable number of mammals, birds, and reptiles of a different species (of which detailed lists were given) had reproduced their kind in the Society's Gardens.—It was moved by Viscount Powerscourt, seconded by Mr. Howard Saunders, that the best thanks of the meeting be given to the Council for their report. The motion having been adopted, the meeting proceeded to elect the new Members of the Council and the officers for the ensuing year, and a formal ballot having been taken, it was declared that Mr. H. E. Dresser, Prof. Mivart, F.R.S., Mr. Henry Pollock, Mr. W. Ayshford Sanford, and Capt. George E. Shelley had been elected Members of the Council in place of the retiring Members; that Mr. F. Du Cane Godman had been re-elected into the Council in the place of Mr. Edward R. Alston, deceased; and that Prof. Flower, LL.D., F.R.S., had been re-elected president, Mr. Charles Drummond reasurer, and Mr. Philip Lutley Sclater, M.A., Ph.D., F.R.S., secretary to the Society until the next anniversary.

Physical Society, April 22.—Prof. Clifton, president, in the chair.—New member, Dr. E. Hopkinson.—The president announced that copies of the Report of the Lightning Rod Committee could be obtained from Dr. Guthrie, Science Schools, South Kensington, price five shillings per copy.—A paper was then read by Mr. W. F. Stanley on the evidence of a flowing liquid moving by rolling contact upon the interior surface of a pipe. In his experimental work on fluids, published last year, the author has endeavoured to show that liquids flowing in a tube move by rolling contact on or past the resistant surfaces of solids, and upon like principles that the moving parts of a flowing liquid move by rolling contact on the more quiescent parts of its own mass, so that in no case is there any element of sliding, gliding, or shearing motion such as is generally assumed. Further experiments tend to support this view in the case of liquids flowing through pipes. The difficulty in the experiments arose from the friction of the pipe impeding the free motion of the

particles. The principle was investigated by allowing liquids of various kinds, such as solution of mastic varnish, to flow through pipes, the liquids containing colouring matter, or air particles to assist the eye. The author illustrated the effects by diagrams on the screw.—Dr. W. H. Stone, Mr. Blaikley, Dr. Guthrie, and the President, offered some remarks on the paper.—Mr. J. M. Whipple exhibited the magnetograph curves obtained at the Kew Observatory during the past week, showing the progress of the recent magnetic storms. After stating that two unusually large spots were now passing over the sun's disc, he remarked that although the magnets at Kew were somewhat disturbed on the 14th, they were nearly stationary until the night of the 16th, when, about 11.45 p.m., they became strongly affected, and from then till 8 p.m. on the 17th, the magnetic storm raged. The horizontal component of the earth's magnetic force was at one time reduced more than 0.05 mm. mgrs. below its average value, and the vertical component by about 0.07 of the same units. This happened about 6 a.m. of the 17th. A little after noon of the same day both forces became so increased, that the light spot left the scale of the instrument for nearly two hours. A second period of magnetic disturbance commenced at about 3.40 a.m. of the 20th, and was violent up to 2 p.m., subsiding gradually until 7.45 p.m. of the 21st. During this period, the magnetic force, though fluctuating largely, did not experience such great changes of intensity as were indicated by that of the 17th. Mr. Whipple then alluded to the work of Prof. W. G. Adams, and suggested that sun-spots only produced such effects when cutting certain lines of force, which he imagined might extend for a limited angular distance round the earth's radius vector. Prof. Adams pointed out the desirability of increasing the number of self-recording magnetic observatories, especially in the southern hemisphere, and after mentioning that the French were about to equip such an observatory at Cape Horn, expressed the wish that the Cape of Good Hope Observatory might again be provided with magnetometers.—The Rev. S. J. Perry remarked on the exceptional nature of the storm which he had seen recorded at Brussels, and stated that in Belgium the telegraph service had been disorganised by it. Attention was also called to the auroral displays in America, and Mr. Lecky, Dr. Guthrie, the President, and others, spoke on the general phenomena of the storms.—It was then announced that the meetings of the Society in May would be held on the 6th and 20th, instead of on the 13th and 27th, as previously announced; also that the Society would hold a meeting at the Clarendon Laboratory, Oxford, on June 17, by invitation of the president.

Victoria (Philosophical) Institute, May 1.—Prof. Reinsch gave the results of his researches into the mode of the formation of coal. The lecture was illustrated by several large drawings and photographs. The professor stated that he had examined with the microscope no less than 2500 sections of coal, and had come to the conclusion that coal had not been formed by the alteration of accumulated land plants, but that it consisted of microscopical organic forms of a lower order of protoplasm, and although he carefully examined the cells and other remains of plants of a higher order, he computed that they have contributed only a fraction of the matter of coal veins, however numerous they may be in some instances, he referred to the fact that Dr. Muck, of Bochum, held that algae have mainly contributed to the formation of coal, and that marine plants were rarely found in coal, because of their tendency to decompose, and that calcareous remains of mollusks disappeared, on account of the rapid formation of carbonic acid during the process of carbonic action.

Royal Horticultural Society, March 28.—Sir J. D. Hooker, in the chair.—*Savagus foccosus*: Mr. Pascoe exhibited specimens of this beetle from Queensland, attached apparently by a species of *Isaria*, while living.—*Doryanthes Palmeri*: Sir J. D. Hooker exhibited a leaf, some five feet long, and a cluster of flowers from a spike twelve feet in length, bearing a fanicle of flowers, eighteen inches in length.—*Coryanthes macrantha*, exhibited by S. T. Laurence; the fertilisation of which, by insects, is described by Mr. Darwin, in his "Fertilisation of Orchids."

EDINBURGH

Royal Society, April 17.—The Rev. Dr. Lindsay Alexander, vice-president, in the chair.—Prof. Blackie communicated a paper on the definite article in Greek, with special reference to the revised version of the New Testament. He showed by quo-

tations from classical Greek authors, that the Greeks were anything but particular in the use of the article, and apparently attached little importance to it; and hence a slavish rendering of the article when it occurred into English, not only led in many cases to bad English, but displayed ignorance of true scholarship. This fault, the author maintained, the revisers had in not a few instances made their own.—Prof. Blyth, in a paper on the action of the microphone, pointed out that the action due to the aerial waves of sound directly, and that due to the tremor of the frame-work which supported the microphone, must be carefully distinguished, the latter being probably the source of the jarring that so commonly accompanies telephonic sounds. As the result of a series of ingeniously-contrived experiments, he concluded that the true microphonic action, as far as it related to the transmission of articulate sounds, is due to the direct action of air-pulses upon the temporary minute "arc-lights" which exist as soon as the carbon points are shaken asunder by the tremor of the frame.—Prof. Marshall submitted an account of experiments made by Prof. C. Michie Smith, Mr. R. T. Omond and himself, in reference to the lowering of the maximum density point of water by pressure. The lowering was measured indirectly by calculation from observed thermal effects when the pressure in a mass of water at a given temperature was suddenly diminished from several tons' weight on the square inch to the atmospheric pressure. This thermal effect is a heating effect when the temperature of the water is below that of the maximum density, a cooling effect when above. A thermoelectrical junction let into the pressure apparatus, and connected to a delicate galvanometer, noted the changes of temperature, while the pressure was measured by means of one of Prof. Tait's high-pressure gauges, formerly described. From their first and preliminary series of experiments, they had deduced a lowering of the maximum density-point of water by 2° C. per ton's weight increase of pressure.

PARIS

Academy of Sciences, April 24.—M. Jamin in the chair.—The following papers were read:—Movements of various parts of a liquid in a vessel or reservoir, whence it flows through an orifice (continued), by M. de Saint Venant.—Researches on the distribution of heat in the dark region of solar spectra, by M. Desains. With a rock-salt prism, he found the position of the cold bands and the maxima always nearly the same. But there was not the same agreement in the relative values of the intensities of successive maxima and minima (especially in the region of great wave-lengths). The maxima were much greater in 1882 than in 1879 (doubtless owing to dryness of the air).—Mémorial on the temperature of the air at the surface of the ground, and of the earth to 36 m. depth, also of two pieces of ground, one bare, the other turf-covered, in 1881, by MM. Becquerel. The mean air-temperature, 11° 15', is higher than in the two immediately preceding years.—On quarantines at Suez, by M. de Lesseps.—Separation of gallium, by M. Lecoq de Boisbaudran. He uses advantageously cupric hydrate, instead of carbonate of baryta or lime, for precipitation of galline; the copper is easily eliminated with sulphuretted hydrogen.—Report on a memoir relating to the hygienic and economical properties of maize, by M. Fua. M. Fua proves the value of maize as food; maladies attributed to it have been really due to badly kept and diseased maize.—On hypercycles, by M. Laguerre.—On the theory of uniform functions of a variable, by M. Mittag-Leffler.—On Fuchsian functions, by M. Poincaré.—Solution of the general problem of indeterminate analysis of the first degree, by M. Méray.—The minima of sun-spots in 1881, by M. Ricco. The northern hemisphere was observed (at Palermo) without spots, 23 days; the southern, 94 days. There were 12 periods of minima in the north, and 18 in the south. The intervals of minima differ little from the time of a solar rotation. A certain stability of minima thus indicated, especially in the northern hemisphere, was confirmed by observations of longitude.—On the actinic transformation of Foucault mirrors and their applications in photography, by M. de Chardonnet. A plate of rock crystal, silvered so as to be opaque to sight, forms a filter, permeable exclusively by dark rays of short wave-length, and which may be used for photography without intervention of visible light. Very white crown glass or thin Saint Gobain glass may be used instead of rock salt.—On magnetic perturbation, by M. Mascart. A magnetic storm of large extent seems to have begun (after some preliminary indications) on the night of April 13, and continued a week or more; strong shocks occurred on the 16th and 20th.—Winter of 1881-1882 at Clermont and at Puy-de-Dôme, by M.

Allard. These stations showed interversion of temperature with altitude on 78 nights in four months (November to February), or nearly two-thirds; the minima on Puy-de-Dôme ranging from 7 to 13 degrees above those at Clermont. New proof was had of the rule that whenever an area of high pressures covers central Europe, and especially France, the interversion in question occurs. M. Faye, referring to the fact that Mont Blanc is sometimes seen from Puy-de-Dôme, distant 280 km., suggested observation of geodesic refraction between them.—On the equivalent of carbon determined by combustion of the diamond, by Prof. Roscoe. Representing O by 15.46, C becomes 11.07.—On the decomposition of salts of lead by alkalies, by M. Ditte.—Action of sulphuretted hydrogen on solution of sulphate of nickel in the cold state, by M. Baubigny.—Researches on ozone, by M. Maillfeld. He describes its action on sulphur, selenium, tellurium, sulphides, and some organic matters.—On the absorption of volatile bodies with the aid of heat, by M. Schloesing. He illustrates this by several experiments; e.g. powders of carbonate of ammonia pass into a small tower of coke, sprinkled with dilute sulphuric acid; a part of the alkali is carried beyond. If the temperature be raised to 100°, the absorption is total, and almost instantaneous. M. Schloesing proposes to apply the principle to determination of nitric acid in the atmosphere.—On the oxidation of pyrogallic acid in an acid medium, by MM. Clermont and Chautard.—On the insoluble modification of pepsin, by M. Gautier.—On nuclei with intense polychroism in dark mica, by M. Lévy. These are due to zircon.—On the action of permanganate of potash against accidents from the poison of Bothrops, by M. Couty. His conclusions, from experiment, are adverse to use of the permanganate as antidote.—On the abyssal malacological fauna of the Mediterranean, by M. Fischer. From 555 m. to 2660 m., about 120 species of mollusca were dredged, of which only about 30 are really abyssal. The number of species diminishes sensibly with the depth. All the deep species are also found in the Atlantic.—On some attempts at hybridation between different species of Echinoidea, by M. Köhler. These were successful, e.g. in the case of a *Spatangus* and a *Pamamachus*.—On some points of the anatomy of Holothurians, by M. Jourdan.—On the pyloric ampullæ of Podophthalmate crustaceans, by M. Mocquard.—On the vitality of trichinæ encysted in salt meat, by M. Fourment. In salt meat prepared fifteen months back were live trichinæ, which were fully evolved in the alimentary canal of a new host, and caused death.

CONTENTS

	PAGE
TONNAGE LEGISLATION. By W. H. WHITE, Chief Constructor to the Navy	1
MYTH AND SCIENCE. By Dr. GEORGE J. ROMANES, F.R.S.	3
A PRIMER OF ART. By Miss L. S. BEVINGTON	5
OUR BOOK SHELF:—	
Vernon-Harcourt's "Treatise on Rivers and Canals."—Major ALLAN CUNNINGHAM	5
"Galeni Pergamentis de Temperamentis et de Inequali Intemperie Libri tres, Thoma Linacero Anglo Interprete, 1521"	6
Distant's "Rhopalocera Malayana"	6
Haslam's "Conic Sections Treated Geometrically"	7
Gilder's "Schwatka's Search"	7
"Chambers's Etymological Dictionary of the English Language"	7
Hesse-Wartegg's "Tunis; the Land and the People"	7
LETTERS TO THE EDITOR:—	
Silurian Fossils in the North-West Highlands.—HENRY HICKS	7
Earthquakes and Mountain Ranges.—Rev. O. FISHER	7
Visitation.—Mrs. ANNA KINGSDON; B.Sc., STUDENT OF MEDICINE	8
Red Variable Stars—"Variab. Cygni (Birmingham) 1881," &c.—J. BIRMINGHAM	8
Matter and Magneto-electric Action.—HENRY BEDFORD	8
CYCLONES. By E. DOUGLAS ARCHIBALD	9
THE GIZZARD-CONTENTS OF SOME OCEANIC BIRDS. By Surgeon-Major H. B. GUPPY	12
RECENT DISCOVERIES IN THE PLANET MARS. By Rev. T. W. WEBB (With Illustration)	13
THE CAUSE OF TUBERCULOSIS. By Dr. E. KLEIN	13
DEEP-SEA EXPLORATION (With Diagrams)	15
SOME PRIMITIVE IDEAS ON METEOROLOGY	15
NOTES	16
OUR ASTRONOMICAL COLUMN:—	
The Present Comet	18
The so-called <i>Nova</i> of 1843	18
GEOGRAPHICAL NOTES	19
SOME OF THE DANGEROUS PROPERTIES OF DUSTS. By Prof. F. A. ABEL, C.B., F.R.S.	19
THE INFLUENCE OF TEMPERATURE ON CERTAIN SEEDS	22
UNIVERSITY AND EDUCATIONAL INTELLIGENCE	22
SCIENTIFIC SERIALS	22
SOCIETIES AND ACADEMIES	23